

Click Here

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,530
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,530
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,530
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,530
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,530
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,530
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,530
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,530
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,530
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,530
CR3AHDR00CC6	3.0	20	62	6.0	₹ 1,911
CR3AHDR00CD3	3.1	20	62	6.0	₹ 1,911
CR3AHDR00CE1	3.2	20	62	6.0	₹ 1,911
CR3AHDR00CF9	3.3	20	62	6.0	₹ 1,911
CR3AHDR00CG7	3.4	20	62	6.0	₹ 1,911
CR3AHDR00CH5	3.5	20	62	6.0	₹ 1,911
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 1,911
CR3AHDR00CK8	3.7	20	62	6.0	₹ 1,911
CR3AHDR00CL6	3.8	24	62	6.0	₹ 1,911
CR3AHDR00CM4	3.9	24	62	6.0	₹ 1,911
CR3AHDR00CN1	4.0	24	62	6.0	₹ 1,911
CR3AHDR00CP7	4.1	24	62	6.0	₹ 1,911
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 1,911
CR3AHDR00CR3	4.3	24	62	6.0	₹ 1,911
CR3AHDR00CS0	4.4	24	62	6.0	₹ 1,911
CR3AHDR00CT8	4.5	24	62	6.0	₹ 1,911
CR3AHDR00CU6	4.6	24	62	6.0	₹ 1,911
CR3AHDR00CV4	4.7	24	62	6.0	₹ 1,911
CR3AHDR00CW2	4.8	28	62	6.0	₹ 1,911
CR3AHDR00CX9	4.9	28	62	6.0	₹ 1,911
CR3AHDR00CY7	5.0	28	62	6.0	₹ 1,911
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 1,911
CR3AHDR00D06	5.2	28	62	6.0	₹ 1,911
CR3AHDR00D14	5.3	28	62	6.0	₹ 1,911
CR3AHDR00D22	5.4	28	62	6.0	₹ 1,911
CR3AHDR00D30	5.5	28	62	6.0	₹ 1,911
CR3AHDR00D48	5.6	28	62	6.0	₹ 1,911
CR3AHDR00D55	5.7	28	62	6.0	₹ 1,911
CR3AHDR00D63	5.8	28	62	6.0	₹ 1,911
CR3AHDR00D71	5.9	28	62	6.0	₹ 1,911
CR3AHDR00D89	6.0	28	62	6.0	₹ 1,911
CR3AHDR00D97	6.1	34	75	8.0	₹ 3,216
CR3AHDR00DA9	6.2	34	75	8.0	₹ 3,216
CR3AHDR00DB7	6.3	34	75	8.0	₹ 3,216
CR3AHDR00DC5	6.4	34	75	8.0	₹ 3,216
CR3AHDR00DD2	6.5	34	75	8.0	₹ 3,216
CR3AHDR00DE0	6.6	34	75	8.0	₹ 3,216
CR3AHDR00DF8	6.7	34	75	8.0	₹ 3,216
CR3AHDR00DG6	6.8	34	75	8.0	₹ 3,216
CR3AHDR00DH4	6.9	34	75	8.0	₹ 3,216
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 3,216
CR3AHDR00DK7	7.1	40	80	8.0	₹ 3,483
CR3AHDR00DL5	7.2	40	80	8.0	₹ 3,483
CR3AHDR00DM3	7.3	40	80	8.0	₹ 3,483
CR3AHDR00DN0	7.4	40	80	8.0	₹ 3,483
CR3AHDR00DP6	7.5	40	80	8.0	₹ 3,483
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 3,483
CR3AHDR00DR2	7.7	40	80	8.0	₹ 3,483
CR3AHDR00DS9	7.8	40	80	8.0	₹ 3,483
CR3AHDR00DT7	7.9	40	80	8.0	₹ 3,483
CR3AHDR00DU5	8.0	40	80	8.0	₹ 3,483
CR3AHDR00P53	8.1	40	80	10.0	₹ 4,464
CR3AHDR00DV3	8.1	51	100	10.0	₹ 5,061
CR3AHDR00NV3	8.2	40	80	10.0	₹ 4,464
CR3AHDR00DW1	8.2	51	100	10.0	₹ 5,061
CR3AHDR00NP6	8.3	40	75	10.0	₹ 4,464
CR3AHDR00DX8	8.3	51	100	10.0	₹ 5,061
CR3AHDR00NH4	8.4	40	75	10.0	₹ 4,464
CR3AHDR00DY6	8.4	51	100	10.0	₹ 5,061
CR3AHDR00NJ9	8.5	40	75	10.0	₹ 4,464
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 5,061
CR3AHDR00NK7	8.6	40	75	10.0	₹ 4,464
CR3AHDR00E05	8.6	51	100	10.0	₹ 5,061



Click Here

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00NR2	8.7	40	75	10.0	₹ 4,464
CR3AHDR00E13	8.7	51	100	10.0	₹ 5,061
CR3AHDR00NZ4	8.8	40	80	10.0	₹ 4,464
CR3AHDR00E21	8.8	51	100	10.0	₹ 5,061
CR3AHDR00TU9	8.9	40	80	10.0	₹ 4,464
CR3AHDR00E39	8.9	51	100	10.0	₹ 5,061
CR3AHDR00NW1	9.0	40	80	10.0	₹ 4,464
CR3AHDR00E47	9.0	51	100	10.0	₹ 5,061
CR3AHDR00P79	9.1	40	80	10.0	₹ 4,464
CR3AHDR00E54	9.1	51	100	10.0	₹ 5,061
CR3AHDR00TQ8	9.2	40	80	10.0	₹ 4,464
CR3AHDR00E62	9.2	51	100	10.0	₹ 5,061
CR3AHDR00P87	9.3	40	80	10.0	₹ 4,464
CR3AHDR00E70	9.3	51	100	10.0	₹ 5,061
CR3AHDR00TV7	9.4	40	80	10.0	₹ 4,464
CR3AHDR00E88	9.4	51	100	10.0	₹ 5,061
CR3AHDR00P95	9.5	40	80	10.0	₹ 4,464
CR3AHDR00E96	9.5	51	100	10.0	₹ 5,061
CR3AHDR00TW5	9.6	40	80	10.0	₹ 4,464
CR3AHDR00EA8	9.6	51	100	10.0	₹ 5,061
CR3AHDR00TX2	9.7	40	80	10.0	₹ 4,464
CR3AHDR00EB6	9.7	51	100	10.0	₹ 5,061
CR3AHDR00PA7	9.8	40	80	10.0	₹ 4,464
CR3AHDR00EC4	9.8	51	100	10.0	₹ 5,061
CR3AHDR00TY0	9.9	40	80	10.0	₹ 4,464
CR3AHDR00ED1	9.9	51	100	10.0	₹ 5,061
CR3AHDR00NX8	10.0	40	80	10.0	₹ 4,464
CR3AHDR00EE9	10.0	51	100	10.0	₹ 5,061
CR3AHDR00EF7	10.1	55	100	12.0	₹ 6,672
CR3AHDR00EG5	10.2	55	100	12.0	₹ 6,672
CR3AHDR00NN0	10.3	40	75	12.0	₹ 5,676
CR3AHDR00EH3	10.3	55	100	12.0	₹ 6,672
CR3AHDR00NL5	10.4	40	75	12.0	₹ 5,676
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 6,672
CR3AHDR00NM3	10.5	40	75	12.0	₹ 5,676
CR3AHDR00EK6	10.5	55	100	12.0	₹ 6,672
CR3AHDR00EL4	10.6	55	100	12.0	₹ 6,672
CR3AHDR00EM2	10.7	55	100	12.0	₹ 6,672
CR3AHDR00EN9	10.8	55	100	12.0	₹ 6,672
CR3AHDR00EP5	10.9	55	100	12.0	₹ 6,672
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 6,672
CR3AHDR00ER1	11.1	55	100	12.0	₹ 6,672
CR3AHDR00ES8	11.2	55	100	12.0	₹ 6,672
CR3AHDR00ET6	11.3	55	100	12.0	₹ 6,672
CR3AHDR00EU4	11.4	55	100	12.0	₹ 6,672
CR3AHDR00EV2	11.5	55	100	12.0	₹ 6,672
CR3AHDR00EW0	11.6	55	100	12.0	₹ 6,672
CR3AHDR00EX7	11.7	55	100	12.0	₹ 6,672
CR3AHDR00EY5	11.8	55	100	12.0	₹ 6,672
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 6,672
CR3AHDR00F04	12.0	55	100	12.0	₹ 6,672
CR3AHDR00PB5	12.2	55	105	14.0	₹ 8,865
CR3AHDR00F12	12.5	55	105	14.0	₹ 8,865
CR3AHDR00P20	12.7	55	105	14.0	₹ 8,865
CR3AHDR00F20	13.0	55	105	14.0	₹ 8,865
CR3AHDR00P38	13.1	55	105	14.0	₹ 8,865
CR3AHDR00P46	13.2	55	105	14.0	₹ 8,865
CR3AHDR00F38	13.5	55	105	14.0	₹ 8,865
CR3AHDR00TS3	13.8	55	105	14.0	₹ 8,865
CR3AHDR00F46	14.0	55	105	14.0	₹ 8,865
CR3AHDR00F53	14.5	58	105	16.0	₹ 10,461
CR3AHDR00F61	15.0	58	105	16.0	₹ 10,461
CR3AHDR00F79	15.5	58	105	16.0	₹ 10,461
CR3AHDR00NT7	15.8	58	100	16.0	₹ 10,461
CR3AHDR00F87	16.0	58	105	16.0	₹ 10,461
CR3AHDR00F95	16.5	58	105	18.0	₹ 14,100
CR3AHDR00FA7	17.0	58	105	18.0	₹ 14,100
CR3AHDR00FB5	17.5	58	105	18.0	₹ 14,100
CR3AHDR00FC3	18.0	58	105	18.0	₹ 14,100
CR3AHDR00FD0	18.5	58	105	20.0	₹ 17,088
CR3AHDR00FE8	19.0	58	105	20.0	₹ 17,088
CR3AHDR00FF6	19.5	58	105	20.0	₹ 17,088
CR3AHDR00FG4	20.0	58	105	20.0	₹ 17,088

Click Here


Series	C3HL				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00FH2	2.0	21	57	4.0	₹ 1,953
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 1,953
CR3AHDR00FK5	2.2	21	57	4.0	₹ 1,953
CR3AHDR00FL3	2.3	21	57	4.0	₹ 1,953
CR3AHDR00FM1	2.4	21	57	4.0	₹ 1,953
CR3AHDR00FN8	2.5	21	57	4.0	₹ 1,953
CR3AHDR00FP4	2.6	21	57	4.0	₹ 1,953
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 1,953
CR3AHDR00FR0	2.8	21	57	4.0	₹ 1,953
CR3AHDR00FS7	2.9	21	57	4.0	₹ 1,953
CR3AHDR00FT5	3.0	28	62	6.0	₹ 2,298
CR3AHDR00FU3	3.1	28	62	6.0	₹ 2,298
CR3AHDR00FV1	3.2	28	62	6.0	₹ 2,298
CR3AHDR00FW9	3.3	28	62	6.0	₹ 2,298
CR3AHDR00FX6	3.4	28	62	6.0	₹ 2,298
CR3AHDR00FY4	3.5	28	62	6.0	₹ 2,298
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 2,298
CR3AHDR00G03	3.7	28	62	6.0	₹ 2,298
CR3AHDR00G11	3.8	36	75	6.0	₹ 2,817
CR3AHDR00G29	3.9	36	75	6.0	₹ 2,817
CR3AHDR00G37	4.0	36	75	6.0	₹ 2,817
CR3AHDR00G45	4.1	36	75	6.0	₹ 2,817
CR3AHDR00G52	4.2	36	75	6.0	₹ 2,817
CR3AHDR00G60	4.3	36	75	6.0	₹ 2,817
CR3AHDR00G78	4.4	36	75	6.0	₹ 2,817
CR3AHDR00G86	4.5	36	75	6.0	₹ 2,817
CR3AHDR00G94	4.6	36	75	6.0	₹ 2,817
CR3AHDR00GA6	4.7	36	75	6.0	₹ 2,817
CR3AHDR00GB4	4.8	42	80	6.0	₹ 2,817
CR3AHDR00GC2	4.9	42	80	6.0	₹ 2,817
CR3AHDR00GD9	5.0	42	80	6.0	₹ 2,817
CR3AHDR00GE7	5.1	42	80	6.0	₹ 2,817
CR3AHDR00GF5	5.2	42	80	6.0	₹ 2,817
CR3AHDR00GG3	5.3	42	80	6.0	₹ 2,817
CR3AHDR00GH1	5.4	42	80	6.0	₹ 2,817
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 2,817
CR3AHDR00GK4	5.6	42	80	6.0	₹ 2,817
CR3AHDR00GL2	5.7	42	80	6.0	₹ 2,817
CR3AHDR00GM0	5.8	42	80	6.0	₹ 2,817
CR3AHDR00GN7	5.9	42	80	6.0	₹ 2,817
CR3AHDR00GP3	6.0	42	80	6.0	₹ 2,817
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 3,942
CR3AHDR00GR9	6.2	55	100	8.0	₹ 3,942
CR3AHDR00GS6	6.3	55	100	8.0	₹ 3,942
CR3AHDR00GT4	6.4	55	100	8.0	₹ 3,942
CR3AHDR00GU2	6.5	55	100	8.0	₹ 3,942
CR3AHDR00GV0	6.6	55	100	8.0	₹ 3,942
CR3AHDR00GW8	6.7	55	100	8.0	₹ 3,942
CR3AHDR00GX5	6.8	55	100	8.0	₹ 3,942
CR3AHDR00GY3	6.9	55	100	8.0	₹ 3,942
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 3,942
CR3AHDR00H02	7.1	60	105	8.0	₹ 3,942
CR3AHDR00H10	7.2	60	105	8.0	₹ 3,942
CR3AHDR00H28	7.3	60	105	8.0	₹ 3,942
CR3AHDR00H36	7.4	60	105	8.0	₹ 3,942
CR3AHDR00H44	7.5	60	105	8.0	₹ 3,942
CR3AHDR00H51	7.6	60	105	8.0	₹ 3,942
CR3AHDR00H69	7.7	60	105	8.0	₹ 3,942
CR3AHDR00H77	7.8	60	105	8.0	₹ 3,942
CR3AHDR00H85	7.9	60	105	8.0	₹ 3,942



Carbide HP-Drills (LONG) Reinforced Shank					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00H93	8.0	60	105	8.0	₹ 3,942
CR3AHDR00HA5	8.1	75	125	10.0	₹ 6,294
CR3AHDR00HB3	8.2	75	125	10.0	₹ 6,294
CR3AHDR00HC1	8.3	75	125	10.0	₹ 6,294
CR3AHDR00HD8	8.4	75	125	10.0	₹ 6,294
CR3AHDR00HE6	8.5	75	125	10.0	₹ 6,294
CR3AHDR00HF4	8.6	75	125	10.0	₹ 6,294
CR3AHDR00HG2	8.7	75	125	10.0	₹ 6,294
CR3AHDR00HH0	8.8	75	125	10.0	₹ 6,294
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 6,294
CR3AHDR00HK3	9.0	75	125	10.0	₹ 6,294
CR3AHDR00HL1	9.1	75	125	10.0	₹ 6,294
CR3AHDR00HM9	9.2	75	125	10.0	₹ 6,294
CR3AHDR00HN6	9.3	75	125	10.0	₹ 6,294
CR3AHDR00HP2	9.4	75	125	10.0	₹ 6,294
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 6,294
CR3AHDR00HR8	9.6	75	125	10.0	₹ 6,294
CR3AHDR00HS5	9.7	75	125	10.0	₹ 6,294
CR3AHDR00HT3	9.8	75	125	10.0	₹ 6,294
CR3AHDR00HU1	9.9	75	125	10.0	₹ 6,294
CR3AHDR00HV9	10.0	75	125	10.0	₹ 6,294
CR3AHDR00HW7	10.1	85	140	12.0	₹ 9,321
CR3AHDR00HX4	10.2	85	140	12.0	₹ 9,321
CR3AHDR00HY2	10.3	85	140	12.0	₹ 9,321
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 9,321
CR3AHDR00J00	10.5	85	140	12.0	₹ 9,321
CR3AHDR00J18	10.6	85	140	12.0	₹ 9,321
CR3AHDR00J26	10.7	85	140	12.0	₹ 9,321
CR3AHDR00J34	10.8	85	140	12.0	₹ 9,321
CR3AHDR00J42	10.9	85	140	12.0	₹ 9,321
CR3AHDR00J59	11.0	85	140	12.0	₹ 9,321
CR3AHDR00J67	11.1	85	140	12.0	₹ 9,321
CR3AHDR00J75	11.2	85	140	12.0	₹ 9,321
CR3AHDR00J83	11.3	85	140	12.0	₹ 9,321
CR3AHDR00J91	11.4	85	140	12.0	₹ 9,321
CR3AHDR00JA3	11.5	85	140	12.0	₹ 9,321
CR3AHDR00JB1	11.6	85	140	12.0	₹ 9,321
CR3AHDR00JC9	11.7	85	140	12.0	₹ 9,321
CR3AHDR00JD6	11.8	85	140	12.0	₹ 9,321
CR3AHDR00JE4	11.9	85	140	12.0	₹ 9,321
CR3AHDR00JF2	12.0	85	140	12.0	₹ 9,321
CR3AHDR00JG0	12.5	85	140	14.0	₹ 12,228
CR3AHDR00TR6	12.7	85	140	14.0	₹ 12,228
CR3AHDR00JH8	13.0	85	140	14.0	₹ 12,228
CR3AHDR00J3	13.5	85	140	14.0	₹ 12,228
CR3AHDR00JK1	14.0	85	140	14.0	₹ 12,228
CR3AHDR00JL9	14.5	90	145	16.0	₹ 14,361
CR3AHDR00JM7	15.0	90	145	16.0	₹ 14,361
CR3AHDR00JN4	15.5	90	145	16.0	₹ 14,361
CR3AHDR00JP0	16.0	90	145	16.0	₹ 14,361
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 18,669
CR3AHDR00JR6	17.0	95	150	18.0	₹ 18,669
CR3AHDR00JS3	17.5	95	150	18.0	₹ 18,669
CR3AHDR00JT1	18.0	95	150	18.0	₹ 18,669
CR3AHDR00JU9	18.5	98	150	20.0	₹ 22,017
CR3AHDR00JV7	19.0	98	150	20.0	₹ 22,017
CR3AHDR00JW5	19.5	98	150	20.0	₹ 22,017
CR3AHDR00JX2	20.0	98	150	20.0	₹ 22,017

Series	C4HT				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
C4HT020050-P	2.0	14	50	4.0	₹ 2,355
C4HT021050-P	2.1	14	50	4.0	₹ 2,355
C4HT022050-P	2.2	14	50	4.0	₹ 2,355
C4HT023050-P	2.3	14	50	4.0	₹ 2,355
C4HT024050-P	2.4	14	50	4.0	₹ 2,355
C4HT025050-P	2.5	14	50	4.0	₹ 2,355
C4HT026050-P	2.6	14	50	4.0	₹ 2,355
C4HT027050-P	2.7	14	50	4.0	₹ 2,355
C4HT028050-P	2.8	14	50	4.0	₹ 2,355
C4HT029050-P	2.9	14	50	4.0	₹ 2,355
C4HT030062-P	3.0	20	62	6.0	₹ 2,904
C4HT031062-P	3.1	20	62	6.0	₹ 2,904
C4HT032062-P	3.2	20	62	6.0	₹ 2,904
C4HT033062-P	3.3	20	62	6.0	₹ 2,904
C4HT034062-P	3.4	20	62	6.0	₹ 2,904
C4HT035062-P	3.5	20	62	6.0	₹ 2,904
C4HT036062-P	3.6	20	62	6.0	₹ 2,904
C4HT037062-P	3.7	20	62	6.0	₹ 2,904
C4HT038062-P	3.8	24	62	6.0	₹ 2,904
C4HT039062-P	3.9	24	62	6.0	₹ 2,904
C4HT040062-P	4.0	24	62	6.0	₹ 2,904
C4HT041062-P	4.1	24	62	6.0	₹ 2,904
C4HT042062-P	4.2	24	62	6.0	₹ 2,904
C4HT043062-P	4.3	24	62	6.0	₹ 2,904
C4HT044062-P	4.4	24	62	6.0	₹ 2,904
C4HT045062-P	4.5	24	62	6.0	₹ 2,904
C4HT046062-P	4.6	24	62	6.0	₹ 2,904
C4HT047062-P	4.7	24	62	6.0	₹ 2,904
C4HT048062-P	4.8	28	62	6.0	₹ 2,904
C4HT049062-P	4.9	28	62	6.0	₹ 2,904
C4HT050062-P	5.0	28	62	6.0	₹ 2,904
C4HT051062-P	5.1	28	62	6.0	₹ 2,904
C4HT052062-P	5.2	28	62	6.0	₹ 2,904
C4HT053062-P	5.3	28	62	6.0	₹ 2,904
C4HT054062-P	5.4	28	62	6.0	₹ 2,904
C4HT055062-P	5.5	28	62	6.0	₹ 2,904
C4HT056062-P	5.6	28	62	6.0	₹ 2,904
C4HT057062-P	5.7	28	62	6.0	₹ 2,904
C4HT058062-P	5.8	28	62	6.0	₹ 2,904
C4HT059062-P	5.9	28	62	6.0	₹ 2,904
C4HT060062-P	6.0	28	62	6.0	₹ 2,904
C4HT061075-P	6.1	34	75	8.0	₹ 4,716
C4HT062075-P	6.2	34	75	8.0	₹ 4,716
C4HT063075-P	6.3	34	75	8.0	₹ 4,716
C4HT064075-P	6.4	34	75	8.0	₹ 4,716
C4HT065075-P	6.5	34	75	8.0	₹ 4,716
C4HT066075-P	6.6	34	75	8.0	₹ 4,716
C4HT067075-P	6.7	34	75	8.0	₹ 4,716
C4HT068075-P	6.8	34	75	8.0	₹ 4,716
C4HT069075-P	6.9	34	75	8.0	₹ 4,716
C4HT070075-P	7.0	34	75	8.0	₹ 4,716
C4HT071080-P	7.1	40	80	8.0	₹ 5,112
C4HT072080-P	7.2	40	80	8.0	₹ 5,112
C4HT073080-P	7.3	40	80	8.0	₹ 5,112
C4HT074080-P	7.4	40	80	8.0	₹ 5,112
C4HT075080-P	7.5	40	80	8.0	₹ 5,112
C4HT076080-P	7.6	40	80	8.0	₹ 5,112
C4HT077080-P	7.7	40	80	8.0	₹ 5,112
C4HT078080-P	7.8	40	80	8.0	₹ 5,112
C4HT079080-P	7.9	40	80	8.0	₹ 5,112
C4HT080080-P	8.0	40	80	8.0	₹ 5,112
C4HT081080-P	8.1	40	80	10.0	₹ 6,429
C4HT082080-P	8.2	40	80	10.0	₹ 6,429
C4HT083080-P	8.3	40	80	10.0	₹ 6,429
C4HT084080-P	8.4	40	80	10.0	₹ 6,429
C4HT085080-P	8.5	40	80	10.0	₹ 6,429

Carbide HP-Drills with PEROX Coating					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
C4HT086080-P	8.6	40	80	10.0	₹ 6,429
C4HT087080-P	8.7	40	80	10.0	₹ 6,429
C4HT088080-P	8.8	40	80	10.0	₹ 6,429
C4HT089080-P	8.9	40	80	10.0	₹ 6,429
C4HT090080-P	9.0	40	80	10.0	₹ 6,429
C4HT091080-P	9.1	40	80	10.0	₹ 6,429
C4HT092080-P	9.2	40	80	10.0	₹ 6,429
C4HT093080-P	9.3	40	80	10.0	₹ 6,429
C4HT094080-P	9.4	40	80	10.0	₹ 6,429
C4HT095080-P	9.5	40	80	10.0	₹ 6,429
C4HT096080-P	9.6	40	80	10.0	₹ 6,429
C4HT097080-P	9.7	40	80	10.0	₹ 6,429
C4HT098080-P	9.8	40	80	10.0	₹ 6,429
C4HT099080-P	9.9	40	80	10.0	₹ 6,429
C4HT100080-P	10.0	40	80	10.0	₹ 6,429
C4HT081100-P	8.1	60	100	10.0	₹ 7,695
C4HT082100-P	8.2	60	100	10.0	₹ 7,695
C4HT083100-P	8.3	60	100	10.0	₹ 7,695
C4HT084100-P	8.4	60	100	10.0	₹ 7,695
C4HT085100-P	8.5	60	100	10.0	₹ 7,695
C4HT086100-P	8.6	60	100	10.0	₹ 7,695
C4HT087100-P	8.7	60	100	10.0	₹ 7,695
C4HT088100-P	8.8	60	100	10.0	₹ 7,695
C4HT089100-P	8.9	60	100	10.0	₹ 7,695
C4HT090100-P	9.0	60	100	10.0	₹ 7,695
C4HT091100-P	9.1	60	100	10.0	₹ 7,695
C4HT092100-P	9.2	60	100	10.0	₹ 7,695
C4HT093100-P	9.3	60	100	10.0	₹ 7,695
C4HT094100-P	9.4	60	100	10.0	₹ 7,695
C4HT095100-P	9.5	60	100	10.0	₹ 7,695
C4HT096100-P	9.6	60	100	10.0	₹ 7,695
C4HT097100-P	9.7	60	100	10.0	₹ 7,695
C4HT098100-P	9.8	60	100	10.0	₹ 7,695
C4HT099100-P	9.9	60	100	10.0	₹ 7,695
C4HT100100-P	10.0	60	100	10.0	₹ 7,695
C4HT101100-P	10.1	60	100	12.0	₹ 10,149
C4HT102100-P	10.2	60	100	12.0	₹ 10,149
C4HT103100-P	10.3	60	100	12.0	₹ 10,149
C4HT104100-P	10.4	60	100	12.0	₹ 10,149
C4HT105100-P	10.5	60	100	12.0	₹ 10,149
C4HT106100-P	10.6	60	100	12.0	₹ 10,149
C4HT107100-P	10.7	60	100	12.0	₹ 10,149
C4HT108100-P	10.8	60	100	12.0	₹ 10,149
C4HT109100-P	10.9	60	100	12.0	₹ 10,149
C4HT110100-P	11.0	60	100	12.0	₹ 10,149
C4HT111100-P	11.1	60	100	12.0	₹ 10,149
C4HT112100-P	11.2	60	100	12.0	₹ 10,149
C4HT113100-P	11.3	60	100	12.0	₹ 10,149
C4HT114100-P	11.4	60	100	12.0	₹ 10,149
C4HT115100-P	11.5	60	100	12.0	₹ 10,149
C4HT116100-P	11.6	60	100	12.0	₹ 10,149
C4HT117100-P	11.7	60	100	12.0	₹ 10,149
C4HT118100-P	11.8	60	100	12.0	₹ 10,149
C4HT119100-P	11.9	60	100	12.0	₹ 10,149
C4HT120100-P	12.0	60	100	12.0	₹ 10,149
C4HT125105-P	12.5	55	105	14.0	₹ 13,473
C4HT130105-P	13.0	55	105	14.0	₹ 13,473
C4HT135105-P	13.5	55	105	14.0	₹ 13,473
C4HT140105-P	14.0	55	105	14.0	₹ 13,473
C4HT145105-P	14.5	58	105	16.0	₹ 16,452
C4HT150105-P	15.0	58	105	16.0	₹ 16,452
C4HT155105-P	15.5	58	105	16.0	₹ 16,452
C4HT160105-P	16.0	58	105	16.0	₹ 16,452
C4HT165105-P	16.5	58	105	18.0	₹ 22,053
C4HT170105-P	17.0	58	105	18.0	₹ 22,053
C4HT175105-P	17.5	58	105	18.0	₹ 22,053
C4HT180105-P	18.0	58	105	18.0	₹ 22,053
C4HT185105-P	18.5	58	105	20.0	₹ 25,986
C4HT190105-P	19.0	58	105	20.0	₹ 25,986
C4HT195105-P	19.5	58	105	20.0	₹ 25,986
C4HT200105-P	20.0	58	105	20.0	₹ 25,986

