

Click Here

Series	CTHS				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3PHDR00PP9	4.0	24	62	4.0	₹ 2,637
CR3PHDR00PQ7	4.1	24	62	6.0	₹ 3,021
CR3PHDR00PR5	4.2	24	62	6.0	₹ 3,021
CR3PHDR00PS2	4.3	24	62	6.0	₹ 3,021
CR3PHDR00PT0	4.4	24	62	6.0	₹ 3,021
CR3PHDR00PU8	4.5	24	62	6.0	₹ 3,021
CR3PHDR00PV6	4.6	24	62	6.0	₹ 3,021
CR3PHDR00PW4	4.7	24	62	6.0	₹ 3,021
CR3PHDR00PX1	4.8	28	62	6.0	₹ 3,021
CR3PHDR00PY9	4.9	28	62	6.0	₹ 3,021
CR3PHDR00PZ7	5.0	28	62	6.0	₹ 3,021
CR3PHDR00Q08	5.1	28	62	6.0	₹ 3,021
CR3PHDR00Q16	5.2	28	62	6.0	₹ 3,021
CR3PHDR00Q24	5.3	28	62	6.0	₹ 3,021
CR3PHDR00Q32	5.4	28	62	6.0	₹ 3,021
CR3PHDR00Q40	5.5	28	62	6.0	₹ 3,021
CR3PHDR00Q57	5.6	28	62	6.0	₹ 3,021
CR3PHDR00Q65	5.7	28	62	6.0	₹ 3,021
CR3PHDR00Q73	5.8	28	62	6.0	₹ 3,021
CR3PHDR00Q81	5.9	28	62	6.0	₹ 3,021
CR3PHDR00Q99	6.0	28	62	6.0	₹ 3,021
CR3PHDR00QA1	6.1	34	75	8.0	₹ 4,383
CR3PHDR00QB9	6.2	34	75	8.0	₹ 4,383
CR3PHDR00QC7	6.3	34	75	8.0	₹ 4,383
CR3PHDR00QD4	6.4	34	75	8.0	₹ 4,383
CR3PHDR00QE2	6.5	34	75	8.0	₹ 4,383
CR3PHDR00QF0	6.6	34	75	8.0	₹ 4,383
CR3PHDR00QG8	6.7	34	75	8.0	₹ 4,383
CR3PHDR00QH6	6.8	34	75	8.0	₹ 4,383
CR3PHDR00QJ1	6.9	34	75	8.0	₹ 4,383
CR3PHDR00QK9	7.0	34	75	8.0	₹ 4,383
CR3PHDR00QL7	7.1	40	80	8.0	₹ 4,383
CR3PHDR00QM5	7.2	40	80	8.0	₹ 4,383
CR3PHDR00QN2	7.3	40	80	8.0	₹ 4,383
CR3PHDR00QP8	7.4	40	80	8.0	₹ 4,383
CR3PHDR00QQ6	7.5	40	80	8.0	₹ 4,383
CR3PHDR00QR4	7.6	40	80	8.0	₹ 4,383
CR3PHDR00QS1	7.7	40	80	8.0	₹ 4,383
CR3PHDR00QT9	7.8	40	80	8.0	₹ 4,383
CR3PHDR00QU7	7.9	40	80	8.0	₹ 4,383
CR3PHDR00QV5	8.0	40	80	8.0	₹ 4,383
CR3PHDR00QW3	8.1	40	80	10.0	₹ 5,436
CR3PHDR00RG7	8.1	51	100	10.0	₹ 6,528
CR3PHDR00QX0	8.2	40	80	10.0	₹ 5,436
CR3PHDR00RH5	8.2	51	100	10.0	₹ 6,528
CR3PHDR00QY8	8.3	40	80	10.0	₹ 5,436
CR3PHDR00RJ0	8.3	51	100	10.0	₹ 6,528
CR3PHDR00QZ6	8.4	40	80	10.0	₹ 5,436
CR3PHDR00RK8	8.4	51	100	10.0	₹ 6,528
CR3PHDR00R07	8.5	40	80	10.0	₹ 5,436
CR3PHDR00RL6	8.5	51	100	10.0	₹ 6,528
CR3PHDR00R15	8.6	40	80	10.0	₹ 5,436
CR3PHDR00RM4	8.6	51	100	10.0	₹ 6,528
CR3PHDR00R23	8.7	40	80	10.0	₹ 5,436
CR3PHDR00RN1	8.7	51	100	10.0	₹ 6,528
CR3PHDR00R31	8.8	40	80	10.0	₹ 5,436
CR3PHDR00RP7	8.8	51	100	10.0	₹ 6,528
CR3PHDR00R49	8.9	40	80	10.0	₹ 5,436
CR3PHDR00RQ5	8.9	51	100	10.0	₹ 6,528



Carbide HP-Drills with Coolant Hole (SHORT)					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3PHDR00R56	9.0	40	80	10.0	₹ 5,436
CR3PHDR00RR3	9.0	51	100	10.0	₹ 6,528
CR3PHDR00R64	9.1	40	80	10.0	₹ 5,436
CR3PHDR00RS0	9.1	51	100	10.0	₹ 6,528
CR3PHDR00R72	9.2	40	80	10.0	₹ 5,436
CR3PHDR00RT8	9.2	51	100	10.0	₹ 6,528
CR3PHDR00R80	9.3	40	80	10.0	₹ 5,436
CR3PHDR00RU6	9.3	51	100	10.0	₹ 6,528
CR3PHDR00R98	9.4	40	80	10.0	₹ 5,436
CR3PHDR00RV4	9.4	51	100	10.0	₹ 6,528
CR3PHDR00RA0	9.5	40	80	10.0	₹ 5,436
CR3PHDR00RW2	9.5	51	100	10.0	₹ 6,528
CR3PHDR00RB8	9.6	40	80	10.0	₹ 5,436
CR3PHDR00RX9	9.6	51	100	10.0	₹ 6,528
CR3PHDR00RC6	9.7	40	80	10.0	₹ 5,436
CR3PHDR00RY7	9.7	51	100	10.0	₹ 6,528
CR3PHDR00RD3	9.8	40	80	10.0	₹ 5,436
CR3PHDR00RZ5	9.8	51	100	10.0	₹ 6,528
CR3PHDR00RE1	9.9	40	80	10.0	₹ 5,436
CR3PHDR00S06	9.9	51	100	10.0	₹ 6,528
CR3PHDR00RF9	10.0	40	80	10.0	₹ 5,436
CR3PHDR00S14	10.0	51	100	10.0	₹ 6,528
CR3PHDR00S22	10.1	55	100	12.0	₹ 8,373
CR3PHDR00S30	10.2	55	100	12.0	₹ 8,373
CR3PHDR00S48	10.3	55	100	12.0	₹ 8,373
CR3PHDR00S55	10.4	55	100	12.0	₹ 8,373
CR3PHDR00S63	10.5	55	100	12.0	₹ 8,373
CR3PHDR00S71	10.6	55	100	12.0	₹ 8,373
CR3PHDR00S89	10.7	55	100	12.0	₹ 8,373
CR3PHDR00S97	10.8	55	100	12.0	₹ 8,373
CR3PHDR00SA9	10.9	55	100	12.0	₹ 8,373
CR3PHDR00SB7	11.0	55	100	12.0	₹ 8,373
CR3PHDR00SC5	11.1	55	100	12.0	₹ 8,373
CR3PHDR00SD2	11.2	55	100	12.0	₹ 8,373
CR3PHDR00SE0	11.3	55	100	12.0	₹ 8,373
CR3PHDR00SF8	11.4	55	100	12.0	₹ 8,373
CR3PHDR00SG6	11.5	55	100	12.0	₹ 8,373
CR3PHDR00SH4	11.6	55	100	12.0	₹ 8,373
CR3PHDR00SJ9	11.7	55	100	12.0	₹ 8,373
CR3PHDR00SK7	11.8	55	100	12.0	₹ 8,373
CR3PHDR00SL5	11.9	55	100	12.0	₹ 8,373
CR3PHDR00SM3	12.0	55	100	12.0	₹ 8,373
CR3PHDR00SN0	12.5	55	105	14.0	₹ 11,313
CR3PHDR00SP6	13.0	55	105	14.0	₹ 11,313
CR3PHDR00SQ4	13.5	55	105	14.0	₹ 11,313
CR3PHDR00SR2	14.0	55	105	14.0	₹ 11,313
CR3PHDR00SS9	14.5	58	105	16.0	₹ 13,407
CR3PHDR00ST7	15.0	58	105	16.0	₹ 13,407
CR3PHDR00SU5	15.5	58	105	16.0	₹ 13,407
CR3PHDR00SV3	16.0	58	105	16.0	₹ 13,407
CR3PHDR00SW1	16.5	58	105	18.0	₹ 18,720
CR3PHDR00SX8	17.0	58	105	18.0	₹ 18,720
CR3PHDR00SY6	17.5	58	105	18.0	₹ 18,720
CR3PHDR00SZ4	18.0	58	105	18.0	₹ 18,720
CR3PHDR00T05	18.5	58	105	20.0	₹ 21,891
CR3PHDR00T13	19.0	58	105	20.0	₹ 21,891
CR3PHDR00T21	19.5	58	105	20.0	₹ 21,891
CR3PHDR00T39	20.0	58	105	20.0	₹ 21,891

Series	CTHL				
	Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CTHL0410-N	4.1	36	75	6.0	₹ 3,546
CTHL0420-N	4.2	36	75	6.0	₹ 3,546
CTHL0430-N	4.3	36	75	6.0	₹ 3,546
CTHL0440-N	4.4	36	75	6.0	₹ 3,546
CTHL0450-N	4.5	36	75	6.0	₹ 3,546
CTHL0460-N	4.6	36	75	6.0	₹ 3,546
CTHL0470-N	4.7	36	75	6.0	₹ 3,546
CTHL0480-N	4.8	42	80	6.0	₹ 3,546
CTHL0490-N	4.9	42	80	6.0	₹ 3,546
CTHL0500-N	5.0	42	80	6.0	₹ 3,546
CTHL0510-N	5.1	42	80	6.0	₹ 3,546
CTHL0520-N	5.2	42	80	6.0	₹ 3,546
CTHL0530-N	5.3	42	80	6.0	₹ 3,546
CTHL0540-N	5.4	42	80	6.0	₹ 3,546
CTHL0550-N	5.5	42	80	6.0	₹ 3,546
CTHL0560-N	5.6	42	80	6.0	₹ 3,546
CTHL0570-N	5.7	42	80	6.0	₹ 3,546
CTHL0580-N	5.8	42	80	6.0	₹ 3,546
CTHL0590-N	5.9	42	80	6.0	₹ 3,546
CTHL0600-N	6.0	42	80	6.0	₹ 3,546
CTHL0610-N	6.1	55	100	8.0	₹ 5,145
CTHL0620-N	6.2	55	100	8.0	₹ 5,145
CTHL0630-N	6.3	55	100	8.0	₹ 5,145
CTHL0640-N	6.4	55	100	8.0	₹ 5,145
CTHL0650-N	6.5	55	100	8.0	₹ 5,145
CTHL0660-N	6.6	55	100	8.0	₹ 5,145
CTHL0670-N	6.7	55	100	8.0	₹ 5,145
CTHL0680-N	6.8	55	100	8.0	₹ 5,145
CTHL0690-N	6.9	55	100	8.0	₹ 5,145
CTHL0700-N	7.0	55	100	8.0	₹ 5,145
CTHL0710-N	7.1	60	105	8.0	₹ 5,364
CTHL0720-N	7.2	60	105	8.0	₹ 5,364
CTHL0730-N	7.3	60	105	8.0	₹ 5,364
CTHL0740-N	7.4	60	105	8.0	₹ 5,364
CTHL0750-N	7.5	60	105	8.0	₹ 5,364
CTHL0760-N	7.6	60	105	8.0	₹ 5,364
CTHL0770-N	7.7	60	105	8.0	₹ 5,364
CTHL0780-N	7.8	60	105	8.0	₹ 5,364
CTHL0790-N	7.9	60	105	8.0	₹ 5,364
CTHL0800-N	8.0	60	105	8.0	₹ 5,364
CTHL0810-N	8.1	75	125	10.0	₹ 7,803
CTHL0820-N	8.2	75	125	10.0	₹ 7,803
CTHL0830-N	8.3	75	125	10.0	₹ 7,803
CTHL0840-N	8.4	75	125	10.0	₹ 7,803
CTHL0850-N	8.5	75	125	10.0	₹ 7,803
CTHL0860-N	8.6	75	125	10.0	₹ 7,803
CTHL0870-N	8.7	75	125	10.0	₹ 7,803
CTHL0880-N	8.8	75	125	10.0	₹ 7,803
CTHL0890-N	8.9	75	125	10.0	₹ 7,803

Carbide HP-Drills with Coolant Hole (LONG)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CTHL0900-N	9.0	75	125	10.0	₹ 7,803
CTHL0910-N	9.1	75	125	10.0	₹ 7,803
CTHL0920-N	9.2	75	125	10.0	₹ 7,803
CTHL0930-N	9.3	75	125	10.0	₹ 7,803
CTHL0940-N	9.4	75	125	10.0	₹ 7,803
CTHL0950-N	9.5	75	125	10.0	₹ 7,803
CTHL0960-N	9.6	75	125	10.0	₹ 7,803
CTHL0970-N	9.7	75	125	10.0	₹ 7,803
CTHL0980-N	9.8	75	125	10.0	₹ 7,803
CTHL0990-N	9.9	75	125	10.0	₹ 7,803
CTHL1000-N	10.0	75	125	10.0	₹ 7,803
CTHL1010-N	10.1	85	140	12.0	₹ 12,003
CTHL1020-N	10.2	85	140	12.0	₹ 12,003
CTHL1030-N	10.3	85	140	12.0	₹ 12,003
CTHL1040-N	10.4	85	140	12.0	₹ 12,003
CTHL1050-N	10.5	85	140	12.0	₹ 12,003
CTHL1060-N	10.6	85	140	12.0	₹ 12,003
CTHL1070-N	10.7	85	140	12.0	₹ 12,003
CTHL1080-N	10.8	85	140	12.0	₹ 12,003
CTHL1090-N	10.9	85	140	12.0	₹ 12,003
CTHL1100-N	11.0	85	140	12.0	₹ 12,003
CTHL1110-N	11.1	85	140	12.0	₹ 12,003
CTHL1120-N	11.2	85	140	12.0	₹ 12,003
CTHL1130-N	11.3	85	140	12.0	₹ 12,003
CTHL1140-N	11.4	85	140	12.0	₹ 12,003
CTHL1150-N	11.5	85	140	12.0	₹ 12,003
CTHL1160-N	11.6	85	140	12.0	₹ 12,003
CTHL1170-N	11.7	85	140	12.0	₹ 12,003
CTHL1180-N	11.8	85	140	12.0	₹ 12,003
CTHL1190-N	11.9	85	140	12.0	₹ 12,003
CTHL1200-N	12.0	85	140	12.0	₹ 12,003
CTHL1250-N	12.5	85	140	14.0	₹ 15,987
CTHL1300-N	13.0	85	140	14.0	₹ 15,987
CTHL1350-N	13.5	85	140	14.0	₹ 15,987
CTHL1400-N	14.0	85	140	14.0	₹ 15,987
CTHL1450-N	14.5	90	145	16.0	₹ 18,918
CTHL1500-N	15.0	90	145	16.0	₹ 18,918
CTHL1550-N	15.5	90	145	16.0	₹ 18,918
CTHL1600-N	16.0	90	145	16.0	₹ 18,918
CTHL1650-N	16.5	95	150	18.0	₹ 24,156
CTHL1700-N	17.0	95	150	18.0	₹ 24,156
CTHL1750-N	17.5	95	150	18.0	₹ 24,156
CTHL1800-N	18.0	95	150	18.0	₹ 24,156
CTHL1850-N	18.5	98	150	20.0	₹ 28,755
CTHL1900-N	19.0	98	150	20.0	₹ 28,755
CTHL1950-N	19.5	98	150	20.0	₹ 28,755
CTHL2000-N	20.0	98	150	20.0	₹ 28,755





**Rohit Cutting Tools India**  
**Helping World Manufacturing Reduce Costs Since 1963** Solid Carbide Drills  
**PL-53 w.e.f 15-Feb-2023** (GP and HP DRILLS)  
**{ GST Extra As Applicable }**

Series	CTHM		Carbide HP-MQL Drills With Coolant Hole		
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CTHM0420-N	4.2	57	105	6.0	₹ 5,046
CTHM0450-N	4.5	57	105	6.0	₹ 5,046
CTHM0500-N	5.0	65	108	6.0	₹ 5,046
CTHM0550-N	5.5	72	127	6.0	₹ 5,979
CTHM0600-N	6.0	78	133	6.0	₹ 5,979
CTHM0650-N	6.5	85	141	8.0	₹ 7,764
CTHM0700-N	7.0	91	147	8.0	₹ 7,764
CTHM0750-N	7.5	98	155	8.0	₹ 7,959
CTHM0800-N	8.0	104	160	8.0	₹ 7,959
CTHM0850-N	8.5	111	160	10.0	₹ 10,080
CTHM0900-N	9.0	117	175	10.0	₹ 11,952
CTHM0950-N	9.5	124	182	10.0	₹ 11,952
CTHM1000-N	10.0	130	188	10.0	₹ 12,213
CTHM1050-N	10.5	137	201	12.0	₹ 15,435
CTHM1100-N	11.0	143	207	12.0	₹ 15,435
CTHM1150-N	11.5	150	215	12.0	₹ 15,801
CTHM1200-N	12.0	156	221	12.0	₹ 16,149

