



INDEX		<i>Click Here</i> ↓ ↓					
Series Group	Series Description	Series	Stock	Page No.	DIA. RANGE (in mm)	Coating Type	Internal Coolant
General Purpose Drills	Carbide GP-Drills STUB Series	<a href="#">C1GS</a>	Yes	2	2 ~ 20	TIALN	No
	Carbide GP-Drills JOBBER Series	<a href="#">C1GJ</a>	Yes	3~5	2 ~ 20	None/TIALN	No
High Performance Drills	Carbide HP-Drills (Short) Reinforced Shank	<a href="#">C3HS</a>	Yes	6	2 ~ 20	NOVA	No
	Carbide HP-Drills (LONG) Reinforced Shank	<a href="#">C3HL</a>	Yes	7	2 ~ 20	NOVA	No
	Carbide HP-Drills with Coolant Hole (SHORT)	<a href="#">CTHS</a>	Yes	8	3 ~ 20	NOVA	Yes
	Carbide HP-Drills with Coolant Hole (LONG)	<a href="#">CTHL</a>	No	9	4 ~ 20	NOVA	Yes
	Carbide HP-MQL Drills With Coolant Hole	<a href="#">CTHM</a>	No	10	4 ~ 12	NOVA	Yes
	Carbide HP-Drills with PEROX Coating	<a href="#">C4HT</a>	No	11	4 ~ 16	NOVA	No
Misc. Drills	Carbide NC-Spotting drills 90°	<a href="#">C1N1</a>	No	12	6 ~ 20	None	No
	Carbide NC-Spotting drills 120°	<a href="#">C1N2</a>	No	12	6 ~ 20	None	No
	Carbide Centre Drills TYP-A DIN 333	<a href="#">C1CD</a>	No	13	1.6~8	None	No
	Carbide Centre Drills BS 328	<a href="#">C1CB</a>	No	13	BS1~BS7	None	No

Terms & Conditions:
1. GST Extra as applicable
2. This Price List Supersedes all our previous Price Lists, Prices are Subject to revision without prior notice
3. All prices are in INR
4. Non-stock Items / Series will be associated with MOV of INR 10,000/- per size, so check the same with RIGPL representative before placing order
5. Drills Series Mentioned as Stocked are only stocked up to 12mm diameter
6. Delivery time for Uncoated Non-stock Items - 1 week , Coated Non-Stock Item - 2~3 weeks

PL-53 w.e.f 15-Feb-2023  
 { GST Extra As Applicable }

Click Here

Series	C1G5				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR11GDR004U3	2.0	12	39	3.0	₹ 765
CR11GDR004Y4	2.1	14	39	3.0	₹ 765
CR11GDR004Z2	2.2	14	39	3.0	₹ 765
CR11GDR00503	2.3	14	39	3.0	₹ 765
CR11GDR00511	2.4	14	39	3.0	₹ 765
CR11GDR00529	2.5	14	39	3.0	₹ 765
CR11GDR00545	2.6	20	54	3.0	₹ 813
CR11GDR00552	2.7	20	54	3.0	₹ 813
CR11GDR00560	2.8	20	54	3.0	₹ 813
CR11GDR00586	2.9	20	54	3.0	₹ 813
CR11GDR00594	3.0	20	54	3.0	₹ 747
CR11GDR005C2	3.1	20	54	3.1	₹ 804
CR11GDR005E7	3.2	20	54	3.2	₹ 804
CR11GDR005G3	3.3	20	54	3.3	₹ 816
CR11GDR005J6	3.4	20	54	3.4	₹ 816
CR11GDR005M0	3.5	20	54	3.5	₹ 816
CR11GDR005P3	3.6	22	54	3.6	₹ 816
CR11GDR005R9	3.7	22	54	3.7	₹ 816
CR11GDR005T4	3.8	22	54	3.8	₹ 816
CR11GDR005V0	3.9	22	54	3.9	₹ 828
CR11GDR005X5	4.0	22	54	4.0	₹ 828
CR11GDR005Z1	4.1	24	63	4.1	₹ 975
CR11GDR006I0	4.2	24	63	4.2	₹ 975
CR11GDR006J6	4.3	24	63	4.3	₹ 1,002
CR11GDR006S1	4.4	24	63	4.4	₹ 1,002
CR11GDR006F7	4.5	24	63	4.5	₹ 1,002
CR11GDR006A5	4.6	26	63	4.6	₹ 1,002
CR11GDR006C1	4.7	26	63	4.7	₹ 1,002
CR11GDR006E6	4.8	26	63	4.8	₹ 1,002
CR11GDR006G2	4.9	26	63	4.9	₹ 1,002
CR11GDR006J5	5.0	26	63	5.0	₹ 1,002
CR11GDR006L1	5.1	28	63	5.1	₹ 1,116
CR11GDR006N6	5.2	28	63	5.2	₹ 1,233
CR11GDR006R8	5.3	28	63	5.3	₹ 1,233
CR11GDR006U1	5.4	28	63	5.4	₹ 1,233
CR11GDR006W7	5.5	28	63	5.5	₹ 1,233
CR11GDR006Y2	5.6	28	63	5.6	₹ 1,269
CR11GDR00701	5.7	28	63	5.7	₹ 1,269
CR11GDR00727	5.8	28	63	5.8	₹ 1,269
CR11GDR00743	5.9	28	63	5.9	₹ 1,269
CR11GDR00768	6.0	28	63	6.0	₹ 1,269
CR11GDR00784	6.1	31	63	6.1	₹ 1,647
CR11GDR007A4	6.2	31	63	6.2	₹ 1,647
CR11GDR007D7	6.3	31	63	6.3	₹ 1,647
CR11GDR007F3	6.4	31	63	6.4	₹ 1,647
CR11GDR007J4	6.5	31	63	6.5	₹ 1,647
CR11GDR007L0	6.6	34	63	6.6	₹ 1,647
CR11GDR007N5	6.7	34	63	6.7	₹ 1,647
CR11GDR007Q9	6.8	34	63	6.8	₹ 1,647
CR11GDR007T2	6.9	34	63	6.9	₹ 1,647
CR11GDR007W6	7.0	34	63	7.0	₹ 1,647
CR11GDR007Y1	7.1	34	79	7.1	₹ 2,406
CR11GDR00800	7.2	34	79	7.2	₹ 2,406
CR11GDR00826	7.3	34	79	7.3	₹ 2,406
CR11GDR00842	7.4	34	79	7.4	₹ 2,406
CR11GDR00867	7.5	34	79	7.5	₹ 2,406
CR11GDR008A3	7.6	37	79	7.6	₹ 2,550
CR11GDR008C9	7.7	37	79	7.7	₹ 2,550
CR11GDR008E4	7.8	37	79	7.8	₹ 2,550
CR11GDR008G0	7.9	37	79	7.9	₹ 2,550
CR11GDR008J3	8.0	37	79	8.0	₹ 2,550
CR11GDR008L9	8.1	37	79	8.1	₹ 2,859
CR11GDR008N4	8.2	37	79	8.2	₹ 2,859
CR11GDR008R6	8.3	37	79	8.3	₹ 2,979
CR11GDR008T1	8.4	37	79	8.4	₹ 2,979
CR11GDR008W5	8.5	37	79	8.5	₹ 2,979
CR11GDR00909	8.6	40	79	8.6	₹ 2,979
CR11GDR00933	8.7	40	79	8.7	₹ 2,979



Carbide GP-Drills STUB Series					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR11GDR00958	8.8	40	79	8.8	₹ 2,979
CR11GDR00982	8.9	40	79	8.9	₹ 2,979
CR11GDR009A2	9.0	40	79	9.0	₹ 2,979
CR11GDR009E3	9.1	40	79	9.1	₹ 3,504
CR11GDR009G9	9.2	40	79	9.2	₹ 3,504
CR11GDR009J2	9.3	40	79	9.3	₹ 3,504
CR11GDR009L8	9.4	40	79	9.4	₹ 3,504
CR11GDR009N3	9.5	40	79	9.5	₹ 3,504
CR11GDR009Q7	9.6	42	79	9.6	₹ 3,504
CR11GDR009S2	9.7	42	79	9.7	₹ 3,504
CR11GDR009V6	9.8	42	79	9.8	₹ 3,504
CR11GDR009X1	9.9	42	79	9.9	₹ 3,504
CR11GDR009Z7	10.0	42	79	10.0	₹ 3,504
CR11GDR00A19	10.1	42	79	10.1	₹ 3,837
CR11GDR00A27	10.2	42	79	10.2	₹ 4,425
CR11GDR00A43	10.3	47	100	10.3	₹ 5,055
CR11GDR00A50	10.4	47	100	10.4	₹ 5,055
CR11GDR00A68	10.5	47	100	10.5	₹ 5,055
CR11GDR00A92	10.6	47	100	10.6	₹ 5,124
CR11GDR00AA4	10.7	47	100	10.7	₹ 5,124
CR11GDR00AB2	10.8	47	100	10.8	₹ 5,124
CR11GDR00AD7	10.9	47	100	10.9	₹ 5,124
CR11GDR00AE5	11.0	47	100	11.0	₹ 5,124
CR11GDR00AG1	11.1	47	100	11.1	₹ 5,718
CR11GDR00AH9	11.2	47	100	11.2	₹ 5,796
CR11GDR00AJ4	11.3	47	100	11.3	₹ 5,796
CR11GDR00AK2	11.4	47	100	11.4	₹ 5,796
CR11GDR00AL0	11.5	47	100	11.5	₹ 5,796
CR11GDR00AN5	11.6	49	100	11.6	₹ 5,796
CR11GDR00AP1	11.7	49	100	11.7	₹ 5,796
CR11GDR00AQ9	11.8	49	100	11.8	₹ 5,796
CR11GDR00AR7	11.9	49	100	11.9	₹ 5,796
CR11GDR00AS4	12.0	49	100	12.0	₹ 5,796
CR11GDR00AU0	12.1	51	102	12.1	₹ 6,351
CR11GDR00AV8	12.2	51	102	12.2	₹ 6,828
CR11GDR00AW6	12.3	51	102	12.3	₹ 6,828
CR11GDR00AX3	12.4	51	102	12.4	₹ 6,828
CR11GDR00AZ9	12.5	51	102	12.5	₹ 6,828
CR11GDR00B00	12.6	51	102	12.6	₹ 6,828
CR11GDR00B18	12.7	51	102	12.7	₹ 6,828
CR11GDR00B34	12.8	51	102	12.8	₹ 6,828
CR11GDR00B42	12.9	51	102	12.9	₹ 6,828
CR11GDR00B59	13.0	51	102	13.0	₹ 6,828
CR11GDR00B67	13.1	54	107	13.1	₹ 7,614
CR11GDR00B75	13.2	54	107	13.2	₹ 7,614
CR11GDR00B83	13.3	54	107	13.3	₹ 7,614
CR11GDR00B91	13.4	54	107	13.4	₹ 7,614
CR11GDR00BA3	13.5	54	107	13.5	₹ 7,614
CR11GDR00BB1	13.6	54	107	13.6	₹ 7,614
CR11GDR00BC9	13.7	54	107	13.7	₹ 7,614
CR11GDR00BD6	13.8	54	107	13.8	₹ 7,614
CR11GDR00BE4	13.9	54	107	13.9	₹ 7,614
CR11GDR00BF2	14.0	54	107	14.0	₹ 7,614
CR11GDR00BG0	14.1	56	109	14.1	₹ 9,051
CR11GDR00BH8	14.2	56	109	14.2	₹ 9,051
CR11GDR00BJ3	14.3	56	109	14.3	₹ 9,051
CR11GDR00BK1	14.4	56	109	14.4	₹ 9,051
CR11GDR00BL9	14.5	56	109	14.5	₹ 9,051
CR11GDR00BM7	14.6	56	109	14.6	₹ 9,051
CR11GDR00BN4	14.7	56	109	14.7	₹ 9,051
CR11GDR00BP0	14.8	56	109	14.8	₹ 9,051
CR11GDR00BQ8	14.9	56	109	14.9	₹ 9,051
CR11GDR00BS3	15.0	56	109	15.0	₹ 9,051
CR11GDR00BT1	16.0	56	109	16.0	₹ 9,978
CR11GDR00BU9	17.0	56	109	18.0	₹ 13,281
CR11GDR00BV7	18.0	56	109	18.0	₹ 13,281
CR11GDR00BW5	19.0	56	109	19.0	₹ 16,002
CR11GDR00BX2	20.0	56	109	20.0	₹ 16,002



*Click Here*

Series		CIGJ		Carbide GP-Drills JOBBER Series				
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53 Uncoated	PL-53 TIALN Coated	
CR1XGDR000H7	CR11GDR00P06	2.0	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000J2	C1GJ0210-F	2.1	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000K0	CR11GDR00T44	2.2	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000L8	CR11GDR00P14	2.3	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000M6	CR11GDR00T51	2.4	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000N3	CR11GDR00099	2.5	24	61	3.0	₹ 813	₹ 975	
CR1XGDR000P9	C1GJ0260-F	2.6	33	61	3.0	₹ 837	₹ 1,005	
CR1XGDR000Q7	C1GJ0270-F	2.7	33	61	3.0	₹ 837	₹ 1,005	
CR1XGDR000R5	C1GJ0280-F	2.8	33	61	3.0	₹ 837	₹ 1,005	
CR1XGDR000S2	C1GJ0290-F	2.9	33	61	3.0	₹ 837	₹ 1,005	
CR1XGDR000T0	CR11GDR005A6	3.0	33	61	3.0	₹ 768	₹ 975	
CR1XGDR000U8	CR11GDR005D9	3.1	39	70	3.1	₹ 921	₹ 1,113	
CR1XGDR000V6	CR11GDR005F5	3.2	39	70	3.2	₹ 927	₹ 1,113	
CR1XGDR000W4	CR11GDR005H1	3.3	39	70	3.3	₹ 927	₹ 1,113	
CR1XGDR000X1	CR11GDR005K4	3.4	39	70	3.4	₹ 933	₹ 1,113	
CR1XGDR000Y9	CR11GDR005N7	3.5	39	70	3.5	₹ 933	₹ 1,113	
CR1XGDR000Z7	CR11GDR005Q1	3.6	43	75	3.6	₹ 939	₹ 1,185	
CR1XGDR00108	CR11GDR005S6	3.7	43	75	3.7	₹ 939	₹ 1,185	
CR1XGDR00116	CR11GDR005U2	3.8	43	75	3.8	₹ 963	₹ 1,188	
CR1XGDR00124	CR11GDR005W8	3.9	43	75	3.9	₹ 1,005	₹ 1,248	
CR1XGDR00140	CR11GDR005Y3	4.0	43	75	4.0	₹ 1,023	₹ 1,248	
CR1XGDR00157	CR11GDR00602	4.1	47	80	4.1	₹ 1,158	₹ 1,371	
CR1XGDR00165	CR11GDR00628	4.2	47	80	4.2	₹ 1,158	₹ 1,401	
CR1XGDR00173	CR11GDR00644	4.3	47	80	4.3	₹ 1,158	₹ 1,407	
CR1XGDR00181	CR11GDR00669	4.4	47	80	4.4	₹ 1,158	₹ 1,407	
CR1XGDR00199	CR11GDR00693	4.5	47	80	4.5	₹ 1,158	₹ 1,407	
CR1XGDR001B9	CR11GDR006B3	4.6	52	86	4.6	₹ 1,269	₹ 1,575	
CR1XGDR001C7	CR11GDR006D8	4.7	52	86	4.7	₹ 1,269	₹ 1,575	
CR1XGDR001D4	CR11GDR006F4	4.8	52	86	4.8	₹ 1,293	₹ 1,584	
CR1XGDR001E2	CR11GDR006H0	4.9	52	86	4.9	₹ 1,293	₹ 1,584	
CR1XGDR001G8	CR11GDR006K3	5.0	52	86	5.0	₹ 1,293	₹ 1,584	
CR1XGDR001H6	CR11GDR006M9	5.1	52	86	5.1	₹ 1,623	₹ 1,878	
CR1XGDR001J1	CR11GDR006Q0	5.2	52	86	5.2	₹ 1,623	₹ 1,884	
CR1XGDR001K9	CR11GDR006S5	5.3	57	93	5.3	₹ 1,653	₹ 1,905	
CR1XGDR001L7	CR11GDR006V9	5.4	57	93	5.4	₹ 1,653	₹ 1,905	
CR1XGDR001M5	CR11GDR006X4	5.5	57	93	5.5	₹ 1,653	₹ 1,905	
CR1XGDR001N2	CR11GDR006Z0	5.6	57	93	5.6	₹ 1,653	₹ 1,905	
CR1XGDR001P8	CR11GDR00719	5.7	57	93	5.7	₹ 1,653	₹ 1,905	
CR1XGDR001Q6	CR11GDR00735	5.8	57	93	5.8	₹ 1,653	₹ 1,905	
CR1XGDR001R4	CR11GDR00750	5.9	57	93	5.9	₹ 1,653	₹ 1,905	
CR1XGDR001S1	CR11GDR00776	6.0	57	93	6.0	₹ 1,653	₹ 1,905	
CR1XGDR001T9	CR11GDR00792	6.1	63	101	6.1	₹ 2,226	₹ 2,553	
CR1XGDR001U7	CR11GDR007C0	6.2	63	101	6.2	₹ 2,226	₹ 2,553	
CR1XGDR001V5	CR11GDR007E5	6.3	63	101	6.3	₹ 2,226	₹ 2,559	
CR1XGDR001W3	CR11GDR007H9	6.4	63	101	6.4	₹ 2,226	₹ 2,562	
CR1XGDR001X0	CR11GDR007K2	6.5	63	101	6.5	₹ 2,226	₹ 2,562	
CR1XGDR001Y8	CR11GDR007M8	6.6	69	109	6.6	₹ 2,226	₹ 2,562	
CR1XGDR001Z6	CR11GDR007P1	6.7	69	109	6.7	₹ 2,226	₹ 2,562	
CR1XGDR00207	CR11GDR007S4	6.8	69	109	6.8	₹ 2,226	₹ 2,562	
CR1XGDR00215	CR11GDR007U0	6.9	69	109	6.9	₹ 2,226	₹ 2,562	
CR1XGDR00223	CR11GDR007X3	7.0	69	109	7.0	₹ 2,226	₹ 2,562	
CR1XGDR00231	CR11GDR007Z9	7.1	69	109	7.1	₹ 2,640	₹ 3,018	
CR1XGDR00249	CR11GDR00818	7.2	69	109	7.2	₹ 2,640	₹ 3,018	
CR1XGDR00256	CR11GDR00834	7.3	69	109	7.3	₹ 2,640	₹ 3,039	
CR1XGDR00264	CR11GDR00859	7.4	69	109	7.4	₹ 2,640	₹ 3,039	
CR1XGDR00272	CR11GDR00891	7.5	69	109	7.5	₹ 2,640	₹ 3,039	





Series		C1GJ		Carbide GP-Drills JOBBER Series			
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53 Uncoated	PL-53 TIALN Coated
CR1XGDR00280	CR11GDR008B1	7.6	75	117	7.6	₹ 2,751	₹ 3,258
CR1XGDR00298	CR11GDR008D6	7.7	75	117	7.7	₹ 2,751	₹ 3,258
CR1XGDR002A0	CR11GDR008F2	7.8	75	117	7.8	₹ 2,751	₹ 3,258
CR1XGDR002B8	CR11GDR008H8	7.9	75	117	7.9	₹ 2,751	₹ 3,258
CR1XGDR002C6	CR11GDR008K1	8.0	75	117	8.0	₹ 2,796	₹ 3,303
CR1XGDR002E1	CR11GDR008M7	8.1	75	117	8.1	₹ 3,336	₹ 3,744
CR1XGDR002F9	CR11GDR008Q8	8.2	75	117	8.2	₹ 3,336	₹ 3,750
CR1XGDR002G7	CR11GDR008S3	8.3	75	117	8.3	₹ 3,336	₹ 3,747
CR1XGDR002H5	CR11GDR008U9	8.4	75	117	8.4	₹ 3,336	₹ 3,747
CR1XGDR002J0	CR11GDR008Z8	8.5	75	117	8.5	₹ 3,336	₹ 3,747
CR1XGDR002K8	CR11GDR00917	8.6	81	125	8.6	₹ 3,540	₹ 3,990
CR1XGDR002L6	CR11GDR00941	8.7	81	125	8.7	₹ 3,540	₹ 3,990
CR1XGDR002M4	CR11GDR00974	8.8	81	125	8.8	₹ 3,540	₹ 3,990
CR1XGDR002N1	CR11GDR00990	8.9	81	125	8.9	₹ 3,540	₹ 3,990
CR1XGDR002P7	CR11GDR009C8	9.0	81	125	9.0	₹ 3,540	₹ 3,990
CR1XGDR002Q5	CR11GDR009F1	9.1	81	125	9.1	₹ 4,311	₹ 4,806
CR1XGDR002R3	CR11GDR009H7	9.2	81	125	9.2	₹ 4,311	₹ 4,806
CR1XGDR002S0	CR11GDR009K0	9.3	81	125	9.3	₹ 4,311	₹ 4,806
CR1XGDR002T8	CR11GDR009M6	9.4	81	125	9.4	₹ 4,311	₹ 4,806
CR1XGDR002U6	CR11GDR009P9	9.5	81	125	9.5	₹ 4,311	₹ 4,806
CR1XGDR002V4	CR11GDR009R5	9.6	87	133	9.6	₹ 5,112	₹ 5,739
CR1XGDR002W2	CR11GDR009T0	9.7	87	133	9.7	₹ 5,112	₹ 5,739
CR1XGDR002X9	CR11GDR009W4	9.8	87	133	9.8	₹ 5,112	₹ 5,739
CR1XGDR002Y7	CR11GDR009Y9	9.9	87	133	9.9	₹ 5,112	₹ 5,739
CR1XGDR002Z5	CR11GDR00A01	10.0	87	133	10.0	₹ 5,112	₹ 5,739
CR1XGDR00306	C1GJ1010-F	10.1	87	133	10.1	₹ 5,901	₹ 6,513
CR1XGDR00322	CR11GDR00A35	10.2	87	133	10.2	₹ 5,901	₹ 6,513
CR1XGDR00330	C1GJ1030-F	10.3	87	133	10.3	₹ 5,901	₹ 6,567
CR1XGDR00348	CR11GDR00NQ6	10.4	87	133	10.4	₹ 5,901	₹ 6,567
CR1XGDR00355	CR11GDR00A84	10.5	87	133	10.5	₹ 5,901	₹ 6,567
CR1XGDR00363	C1GJ1060-F	10.6	94	142	10.6	₹ 6,606	₹ 7,221
CR1XGDR00371	C1GJ1070-F	10.7	94	142	10.7	₹ 6,606	₹ 7,230
CR1XGDR00389	C1GJ1080-F	10.8	94	142	10.8	₹ 6,606	₹ 7,230
CR1XGDR00397	C1GJ1090-F	10.9	94	142	10.9	₹ 6,606	₹ 7,230
CR1XGDR003A9	CR11GDR00AF3	11.0	94	142	11.0	₹ 6,606	₹ 7,230
CR1XGDR003B7	C1GJ1110-F	11.1	94	142	11.1	₹ 7,488	₹ 8,283
CR1XGDR003C5	C1GJ1120-F	11.2	94	142	11.2	₹ 7,488	₹ 8,283
CR1XGDR003D2	C1GJ1130-F	11.3	94	142	11.3	₹ 7,488	₹ 8,295
CR1XGDR003E0	C1GJ1140-F	11.4	94	142	11.4	₹ 7,488	₹ 8,295
CR1XGDR003F8	CR11GDR00AM8	11.5	94	142	11.5	₹ 7,488	₹ 8,295
CR1XGDR003G6	C1GJ1160-F	11.6	101	151	11.6	₹ 7,572	₹ 8,346
CR1XGDR003H4	C1GJ1170-F	11.7	101	151	11.7	₹ 7,572	₹ 8,346
CR1XGDR003J9	C1GJ1180-F	11.8	101	151	11.8	₹ 7,572	₹ 8,346
CR1XGDR003K7	C1GJ1190-F	11.9	101	151	11.9	₹ 7,572	₹ 8,346
CR1XGDR003L5	CR11GDR00AT2	12.0	101	151	12.0	₹ 7,572	₹ 8,346
CR1XGDR003M3	C1GJ1210-F	12.1	101	151	12.1	₹ 9,078	₹ 9,837
CR1XGDR003N0	C1GJ1220-F	12.2	101	151	12.2	₹ 9,078	₹ 9,837
CR1XGDR003P6	C1GJ1230-F	12.3	101	151	12.3	₹ 9,078	₹ 9,837
CR1XGDR003Q4	C1GJ1240-F	12.4	101	151	12.4	₹ 9,078	₹ 9,837
CR1XGDR003R2	C1GJ1250-F	12.5	101	151	12.5	₹ 9,078	₹ 9,837
CR1XGDR003S9	C1GJ1260-F	12.6	101	151	12.6	₹ 9,078	₹ 9,837
CR1XGDR003T7	C1GJ1270-F	12.7	101	151	12.7	₹ 9,078	₹ 9,837
CR1XGDR003U5	C1GJ1280-F	12.8	101	151	12.8	₹ 9,078	₹ 9,837
CR1XGDR003V3	C1GJ1290-F	12.9	101	151	12.9	₹ 9,078	₹ 9,837
CR1XGDR003W1	CR11GDR00NU7	13.0	101	151	13.0	₹ 9,078	₹ 9,837





Series		C1GJ		Carbide GP-Drills JOBBER Series			
Item Code Uncoated	Item Code TIALN	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53 Uncoated	PL-53 TIALN Coated
CR1XGDR003X8	C1GJ1310-F	13.1	101	151	13.1	₹ 10,197	₹ 11,013
CR1XGDR003Y6	C1GJ1320-F	13.2	101	151	13.2	₹ 10,449	₹ 11,289
CR1XGDR003Z4	C1GJ1330-F	13.3	101	151	13.3	₹ 10,449	₹ 11,289
CR1XGDR00405	C1GJ1340-F	13.4	101	151	13.4	₹ 10,449	₹ 11,289
CR1XGDR00413	CR11GDR00TZ0	13.5	101	151	13.5	₹ 10,449	₹ 11,289
CR1XGDR00421	C1GJ1360-F	13.6	101	151	13.6	₹ 11,001	₹ 11,883
CR1XGDR00439	C1GJ1370-F	13.7	101	151	13.7	₹ 11,001	₹ 11,883
CR1XGDR00447	C1GJ1380-F	13.8	101	151	13.8	₹ 11,001	₹ 11,883
CR1XGDR00454	C1GJ1390-F	13.9	101	151	13.9	₹ 11,001	₹ 11,883
CR1XGDR00462	CR11GDR00TT3	14.0	101	151	14.0	₹ 11,001	₹ 11,883
CR1XGDR00470	C1GJ1410-F	14.1	101	151	14.1	₹ 12,909	₹ 13,944
CR1XGDR00488	C1GJ1420-F	14.2	101	151	14.2	₹ 12,909	₹ 13,944
CR1XGDR00496	C1GJ1430-F	14.3	101	151	14.3	₹ 12,909	₹ 13,944
CR1XGDR004A8	C1GJ1440-F	14.4	101	151	14.4	₹ 12,909	₹ 13,944
CR1XGDR004C4	C1GJ1450-F	14.5	101	151	14.5	₹ 12,909	₹ 13,944
CR1XGDR004D1	C1GJ1460-F	14.6	101	151	14.6	₹ 13,221	₹ 14,280
CR1XGDR004E9	C1GJ1470-F	14.7	101	151	14.7	₹ 13,221	₹ 14,280
CR1XGDR004F7	C1GJ1480-F	14.8	101	151	14.8	₹ 13,221	₹ 14,280
CR1XGDR004G5	C1GJ1490-F	14.9	101	151	14.9	₹ 13,221	₹ 14,280
CR1XGDR004H3	C1GJ1500-F	15.0	101	151	15.0	₹ 13,221	₹ 14,280
CR1XGDR004J8	C1GJ1600-F	16.0	101	151	16.0	₹ 13,662	₹ 14,757
CR1XGDR004K6	C1GJ1700-F	17.0	101	151	17.0	₹ 15,810	₹ 17,079
CR1XGDR004L4	C1GJ1800-F	18.0	101	151	18.0	₹ 16,086	₹ 17,373
CR1XGDR004M2	C1GJ1900-F	19.0	101	151	19.0	₹ 18,867	₹ 20,379
CR1XGDR004N9	C1GJ2000-F	20.0	101	151	20.0	₹ 19,239	₹ 20,778





Click Here

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,530
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,530
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,530
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,530
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,530
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,530
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,530
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,530
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,530
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,530
CR3AHDR00CC6	3.0	20	62	6.0	₹ 1,911
CR3AHDR00CD3	3.1	20	62	6.0	₹ 1,911
CR3AHDR00CE1	3.2	20	62	6.0	₹ 1,911
CR3AHDR00CF9	3.3	20	62	6.0	₹ 1,911
CR3AHDR00CG7	3.4	20	62	6.0	₹ 1,911
CR3AHDR00CH5	3.5	20	62	6.0	₹ 1,911
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 1,911
CR3AHDR00CK8	3.7	20	62	6.0	₹ 1,911
CR3AHDR00CL6	3.8	24	62	6.0	₹ 1,911
CR3AHDR00CM4	3.9	24	62	6.0	₹ 1,911
CR3AHDR00CN1	4.0	24	62	6.0	₹ 1,911
CR3AHDR00CP7	4.1	24	62	6.0	₹ 1,911
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 1,911
CR3AHDR00CR3	4.3	24	62	6.0	₹ 1,911
CR3AHDR00CS0	4.4	24	62	6.0	₹ 1,911
CR3AHDR00CT8	4.5	24	62	6.0	₹ 1,911
CR3AHDR00CU6	4.6	24	62	6.0	₹ 1,911
CR3AHDR00CV4	4.7	24	62	6.0	₹ 1,911
CR3AHDR00CW2	4.8	28	62	6.0	₹ 1,911
CR3AHDR00CX9	4.9	28	62	6.0	₹ 1,911
CR3AHDR00CY7	5.0	28	62	6.0	₹ 1,911
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 1,911
CR3AHDR00D06	5.2	28	62	6.0	₹ 1,911
CR3AHDR00D14	5.3	28	62	6.0	₹ 1,911
CR3AHDR00D22	5.4	28	62	6.0	₹ 1,911
CR3AHDR00D30	5.5	28	62	6.0	₹ 1,911
CR3AHDR00D48	5.6	28	62	6.0	₹ 1,911
CR3AHDR00D55	5.7	28	62	6.0	₹ 1,911
CR3AHDR00D63	5.8	28	62	6.0	₹ 1,911
CR3AHDR00D71	5.9	28	62	6.0	₹ 1,911
CR3AHDR00D89	6.0	28	62	6.0	₹ 1,911
CR3AHDR00D97	6.1	34	75	8.0	₹ 3,216
CR3AHDR00DA9	6.2	34	75	8.0	₹ 3,216
CR3AHDR00DB7	6.3	34	75	8.0	₹ 3,216
CR3AHDR00DC5	6.4	34	75	8.0	₹ 3,216
CR3AHDR00DD2	6.5	34	75	8.0	₹ 3,216
CR3AHDR00DE0	6.6	34	75	8.0	₹ 3,216
CR3AHDR00DF8	6.7	34	75	8.0	₹ 3,216
CR3AHDR00DG6	6.8	34	75	8.0	₹ 3,216
CR3AHDR00DH4	6.9	34	75	8.0	₹ 3,216
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 3,216
CR3AHDR00DK7	7.1	40	80	8.0	₹ 3,483
CR3AHDR00DL5	7.2	40	80	8.0	₹ 3,483
CR3AHDR00DM3	7.3	40	80	8.0	₹ 3,483
CR3AHDR00DN0	7.4	40	80	8.0	₹ 3,483
CR3AHDR00DP6	7.5	40	80	8.0	₹ 3,483
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 3,483
CR3AHDR00DR2	7.7	40	80	8.0	₹ 3,483
CR3AHDR00DS9	7.8	40	80	8.0	₹ 3,483
CR3AHDR00DT7	7.9	40	80	8.0	₹ 3,483
CR3AHDR00DU5	8.0	40	80	8.0	₹ 3,483
CR3AHDR00P53	8.1	40	80	10.0	₹ 4,464
CR3AHDR00DV3	8.1	51	100	10.0	₹ 5,061
CR3AHDR00NV3	8.2	40	80	10.0	₹ 4,464
CR3AHDR00DW1	8.2	51	100	10.0	₹ 5,061
CR3AHDR00NP6	8.3	40	75	10.0	₹ 4,464
CR3AHDR00DX8	8.3	51	100	10.0	₹ 5,061
CR3AHDR00NH4	8.4	40	75	10.0	₹ 4,464
CR3AHDR00DY6	8.4	51	100	10.0	₹ 5,061
CR3AHDR00NJ9	8.5	40	75	10.0	₹ 4,464
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 5,061
CR3AHDR00NK7	8.6	40	75	10.0	₹ 4,464
CR3AHDR00E05	8.6	51	100	10.0	₹ 5,061



Click Here

Series	C3HS		Carbide HP-Drills (Short) Reinforced Shank		
	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00NR2	8.7	40	75	10.0	₹ 4,464
CR3AHDR00E13	8.7	51	100	10.0	₹ 5,061
CR3AHDR00NZ4	8.8	40	80	10.0	₹ 4,464
CR3AHDR00E21	8.8	51	100	10.0	₹ 5,061
CR3AHDR00TU9	8.9	40	80	10.0	₹ 4,464
CR3AHDR00E39	8.9	51	100	10.0	₹ 5,061
CR3AHDR00NW1	9.0	40	80	10.0	₹ 4,464
CR3AHDR00E47	9.0	51	100	10.0	₹ 5,061
CR3AHDR00P79	9.1	40	80	10.0	₹ 4,464
CR3AHDR00E54	9.1	51	100	10.0	₹ 5,061
CR3AHDR00TQ8	9.2	40	80	10.0	₹ 4,464
CR3AHDR00E62	9.2	51	100	10.0	₹ 5,061
CR3AHDR00P87	9.3	40	80	10.0	₹ 4,464
CR3AHDR00E70	9.3	51	100	10.0	₹ 5,061
CR3AHDR00TV7	9.4	40	80	10.0	₹ 4,464
CR3AHDR00E88	9.4	51	100	10.0	₹ 5,061
CR3AHDR00P95	9.5	40	80	10.0	₹ 4,464
CR3AHDR00E96	9.5	51	100	10.0	₹ 5,061
CR3AHDR00TW5	9.6	40	80	10.0	₹ 4,464
CR3AHDR00EA8	9.6	51	100	10.0	₹ 5,061
CR3AHDR00TX2	9.7	40	80	10.0	₹ 4,464
CR3AHDR00EB6	9.7	51	100	10.0	₹ 5,061
CR3AHDR00PA7	9.8	40	80	10.0	₹ 4,464
CR3AHDR00EC4	9.8	51	100	10.0	₹ 5,061
CR3AHDR00TY0	9.9	40	80	10.0	₹ 4,464
CR3AHDR00ED1	9.9	51	100	10.0	₹ 5,061
CR3AHDR00NX8	10.0	40	80	10.0	₹ 4,464
CR3AHDR00EE9	10.0	51	100	10.0	₹ 5,061
CR3AHDR00EF7	10.1	55	100	12.0	₹ 6,672
CR3AHDR00EG5	10.2	55	100	12.0	₹ 6,672
CR3AHDR00NN0	10.3	40	75	12.0	₹ 5,676
CR3AHDR00EH3	10.3	55	100	12.0	₹ 6,672
CR3AHDR00NL5	10.4	40	75	12.0	₹ 5,676
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 6,672
CR3AHDR00NM3	10.5	40	75	12.0	₹ 5,676
CR3AHDR00EK6	10.5	55	100	12.0	₹ 6,672
CR3AHDR00EL4	10.6	55	100	12.0	₹ 6,672
CR3AHDR00EM2	10.7	55	100	12.0	₹ 6,672
CR3AHDR00EN9	10.8	55	100	12.0	₹ 6,672
CR3AHDR00EP5	10.9	55	100	12.0	₹ 6,672
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 6,672
CR3AHDR00ER1	11.1	55	100	12.0	₹ 6,672
CR3AHDR00ES8	11.2	55	100	12.0	₹ 6,672
CR3AHDR00ET6	11.3	55	100	12.0	₹ 6,672
CR3AHDR00EU4	11.4	55	100	12.0	₹ 6,672
CR3AHDR00EV2	11.5	55	100	12.0	₹ 6,672
CR3AHDR00EW0	11.6	55	100	12.0	₹ 6,672
CR3AHDR00EX7	11.7	55	100	12.0	₹ 6,672
CR3AHDR00EY5	11.8	55	100	12.0	₹ 6,672
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 6,672
CR3AHDR00F04	12.0	55	100	12.0	₹ 6,672
CR3AHDR00PB5	12.2	55	105	14.0	₹ 8,865
CR3AHDR00F12	12.5	55	105	14.0	₹ 8,865
CR3AHDR00P20	12.7	55	105	14.0	₹ 8,865
CR3AHDR00F20	13.0	55	105	14.0	₹ 8,865
CR3AHDR00P38	13.1	55	105	14.0	₹ 8,865
CR3AHDR00P46	13.2	55	105	14.0	₹ 8,865
CR3AHDR00F38	13.5	55	105	14.0	₹ 8,865
CR3AHDR00TS3	13.8	55	105	14.0	₹ 8,865
CR3AHDR00F46	14.0	55	105	14.0	₹ 8,865
CR3AHDR00F53	14.5	58	105	16.0	₹ 10,461
CR3AHDR00F61	15.0	58	105	16.0	₹ 10,461
CR3AHDR00F79	15.5	58	105	16.0	₹ 10,461
CR3AHDR00NT7	15.8	58	100	16.0	₹ 10,461
CR3AHDR00F87	16.0	58	105	16.0	₹ 10,461
CR3AHDR00F95	16.5	58	105	18.0	₹ 14,100
CR3AHDR00FA7	17.0	58	105	18.0	₹ 14,100
CR3AHDR00FB5	17.5	58	105	18.0	₹ 14,100
CR3AHDR00FC3	18.0	58	105	18.0	₹ 14,100
CR3AHDR00FD0	18.5	58	105	20.0	₹ 17,088
CR3AHDR00FE8	19.0	58	105	20.0	₹ 17,088
CR3AHDR00FF6	19.5	58	105	20.0	₹ 17,088
CR3AHDR00FG4	20.0	58	105	20.0	₹ 17,088

Click Here  
↓ ↓ ↓

Series	C3HL				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00FH2	2.0	21	57	4.0	₹ 1,953
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 1,953
CR3AHDR00FK5	2.2	21	57	4.0	₹ 1,953
CR3AHDR00FL3	2.3	21	57	4.0	₹ 1,953
CR3AHDR00FM1	2.4	21	57	4.0	₹ 1,953
CR3AHDR00FN8	2.5	21	57	4.0	₹ 1,953
CR3AHDR00FP4	2.6	21	57	4.0	₹ 1,953
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 1,953
CR3AHDR00FR0	2.8	21	57	4.0	₹ 1,953
CR3AHDR00FS7	2.9	21	57	4.0	₹ 1,953
CR3AHDR00FT5	3.0	28	62	6.0	₹ 2,298
CR3AHDR00FU3	3.1	28	62	6.0	₹ 2,298
CR3AHDR00FV1	3.2	28	62	6.0	₹ 2,298
CR3AHDR00FW9	3.3	28	62	6.0	₹ 2,298
CR3AHDR00FX6	3.4	28	62	6.0	₹ 2,298
CR3AHDR00FY4	3.5	28	62	6.0	₹ 2,298
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 2,298
CR3AHDR00G03	3.7	28	62	6.0	₹ 2,298
CR3AHDR00G11	3.8	36	75	6.0	₹ 2,817
CR3AHDR00G29	3.9	36	75	6.0	₹ 2,817
CR3AHDR00G37	4.0	36	75	6.0	₹ 2,817
CR3AHDR00G45	4.1	36	75	6.0	₹ 2,817
CR3AHDR00G52	4.2	36	75	6.0	₹ 2,817
CR3AHDR00G60	4.3	36	75	6.0	₹ 2,817
CR3AHDR00G78	4.4	36	75	6.0	₹ 2,817
CR3AHDR00G86	4.5	36	75	6.0	₹ 2,817
CR3AHDR00G94	4.6	36	75	6.0	₹ 2,817
CR3AHDR00GA6	4.7	36	75	6.0	₹ 2,817
CR3AHDR00GB4	4.8	42	80	6.0	₹ 2,817
CR3AHDR00GC2	4.9	42	80	6.0	₹ 2,817
CR3AHDR00GD9	5.0	42	80	6.0	₹ 2,817
CR3AHDR00GE7	5.1	42	80	6.0	₹ 2,817
CR3AHDR00GF5	5.2	42	80	6.0	₹ 2,817
CR3AHDR00GG3	5.3	42	80	6.0	₹ 2,817
CR3AHDR00GH1	5.4	42	80	6.0	₹ 2,817
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 2,817
CR3AHDR00GK4	5.6	42	80	6.0	₹ 2,817
CR3AHDR00GL2	5.7	42	80	6.0	₹ 2,817
CR3AHDR00GM0	5.8	42	80	6.0	₹ 2,817
CR3AHDR00GN7	5.9	42	80	6.0	₹ 2,817
CR3AHDR00GP3	6.0	42	80	6.0	₹ 2,817
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 3,942
CR3AHDR00GR9	6.2	55	100	8.0	₹ 3,942
CR3AHDR00GS6	6.3	55	100	8.0	₹ 3,942
CR3AHDR00GT4	6.4	55	100	8.0	₹ 3,942
CR3AHDR00GU2	6.5	55	100	8.0	₹ 3,942
CR3AHDR00GV0	6.6	55	100	8.0	₹ 3,942
CR3AHDR00GW8	6.7	55	100	8.0	₹ 3,942
CR3AHDR00GX5	6.8	55	100	8.0	₹ 3,942
CR3AHDR00GY3	6.9	55	100	8.0	₹ 3,942
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 3,942
CR3AHDR00H02	7.1	60	105	8.0	₹ 3,942
CR3AHDR00H10	7.2	60	105	8.0	₹ 3,942
CR3AHDR00H28	7.3	60	105	8.0	₹ 3,942
CR3AHDR00H36	7.4	60	105	8.0	₹ 3,942
CR3AHDR00H44	7.5	60	105	8.0	₹ 3,942
CR3AHDR00H51	7.6	60	105	8.0	₹ 3,942
CR3AHDR00H69	7.7	60	105	8.0	₹ 3,942
CR3AHDR00H77	7.8	60	105	8.0	₹ 3,942
CR3AHDR00H85	7.9	60	105	8.0	₹ 3,942



Carbide HP-Drills (LONG) Reinforced Shank					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3AHDR00H93	8.0	60	105	8.0	₹ 3,942
CR3AHDR00HA5	8.1	75	125	10.0	₹ 6,294
CR3AHDR00HB3	8.2	75	125	10.0	₹ 6,294
CR3AHDR00HC1	8.3	75	125	10.0	₹ 6,294
CR3AHDR00HD8	8.4	75	125	10.0	₹ 6,294
CR3AHDR00HE6	8.5	75	125	10.0	₹ 6,294
CR3AHDR00HF4	8.6	75	125	10.0	₹ 6,294
CR3AHDR00HG2	8.7	75	125	10.0	₹ 6,294
CR3AHDR00HH0	8.8	75	125	10.0	₹ 6,294
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 6,294
CR3AHDR00HK3	9.0	75	125	10.0	₹ 6,294
CR3AHDR00HL1	9.1	75	125	10.0	₹ 6,294
CR3AHDR00HM9	9.2	75	125	10.0	₹ 6,294
CR3AHDR00HN6	9.3	75	125	10.0	₹ 6,294
CR3AHDR00HP2	9.4	75	125	10.0	₹ 6,294
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 6,294
CR3AHDR00HR8	9.6	75	125	10.0	₹ 6,294
CR3AHDR00HS5	9.7	75	125	10.0	₹ 6,294
CR3AHDR00HT3	9.8	75	125	10.0	₹ 6,294
CR3AHDR00HU1	9.9	75	125	10.0	₹ 6,294
CR3AHDR00HV9	10.0	75	125	10.0	₹ 6,294
CR3AHDR00HW7	10.1	85	140	12.0	₹ 9,321
CR3AHDR00HX4	10.2	85	140	12.0	₹ 9,321
CR3AHDR00HY2	10.3	85	140	12.0	₹ 9,321
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 9,321
CR3AHDR00J00	10.5	85	140	12.0	₹ 9,321
CR3AHDR00J18	10.6	85	140	12.0	₹ 9,321
CR3AHDR00J26	10.7	85	140	12.0	₹ 9,321
CR3AHDR00J34	10.8	85	140	12.0	₹ 9,321
CR3AHDR00J42	10.9	85	140	12.0	₹ 9,321
CR3AHDR00J59	11.0	85	140	12.0	₹ 9,321
CR3AHDR00J67	11.1	85	140	12.0	₹ 9,321
CR3AHDR00J75	11.2	85	140	12.0	₹ 9,321
CR3AHDR00J83	11.3	85	140	12.0	₹ 9,321
CR3AHDR00J91	11.4	85	140	12.0	₹ 9,321
CR3AHDR00JA3	11.5	85	140	12.0	₹ 9,321
CR3AHDR00JB1	11.6	85	140	12.0	₹ 9,321
CR3AHDR00JC9	11.7	85	140	12.0	₹ 9,321
CR3AHDR00JD6	11.8	85	140	12.0	₹ 9,321
CR3AHDR00JE4	11.9	85	140	12.0	₹ 9,321
CR3AHDR00JF2	12.0	85	140	12.0	₹ 9,321
CR3AHDR00JG0	12.5	85	140	14.0	₹ 12,228
CR3AHDR00TR6	12.7	85	140	14.0	₹ 12,228
CR3AHDR00JH8	13.0	85	140	14.0	₹ 12,228
CR3AHDR00J3	13.5	85	140	14.0	₹ 12,228
CR3AHDR00JK1	14.0	85	140	14.0	₹ 12,228
CR3AHDR00JL9	14.5	90	145	16.0	₹ 14,361
CR3AHDR00JM7	15.0	90	145	16.0	₹ 14,361
CR3AHDR00JN4	15.5	90	145	16.0	₹ 14,361
CR3AHDR00JP0	16.0	90	145	16.0	₹ 14,361
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 18,669
CR3AHDR00JR6	17.0	95	150	18.0	₹ 18,669
CR3AHDR00JS3	17.5	95	150	18.0	₹ 18,669
CR3AHDR00JT1	18.0	95	150	18.0	₹ 18,669
CR3AHDR00JU9	18.5	98	150	20.0	₹ 22,017
CR3AHDR00JV7	19.0	98	150	20.0	₹ 22,017
CR3AHDR00JW5	19.5	98	150	20.0	₹ 22,017
CR3AHDR00JX2	20.0	98	150	20.0	₹ 22,017

Click Here

Series	CTHS				
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3PHDR00PP9	4.0	24	62	4.0	₹ 2,637
CR3PHDR00PQ7	4.1	24	62	6.0	₹ 3,021
CR3PHDR00PR5	4.2	24	62	6.0	₹ 3,021
CR3PHDR00PS2	4.3	24	62	6.0	₹ 3,021
CR3PHDR00PT0	4.4	24	62	6.0	₹ 3,021
CR3PHDR00PU8	4.5	24	62	6.0	₹ 3,021
CR3PHDR00PV6	4.6	24	62	6.0	₹ 3,021
CR3PHDR00PW4	4.7	24	62	6.0	₹ 3,021
CR3PHDR00PX1	4.8	28	62	6.0	₹ 3,021
CR3PHDR00PY9	4.9	28	62	6.0	₹ 3,021
CR3PHDR00PZ7	5.0	28	62	6.0	₹ 3,021
CR3PHDR00Q08	5.1	28	62	6.0	₹ 3,021
CR3PHDR00Q16	5.2	28	62	6.0	₹ 3,021
CR3PHDR00Q24	5.3	28	62	6.0	₹ 3,021
CR3PHDR00Q32	5.4	28	62	6.0	₹ 3,021
CR3PHDR00Q40	5.5	28	62	6.0	₹ 3,021
CR3PHDR00Q57	5.6	28	62	6.0	₹ 3,021
CR3PHDR00Q65	5.7	28	62	6.0	₹ 3,021
CR3PHDR00Q73	5.8	28	62	6.0	₹ 3,021
CR3PHDR00Q81	5.9	28	62	6.0	₹ 3,021
CR3PHDR00Q99	6.0	28	62	6.0	₹ 3,021
CR3PHDR00QA1	6.1	34	75	8.0	₹ 4,383
CR3PHDR00QB9	6.2	34	75	8.0	₹ 4,383
CR3PHDR00QC7	6.3	34	75	8.0	₹ 4,383
CR3PHDR00QD4	6.4	34	75	8.0	₹ 4,383
CR3PHDR00QE2	6.5	34	75	8.0	₹ 4,383
CR3PHDR00QF0	6.6	34	75	8.0	₹ 4,383
CR3PHDR00QG8	6.7	34	75	8.0	₹ 4,383
CR3PHDR00QH6	6.8	34	75	8.0	₹ 4,383
CR3PHDR00QJ1	6.9	34	75	8.0	₹ 4,383
CR3PHDR00QK9	7.0	34	75	8.0	₹ 4,383
CR3PHDR00QL7	7.1	40	80	8.0	₹ 4,383
CR3PHDR00QM5	7.2	40	80	8.0	₹ 4,383
CR3PHDR00QN2	7.3	40	80	8.0	₹ 4,383
CR3PHDR00QP8	7.4	40	80	8.0	₹ 4,383
CR3PHDR00QQ6	7.5	40	80	8.0	₹ 4,383
CR3PHDR00QR4	7.6	40	80	8.0	₹ 4,383
CR3PHDR00QS1	7.7	40	80	8.0	₹ 4,383
CR3PHDR00QT9	7.8	40	80	8.0	₹ 4,383
CR3PHDR00QU7	7.9	40	80	8.0	₹ 4,383
CR3PHDR00QV5	8.0	40	80	8.0	₹ 4,383
CR3PHDR00QW3	8.1	40	80	10.0	₹ 5,436
CR3PHDR00RG7	8.1	51	100	10.0	₹ 6,528
CR3PHDR00QX0	8.2	40	80	10.0	₹ 5,436
CR3PHDR00RH5	8.2	51	100	10.0	₹ 6,528
CR3PHDR00QY8	8.3	40	80	10.0	₹ 5,436
CR3PHDR00RJ0	8.3	51	100	10.0	₹ 6,528
CR3PHDR00QZ6	8.4	40	80	10.0	₹ 5,436
CR3PHDR00RK8	8.4	51	100	10.0	₹ 6,528
CR3PHDR00R07	8.5	40	80	10.0	₹ 5,436
CR3PHDR00RL6	8.5	51	100	10.0	₹ 6,528
CR3PHDR00R15	8.6	40	80	10.0	₹ 5,436
CR3PHDR00RM4	8.6	51	100	10.0	₹ 6,528
CR3PHDR00R23	8.7	40	80	10.0	₹ 5,436
CR3PHDR00RN1	8.7	51	100	10.0	₹ 6,528
CR3PHDR00R31	8.8	40	80	10.0	₹ 5,436
CR3PHDR00RP7	8.8	51	100	10.0	₹ 6,528
CR3PHDR00R49	8.9	40	80	10.0	₹ 5,436
CR3PHDR00RQ5	8.9	51	100	10.0	₹ 6,528



Carbide HP-Drills with Coolant Hole (SHORT)					
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR3PHDR00R56	9.0	40	80	10.0	₹ 5,436
CR3PHDR00RR3	9.0	51	100	10.0	₹ 6,528
CR3PHDR00R64	9.1	40	80	10.0	₹ 5,436
CR3PHDR00RS0	9.1	51	100	10.0	₹ 6,528
CR3PHDR00R72	9.2	40	80	10.0	₹ 5,436
CR3PHDR00RT8	9.2	51	100	10.0	₹ 6,528
CR3PHDR00R80	9.3	40	80	10.0	₹ 5,436
CR3PHDR00RU6	9.3	51	100	10.0	₹ 6,528
CR3PHDR00R98	9.4	40	80	10.0	₹ 5,436
CR3PHDR00RV4	9.4	51	100	10.0	₹ 6,528
CR3PHDR00RA0	9.5	40	80	10.0	₹ 5,436
CR3PHDR00RW2	9.5	51	100	10.0	₹ 6,528
CR3PHDR00RB8	9.6	40	80	10.0	₹ 5,436
CR3PHDR00RX9	9.6	51	100	10.0	₹ 6,528
CR3PHDR00RC6	9.7	40	80	10.0	₹ 5,436
CR3PHDR00RY7	9.7	51	100	10.0	₹ 6,528
CR3PHDR00RD3	9.8	40	80	10.0	₹ 5,436
CR3PHDR00RZ5	9.8	51	100	10.0	₹ 6,528
CR3PHDR00RE1	9.9	40	80	10.0	₹ 5,436
CR3PHDR00S06	9.9	51	100	10.0	₹ 6,528
CR3PHDR00RF9	10.0	40	80	10.0	₹ 5,436
CR3PHDR00S14	10.0	51	100	10.0	₹ 6,528
CR3PHDR00S22	10.1	55	100	12.0	₹ 8,373
CR3PHDR00S30	10.2	55	100	12.0	₹ 8,373
CR3PHDR00S48	10.3	55	100	12.0	₹ 8,373
CR3PHDR00S55	10.4	55	100	12.0	₹ 8,373
CR3PHDR00S63	10.5	55	100	12.0	₹ 8,373
CR3PHDR00S71	10.6	55	100	12.0	₹ 8,373
CR3PHDR00S89	10.7	55	100	12.0	₹ 8,373
CR3PHDR00S97	10.8	55	100	12.0	₹ 8,373
CR3PHDR00SA9	10.9	55	100	12.0	₹ 8,373
CR3PHDR00SB7	11.0	55	100	12.0	₹ 8,373
CR3PHDR00SC5	11.1	55	100	12.0	₹ 8,373
CR3PHDR00SD2	11.2	55	100	12.0	₹ 8,373
CR3PHDR00SE0	11.3	55	100	12.0	₹ 8,373
CR3PHDR00SF8	11.4	55	100	12.0	₹ 8,373
CR3PHDR00SG6	11.5	55	100	12.0	₹ 8,373
CR3PHDR00SH4	11.6	55	100	12.0	₹ 8,373
CR3PHDR00SJ9	11.7	55	100	12.0	₹ 8,373
CR3PHDR00SK7	11.8	55	100	12.0	₹ 8,373
CR3PHDR00SL5	11.9	55	100	12.0	₹ 8,373
CR3PHDR00SM3	12.0	55	100	12.0	₹ 8,373
CR3PHDR00SN0	12.5	55	105	14.0	₹ 11,313
CR3PHDR00SP6	13.0	55	105	14.0	₹ 11,313
CR3PHDR00SQ4	13.5	55	105	14.0	₹ 11,313
CR3PHDR00SR2	14.0	55	105	14.0	₹ 11,313
CR3PHDR00SS9	14.5	58	105	16.0	₹ 13,407
CR3PHDR00ST7	15.0	58	105	16.0	₹ 13,407
CR3PHDR00SU5	15.5	58	105	16.0	₹ 13,407
CR3PHDR00SV3	16.0	58	105	16.0	₹ 13,407
CR3PHDR00SW1	16.5	58	105	18.0	₹ 18,720
CR3PHDR00SX8	17.0	58	105	18.0	₹ 18,720
CR3PHDR00SY6	17.5	58	105	18.0	₹ 18,720
CR3PHDR00SZ4	18.0	58	105	18.0	₹ 18,720
CR3PHDR00T05	18.5	58	105	20.0	₹ 21,891
CR3PHDR00T13	19.0	58	105	20.0	₹ 21,891
CR3PHDR00T21	19.5	58	105	20.0	₹ 21,891
CR3PHDR00T39	20.0	58	105	20.0	₹ 21,891



Series	CTHL				
	Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)
CTHL0410-N	4.1	36	75	6.0	₹ 3,546
CTHL0420-N	4.2	36	75	6.0	₹ 3,546
CTHL0430-N	4.3	36	75	6.0	₹ 3,546
CTHL0440-N	4.4	36	75	6.0	₹ 3,546
CTHL0450-N	4.5	36	75	6.0	₹ 3,546
CTHL0460-N	4.6	36	75	6.0	₹ 3,546
CTHL0470-N	4.7	36	75	6.0	₹ 3,546
CTHL0480-N	4.8	42	80	6.0	₹ 3,546
CTHL0490-N	4.9	42	80	6.0	₹ 3,546
CTHL0500-N	5.0	42	80	6.0	₹ 3,546
CTHL0510-N	5.1	42	80	6.0	₹ 3,546
CTHL0520-N	5.2	42	80	6.0	₹ 3,546
CTHL0530-N	5.3	42	80	6.0	₹ 3,546
CTHL0540-N	5.4	42	80	6.0	₹ 3,546
CTHL0550-N	5.5	42	80	6.0	₹ 3,546
CTHL0560-N	5.6	42	80	6.0	₹ 3,546
CTHL0570-N	5.7	42	80	6.0	₹ 3,546
CTHL0580-N	5.8	42	80	6.0	₹ 3,546
CTHL0590-N	5.9	42	80	6.0	₹ 3,546
CTHL0600-N	6.0	42	80	6.0	₹ 3,546
CTHL0610-N	6.1	55	100	8.0	₹ 5,145
CTHL0620-N	6.2	55	100	8.0	₹ 5,145
CTHL0630-N	6.3	55	100	8.0	₹ 5,145
CTHL0640-N	6.4	55	100	8.0	₹ 5,145
CTHL0650-N	6.5	55	100	8.0	₹ 5,145
CTHL0660-N	6.6	55	100	8.0	₹ 5,145
CTHL0670-N	6.7	55	100	8.0	₹ 5,145
CTHL0680-N	6.8	55	100	8.0	₹ 5,145
CTHL0690-N	6.9	55	100	8.0	₹ 5,145
CTHL0700-N	7.0	55	100	8.0	₹ 5,145
CTHL0710-N	7.1	60	105	8.0	₹ 5,364
CTHL0720-N	7.2	60	105	8.0	₹ 5,364
CTHL0730-N	7.3	60	105	8.0	₹ 5,364
CTHL0740-N	7.4	60	105	8.0	₹ 5,364
CTHL0750-N	7.5	60	105	8.0	₹ 5,364
CTHL0760-N	7.6	60	105	8.0	₹ 5,364
CTHL0770-N	7.7	60	105	8.0	₹ 5,364
CTHL0780-N	7.8	60	105	8.0	₹ 5,364
CTHL0790-N	7.9	60	105	8.0	₹ 5,364
CTHL0800-N	8.0	60	105	8.0	₹ 5,364
CTHL0810-N	8.1	75	125	10.0	₹ 7,803
CTHL0820-N	8.2	75	125	10.0	₹ 7,803
CTHL0830-N	8.3	75	125	10.0	₹ 7,803
CTHL0840-N	8.4	75	125	10.0	₹ 7,803
CTHL0850-N	8.5	75	125	10.0	₹ 7,803
CTHL0860-N	8.6	75	125	10.0	₹ 7,803
CTHL0870-N	8.7	75	125	10.0	₹ 7,803
CTHL0880-N	8.8	75	125	10.0	₹ 7,803
CTHL0890-N	8.9	75	125	10.0	₹ 7,803

Carbide HP-Drills with Coolant Hole (LONG)					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CTHL0900-N	9.0	75	125	10.0	₹ 7,803
CTHL0910-N	9.1	75	125	10.0	₹ 7,803
CTHL0920-N	9.2	75	125	10.0	₹ 7,803
CTHL0930-N	9.3	75	125	10.0	₹ 7,803
CTHL0940-N	9.4	75	125	10.0	₹ 7,803
CTHL0950-N	9.5	75	125	10.0	₹ 7,803
CTHL0960-N	9.6	75	125	10.0	₹ 7,803
CTHL0970-N	9.7	75	125	10.0	₹ 7,803
CTHL0980-N	9.8	75	125	10.0	₹ 7,803
CTHL0990-N	9.9	75	125	10.0	₹ 7,803
CTHL1000-N	10.0	75	125	10.0	₹ 7,803
CTHL1010-N	10.1	85	140	12.0	₹ 12,003
CTHL1020-N	10.2	85	140	12.0	₹ 12,003
CTHL1030-N	10.3	85	140	12.0	₹ 12,003
CTHL1040-N	10.4	85	140	12.0	₹ 12,003
CTHL1050-N	10.5	85	140	12.0	₹ 12,003
CTHL1060-N	10.6	85	140	12.0	₹ 12,003
CTHL1070-N	10.7	85	140	12.0	₹ 12,003
CTHL1080-N	10.8	85	140	12.0	₹ 12,003
CTHL1090-N	10.9	85	140	12.0	₹ 12,003
CTHL1100-N	11.0	85	140	12.0	₹ 12,003
CTHL1110-N	11.1	85	140	12.0	₹ 12,003
CTHL1120-N	11.2	85	140	12.0	₹ 12,003
CTHL1130-N	11.3	85	140	12.0	₹ 12,003
CTHL1140-N	11.4	85	140	12.0	₹ 12,003
CTHL1150-N	11.5	85	140	12.0	₹ 12,003
CTHL1160-N	11.6	85	140	12.0	₹ 12,003
CTHL1170-N	11.7	85	140	12.0	₹ 12,003
CTHL1180-N	11.8	85	140	12.0	₹ 12,003
CTHL1190-N	11.9	85	140	12.0	₹ 12,003
CTHL1200-N	12.0	85	140	12.0	₹ 12,003
CTHL1250-N	12.5	85	140	14.0	₹ 15,987
CTHL1300-N	13.0	85	140	14.0	₹ 15,987
CTHL1350-N	13.5	85	140	14.0	₹ 15,987
CTHL1400-N	14.0	85	140	14.0	₹ 15,987
CTHL1450-N	14.5	90	145	16.0	₹ 18,918
CTHL1500-N	15.0	90	145	16.0	₹ 18,918
CTHL1550-N	15.5	90	145	16.0	₹ 18,918
CTHL1600-N	16.0	90	145	16.0	₹ 18,918
CTHL1650-N	16.5	95	150	18.0	₹ 24,156
CTHL1700-N	17.0	95	150	18.0	₹ 24,156
CTHL1750-N	17.5	95	150	18.0	₹ 24,156
CTHL1800-N	18.0	95	150	18.0	₹ 24,156
CTHL1850-N	18.5	98	150	20.0	₹ 28,755
CTHL1900-N	19.0	98	150	20.0	₹ 28,755
CTHL1950-N	19.5	98	150	20.0	₹ 28,755
CTHL2000-N	20.0	98	150	20.0	₹ 28,755





**Rohit Cutting Tools India**  
**Helping World Manufacturing Reduce Costs Since 1963** Solid Carbide Drills  
**PL-53 w.e.f 15-Feb-2023** (GP and HP DRILLS)  
**{ GST Extra As Applicable }**

Series	CTHM		Carbide HP-MQL Drills With Coolant Hole		
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CTHM0420-N	4.2	57	105	6.0	₹ 5,046
CTHM0450-N	4.5	57	105	6.0	₹ 5,046
CTHM0500-N	5.0	65	108	6.0	₹ 5,046
CTHM0550-N	5.5	72	127	6.0	₹ 5,979
CTHM0600-N	6.0	78	133	6.0	₹ 5,979
CTHM0650-N	6.5	85	141	8.0	₹ 7,764
CTHM0700-N	7.0	91	147	8.0	₹ 7,764
CTHM0750-N	7.5	98	155	8.0	₹ 7,959
CTHM0800-N	8.0	104	160	8.0	₹ 7,959
CTHM0850-N	8.5	111	160	10.0	₹ 10,080
CTHM0900-N	9.0	117	175	10.0	₹ 11,952
CTHM0950-N	9.5	124	182	10.0	₹ 11,952
CTHM1000-N	10.0	130	188	10.0	₹ 12,213
CTHM1050-N	10.5	137	201	12.0	₹ 15,435
CTHM1100-N	11.0	143	207	12.0	₹ 15,435
CTHM1150-N	11.5	150	215	12.0	₹ 15,801
CTHM1200-N	12.0	156	221	12.0	₹ 16,149



Series	C4HT				
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
C4HT020050-P	2.0	14	50	4.0	₹ 2,355
C4HT021050-P	2.1	14	50	4.0	₹ 2,355
C4HT022050-P	2.2	14	50	4.0	₹ 2,355
C4HT023050-P	2.3	14	50	4.0	₹ 2,355
C4HT024050-P	2.4	14	50	4.0	₹ 2,355
C4HT025050-P	2.5	14	50	4.0	₹ 2,355
C4HT026050-P	2.6	14	50	4.0	₹ 2,355
C4HT027050-P	2.7	14	50	4.0	₹ 2,355
C4HT028050-P	2.8	14	50	4.0	₹ 2,355
C4HT029050-P	2.9	14	50	4.0	₹ 2,355
C4HT030062-P	3.0	20	62	6.0	₹ 2,904
C4HT031062-P	3.1	20	62	6.0	₹ 2,904
C4HT032062-P	3.2	20	62	6.0	₹ 2,904
C4HT033062-P	3.3	20	62	6.0	₹ 2,904
C4HT034062-P	3.4	20	62	6.0	₹ 2,904
C4HT035062-P	3.5	20	62	6.0	₹ 2,904
C4HT036062-P	3.6	20	62	6.0	₹ 2,904
C4HT037062-P	3.7	20	62	6.0	₹ 2,904
C4HT038062-P	3.8	24	62	6.0	₹ 2,904
C4HT039062-P	3.9	24	62	6.0	₹ 2,904
C4HT040062-P	4.0	24	62	6.0	₹ 2,904
C4HT041062-P	4.1	24	62	6.0	₹ 2,904
C4HT042062-P	4.2	24	62	6.0	₹ 2,904
C4HT043062-P	4.3	24	62	6.0	₹ 2,904
C4HT044062-P	4.4	24	62	6.0	₹ 2,904
C4HT045062-P	4.5	24	62	6.0	₹ 2,904
C4HT046062-P	4.6	24	62	6.0	₹ 2,904
C4HT047062-P	4.7	24	62	6.0	₹ 2,904
C4HT048062-P	4.8	28	62	6.0	₹ 2,904
C4HT049062-P	4.9	28	62	6.0	₹ 2,904
C4HT050062-P	5.0	28	62	6.0	₹ 2,904
C4HT051062-P	5.1	28	62	6.0	₹ 2,904
C4HT052062-P	5.2	28	62	6.0	₹ 2,904
C4HT053062-P	5.3	28	62	6.0	₹ 2,904
C4HT054062-P	5.4	28	62	6.0	₹ 2,904
C4HT055062-P	5.5	28	62	6.0	₹ 2,904
C4HT056062-P	5.6	28	62	6.0	₹ 2,904
C4HT057062-P	5.7	28	62	6.0	₹ 2,904
C4HT058062-P	5.8	28	62	6.0	₹ 2,904
C4HT059062-P	5.9	28	62	6.0	₹ 2,904
C4HT060062-P	6.0	28	62	6.0	₹ 2,904
C4HT061075-P	6.1	34	75	8.0	₹ 4,716
C4HT062075-P	6.2	34	75	8.0	₹ 4,716
C4HT063075-P	6.3	34	75	8.0	₹ 4,716
C4HT064075-P	6.4	34	75	8.0	₹ 4,716
C4HT065075-P	6.5	34	75	8.0	₹ 4,716
C4HT066075-P	6.6	34	75	8.0	₹ 4,716
C4HT067075-P	6.7	34	75	8.0	₹ 4,716
C4HT068075-P	6.8	34	75	8.0	₹ 4,716
C4HT069075-P	6.9	34	75	8.0	₹ 4,716
C4HT070075-P	7.0	34	75	8.0	₹ 4,716
C4HT071080-P	7.1	40	80	8.0	₹ 5,112
C4HT072080-P	7.2	40	80	8.0	₹ 5,112
C4HT073080-P	7.3	40	80	8.0	₹ 5,112
C4HT074080-P	7.4	40	80	8.0	₹ 5,112
C4HT075080-P	7.5	40	80	8.0	₹ 5,112
C4HT076080-P	7.6	40	80	8.0	₹ 5,112
C4HT077080-P	7.7	40	80	8.0	₹ 5,112
C4HT078080-P	7.8	40	80	8.0	₹ 5,112
C4HT079080-P	7.9	40	80	8.0	₹ 5,112
C4HT080080-P	8.0	40	80	8.0	₹ 5,112
C4HT081080-P	8.1	40	80	10.0	₹ 6,429
C4HT082080-P	8.2	40	80	10.0	₹ 6,429
C4HT083080-P	8.3	40	80	10.0	₹ 6,429
C4HT084080-P	8.4	40	80	10.0	₹ 6,429
C4HT085080-P	8.5	40	80	10.0	₹ 6,429

Carbide HP-Drills with PEROX Coating					
Ordering No.	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
C4HT086080-P	8.6	40	80	10.0	₹ 6,429
C4HT087080-P	8.7	40	80	10.0	₹ 6,429
C4HT088080-P	8.8	40	80	10.0	₹ 6,429
C4HT089080-P	8.9	40	80	10.0	₹ 6,429
C4HT090080-P	9.0	40	80	10.0	₹ 6,429
C4HT091080-P	9.1	40	80	10.0	₹ 6,429
C4HT092080-P	9.2	40	80	10.0	₹ 6,429
C4HT093080-P	9.3	40	80	10.0	₹ 6,429
C4HT094080-P	9.4	40	80	10.0	₹ 6,429
C4HT095080-P	9.5	40	80	10.0	₹ 6,429
C4HT096080-P	9.6	40	80	10.0	₹ 6,429
C4HT097080-P	9.7	40	80	10.0	₹ 6,429
C4HT098080-P	9.8	40	80	10.0	₹ 6,429
C4HT099080-P	9.9	40	80	10.0	₹ 6,429
C4HT100080-P	10.0	40	80	10.0	₹ 6,429
C4HT081100-P	8.1	60	100	10.0	₹ 7,695
C4HT082100-P	8.2	60	100	10.0	₹ 7,695
C4HT083100-P	8.3	60	100	10.0	₹ 7,695
C4HT084100-P	8.4	60	100	10.0	₹ 7,695
C4HT085100-P	8.5	60	100	10.0	₹ 7,695
C4HT086100-P	8.6	60	100	10.0	₹ 7,695
C4HT087100-P	8.7	60	100	10.0	₹ 7,695
C4HT088100-P	8.8	60	100	10.0	₹ 7,695
C4HT089100-P	8.9	60	100	10.0	₹ 7,695
C4HT090100-P	9.0	60	100	10.0	₹ 7,695
C4HT091100-P	9.1	60	100	10.0	₹ 7,695
C4HT092100-P	9.2	60	100	10.0	₹ 7,695
C4HT093100-P	9.3	60	100	10.0	₹ 7,695
C4HT094100-P	9.4	60	100	10.0	₹ 7,695
C4HT095100-P	9.5	60	100	10.0	₹ 7,695
C4HT096100-P	9.6	60	100	10.0	₹ 7,695
C4HT097100-P	9.7	60	100	10.0	₹ 7,695
C4HT098100-P	9.8	60	100	10.0	₹ 7,695
C4HT099100-P	9.9	60	100	10.0	₹ 7,695
C4HT100100-P	10.0	60	100	10.0	₹ 7,695
C4HT101100-P	10.1	60	100	12.0	₹ 10,149
C4HT102100-P	10.2	60	100	12.0	₹ 10,149
C4HT103100-P	10.3	60	100	12.0	₹ 10,149
C4HT104100-P	10.4	60	100	12.0	₹ 10,149
C4HT105100-P	10.5	60	100	12.0	₹ 10,149
C4HT106100-P	10.6	60	100	12.0	₹ 10,149
C4HT107100-P	10.7	60	100	12.0	₹ 10,149
C4HT108100-P	10.8	60	100	12.0	₹ 10,149
C4HT109100-P	10.9	60	100	12.0	₹ 10,149
C4HT110100-P	11.0	60	100	12.0	₹ 10,149
C4HT111100-P	11.1	60	100	12.0	₹ 10,149
C4HT112100-P	11.2	60	100	12.0	₹ 10,149
C4HT113100-P	11.3	60	100	12.0	₹ 10,149
C4HT114100-P	11.4	60	100	12.0	₹ 10,149
C4HT115100-P	11.5	60	100	12.0	₹ 10,149
C4HT116100-P	11.6	60	100	12.0	₹ 10,149
C4HT117100-P	11.7	60	100	12.0	₹ 10,149
C4HT118100-P	11.8	60	100	12.0	₹ 10,149
C4HT119100-P	11.9	60	100	12.0	₹ 10,149
C4HT120100-P	12.0	60	100	12.0	₹ 10,149
C4HT125105-P	12.5	55	105	14.0	₹ 13,473
C4HT130105-P	13.0	55	105	14.0	₹ 13,473
C4HT135105-P	13.5	55	105	14.0	₹ 13,473
C4HT140105-P	14.0	55	105	14.0	₹ 13,473
C4HT145105-P	14.5	58	105	16.0	₹ 16,452
C4HT150105-P	15.0	58	105	16.0	₹ 16,452
C4HT155105-P	15.5	58	105	16.0	₹ 16,452
C4HT160105-P	16.0	58	105	16.0	₹ 16,452
C4HT165105-P	16.5	58	105	18.0	₹ 22,053
C4HT170105-P	17.0	58	105	18.0	₹ 22,053
C4HT175105-P	17.5	58	105	18.0	₹ 22,053
C4HT180105-P	18.0	58	105	18.0	₹ 22,053
C4HT185105-P	18.5	58	105	20.0	₹ 25,986
C4HT190105-P	19.0	58	105	20.0	₹ 25,986
C4HT195105-P	19.5	58	105	20.0	₹ 25,986
C4HT200105-P	20.0	58	105	20.0	₹ 25,986





**Rohit Cutting Tools India**  
**Helping World Manufacturing Reduce Costs Since 1963** Solid Carbide Drills  
**PL-53 w.e.f 15-Feb-2023** (GP and HP DRILLS)  
**{ GST Extra As Applicable }**

Series	C1N1	Carbide NC-Spotting drills 90°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-53
C1N10600-U	6	13	50	6	₹ 1,494
C1N10800-U	8	23	60	8	₹ 2,118
C1N11000-U	10	24	70	10	₹ 3,012
C1N11200-U	12	24	70	12	₹ 3,885
C1N11600-U	16	29	75	16	₹ 7,167
C1N12000-U	20	35	100	20	₹ 13,491



Series	C1N2	Carbide NC-Spotting drills 120°			
Ordering No.	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-53
C1N20600-U	6	13	50	6	₹ 1,494
C1N20800-U	8	23	60	8	₹ 2,118
C1N21000-U	10	24	70	10	₹ 3,012
C1N21200-U	12	24	70	12	₹ 3,885
C1N21600-U	16	29	75	16	₹ 7,167
C1N22000-U	20	35	100	20	₹ 13,491





PL-53 w.e.f 15-Feb-2023  
 { GST Extra As Applicable }

Series	C1CD	Carbide Centre Drills TYP-A DIN 333			
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-53
CR1XCA001L0	1.6	2	35	4	₹ 1,764
CR1XCA00028	2	3	40	5	₹ 2,016
CR1XCA00044	2.5	3	45	6.3	₹ 2,646
CR1XCA00051	3.15	4	50	8	₹ 3,123
CR1XCA001J4	4	5	56	10	₹ 3,894
CR1XCA001M8	5	7	63	12.5	₹ 6,279
CR1XCA001N5	6.3	9	72	16	₹ 8,958
C1CD0800-U	8	11	80	20	₹ 14,889

Series	C1CB	Carbide Centre Drills BS 328				
Ordering Code	BS NO.	Pilot Dia. (D1)	Pilot Length (min.) (L1)	OAL (L2)	Body Dia. (D2)	PL-53
C1CB-BS1-U	BS1	3/64"	1/16"	1-1/2"	1/8"	₹ 1,764
C1CB-BS2-U	BS2	1/16"	5/64"	1-3/4"	3/16"	₹ 2,016
C1CB-BS3-U	BS3	3/32"	1/8"	2"	1/4"	₹ 2,646
C1CB-BS4-U	BS4	1/8"	5/32"	2-1/4"	5/16"	₹ 3,123
C1CB-BS5-U	BS5	3/16"	1/4"	2-1/2"	7/16"	₹ 5,277
C1CB-BS6-U	BS6	1/4"	5/16"	3"	5/8"	₹ 8,958
C1CB-BS7-U	BS7	5/16"	13/32"	3-1/2"	3/4"	₹ 14,889

