CARBIDE DRILLS SELECTION GUIDE

SERIES GROUP	Series	Dia Range	Stock	Type	# of Flute	Point Angle	Internal Coolant	Coating
GP-Drills	C0GS	2 ~ 20	YES	Short	2	140°		TiALN
	C0GJ	2 ~ 20	YES	Long	2	140°		TiALN
HP-Drills	C3HS	1 ~ 20	YES	Short	2	142°		NOVA
	C3HL	1 ~ 20	YES	Long	2	142°		NOVA
	C3MS	0.2~0.9	YES	Micro	2	135°		NOVA
HP-Coolant Fed Drills	CTHS	3 ~ 20	YES	Short	2	138°	X	NOVA
	CTHL	3 ~ 20	++	Long	2	138°	X	NOVA
	CTHM	4 ~ 12	++	MQL	2	140°	X	NOVA
HP-Drills (ALU)	C3AS	2 ~ 20	+++	Short	2	118°		ALU-IRIS
SHP-Drills	C4HT	2 ~ 20	++++	Short	2	142°		PEROX/ TISINOVA
Spot Drills	C3N1	4 ~ 16	++	-	2	90°		Uncoated / NOVA
	C3N2	4 ~ 16	++	-	2	120°		Uncoated / NOVA

Carbide Grain	Full Type	ROHIT Grade
MG	Micro Fine Grain	0X
UMG	Ultra Fine Micro Grain	3X
NG	NANO Grain	4X

+	1 Week
++	2 Week
+++	3 Week
++++	4 Week

Series	C0GS		Carbide 0X GP STUB Drills TiALN Coated		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GS200-F	2.0	12	39	3.0	₹ 927
C0GS210-F	2.1	14	39	3.0	₹ 927
C0GS220-F	2.2	14	39	3.0	₹ 927
C0GS230-F	2.3	14	39	3.0	₹ 927
C0GS240-F	2.4	14	39	3.0	₹ 927
C0GS250-F	2.5	14	39	3.0	₹ 927
C0GS260-F	2.6	20	50	3.0	₹ 984
C0GS270-F	2.7	20	50	3.0	₹ 984
C0GS280-F	2.8	20	50	3.0	₹ 984
C0GS290-F	2.9	20	50	3.0	₹ 984
C0GS300-F	3.0	20	50	3.0	₹ 984
C0GS310-F	3.1	20	50	3.1	₹ 1,089
C0GS320-F	3.2	20	50	3.2	₹ 1,089
C0GS330-F	3.3	20	50	3.3	₹ 1,089
C0GS340-F	3.4	20	50	3.4	₹ 1,089
C0GS350-F	3.5	20	50	3.5	₹ 1,089
C0GS360-F	3.6	22	50	3.6	₹ 1,089
C0GS370-F	3.7	22	50	3.7	₹ 1,089
C0GS380-F	3.8	22	50	3.8	₹ 1,089
C0GS390-F	3.9	22	50	3.9	₹ 1,089
C0GS400-F	4.0	22	50	4.0	₹ 1,089
C0GS410-F	4.1	24	60	4.1	₹ 1,422
C0GS420-F	4.2	24	60	4.2	₹ 1,422
C0GS430-F	4.3	24	60	4.3	₹ 1,422
C0GS440-F	4.4	24	60	4.4	₹ 1,422
C0GS450-F	4.5	24	60	4.5	₹ 1,422
C0GS460-F	4.6	26	60	4.6	₹ 1,422
C0GS470-F	4.7	26	60	4.7	₹ 1,422
C0GS480-F	4.8	26	60	4.8	₹ 1,422
C0GS490-F	4.9	26	60	4.9	₹ 1,422
C0GS500-F	5.0	26	60	5.0	₹ 1,422
C0GS510-F	5.1	28	60	5.1	₹ 1,803
C0GS520-F	5.2	28	60	5.2	₹ 1,869
C0GS530-F	5.3	28	60	5.3	₹ 1,869
C0GS540-F	5.4	28	60	5.4	₹ 1,869
C0GS550-F	5.5	28	60	5.5	₹ 1,869
C0GS560-F	5.6	28	60	5.6	₹ 1,869
C0GS570-F	5.7	28	60	5.7	₹ 1,869
C0GS580-F	5.8	28	60	5.8	₹ 1,869
C0GS590-F	5.9	28	60	5.9	₹ 1,869

Back to Selection

Series	C0GS		Carbide 0X GP STUB Drills TiALN Coated		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GS600-F	6.0	28	60	6.0	₹ 1,869
C0GS610-F	6.1	31	60	6.1	₹ 2,424
C0GS620-F	6.2	31	60	6.2	₹ 2,424
C0GS630-F	6.3	31	60	6.3	₹ 2,424
C0GS640-F	6.4	31	60	6.4	₹ 2,424
C0GS650-F	6.5	31	60	6.5	₹ 2,424
C0GS660-F	6.6	34	60	6.6	₹ 2,424
C0GS670-F	6.7	34	60	6.7	₹ 2,424
C0GS680-F	6.8	34	60	6.8	₹ 2,424
C0GS690-F	6.9	34	60	6.9	₹ 2,598
C0GS700-F	7.0	34	60	7.0	₹ 2,598
C0GS710-F	7.1	34	75	7.1	₹ 4,020
C0GS720-F	7.2	34	75	7.2	₹ 4,020
C0GS730-F	7.3	34	75	7.3	₹ 4,020
C0GS740-F	7.4	34	75	7.4	₹ 4,020
C0GS750-F	7.5	34	75	7.5	₹ 4,020
C0GS760-F	7.6	37	75	7.6	₹ 4,020
C0GS770-F	7.7	37	75	7.7	₹ 4,020
C0GS780-F	7.8	37	75	7.8	₹ 4,020
C0GS790-F	7.9	37	75	7.9	₹ 4,020
C0GS800-F	8.0	37	75	8.0	₹ 4,020
C0GS810-F	8.1	37	75	8.1	₹ 5,340
C0GS820-F	8.2	37	75	8.2	₹ 5,340
C0GS830-F	8.3	37	75	8.3	₹ 5,340
C0GS840-F	8.4	37	75	8.4	₹ 5,340
C0GS850-F	8.5	37	75	8.5	₹ 5,340
C0GS860-F	8.6	40	75	8.6	₹ 5,340
C0GS870-F	8.7	40	75	8.7	₹ 5,340
C0GS880-F	8.8	40	75	8.8	₹ 5,340
C0GS890-F	8.9	40	75	8.9	₹ 5,340
C0GS900-F	9.0	40	75	9.0	₹ 5,340
C0GS910-F	9.1	40	75	9.1	₹ 5,706
C0GS920-F	9.2	40	75	9.2	₹ 5,706
C0GS930-F	9.3	40	75	9.3	₹ 5,706
C0GS940-F	9.4	40	75	9.4	₹ 5,706
C0GS950-F	9.5	40	75	9.5	₹ 5,706
C0GS960-F	9.6	42	75	9.6	₹ 5,706
C0GS970-F	9.7	42	75	9.7	₹ 5,706
C0GS980-F	9.8	42	75	9.8	₹ 5,706
C0GS990-F	9.9	42	75	9.9	₹ 5,706

Back to Selection

Series	C0GS		Carbide 0X GP STUB Drills TiALN Coated		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GS1000-F	10.0	42	75	10.0	₹ 5,706
C0GS1010-F	10.1	42	75	10.1	₹ 8,232
C0GS1020-F	10.2	42	75	10.2	₹ 8,232
C0GS1030-F	10.3	47	100	10.3	₹ 9,180
C0GS1040-F	10.4	47	100	10.4	₹ 9,180
C0GS1050-F	10.5	47	100	10.5	₹ 9,180
C0GS1060-F	10.6	47	100	10.6	₹ 9,180
C0GS1070-F	10.7	47	100	10.7	₹ 9,180
C0GS1080-F	10.8	47	100	10.8	₹ 9,180
C0GS1090-F	10.9	47	100	10.9	₹ 9,180
C0GS1100-F	11.0	47	100	11.0	₹ 9,180
C0GS1110-F	11.1	47	100	11.1	₹ 9,435
C0GS1120-F	11.2	47	100	11.2	₹ 9,435
C0GS1130-F	11.3	47	100	11.3	₹ 9,435
C0GS1140-F	11.4	47	100	11.4	₹ 9,435
C0GS1150-F	11.5	47	100	11.5	₹ 9,435
C0GS1160-F	11.6	49	100	11.6	₹ 9,435
C0GS1170-F	11.7	49	100	11.7	₹ 9,435
C0GS1180-F	11.8	49	100	11.8	₹ 9,435
C0GS1190-F	11.9	49	100	11.9	₹ 9,435
C0GS1200-F	12.0	49	100	12.0	₹ 9,435
C0GS1210-F	12.1	51	100	12.1	₹ 12,225
C0GS1220-F	12.2	51	100	12.2	₹ 12,225
C0GS1230-F	12.3	51	100	12.3	₹ 12,225
C0GS1240-F	12.4	51	100	12.4	₹ 12,225
C0GS1250-F	12.5	51	100	12.5	₹ 12,225
C0GS1260-F	12.6	51	100	12.6	₹ 12,225
C0GS1270-F	12.7	51	100	12.7	₹ 12,225
C0GS1280-F	12.8	51	100	12.8	₹ 12,225
C0GS1290-F	12.9	51	100	12.9	₹ 12,621
C0GS1300-F	13.0	51	100	13.0	₹ 12,621
C0GS1310-F	13.1	54	100	13.1	₹ 12,792
C0GS1320-F	13.2	54	100	13.2	₹ 12,792
C0GS1330-F	13.3	54	100	13.3	₹ 12,792
C0GS1340-F	13.4	54	100	13.4	₹ 12,792
C0GS1350-F	13.5	54	100	13.5	₹ 12,792
C0GS1360-F	13.6	54	100	13.6	₹ 12,792
C0GS1370-F	13.7	54	100	13.7	₹ 12,792
C0GS1380-F	13.8	54	100	13.8	₹ 12,792
C0GS1390-F	13.9	54	100	13.9	₹ 12,792

Back to Selection

Series	C0GS		Carbide 0X GP STUB Drills TiALN Coated		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GS1400-F	14.0	54	100	14.0	₹ 12,792
C0GS1410-F	14.1	56	100	14.1	₹ 15,972
C0GS1420-F	14.2	56	100	14.2	₹ 15,972
C0GS1430-F	14.3	56	100	14.3	₹ 15,972
C0GS1440-F	14.4	56	100	14.4	₹ 15,972
C0GS1450-F	14.5	56	100	14.5	₹ 15,972
C0GS1460-F	14.6	56	100	14.6	₹ 15,972
C0GS1470-F	14.7	56	100	14.7	₹ 15,972
C0GS1480-F	14.8	56	100	14.8	₹ 15,972
C0GS1490-F	14.9	56	100	14.9	₹ 15,972
C0GS1500-F	15.0	56	100	15.0	₹ 15,972
C0GS1600-F	16.0	56	100	16.0	₹ 15,972

Back to Selection

Series	C0GJ		Carbide 0X GP- JOBBER Drills TiALN COATED		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GJ200-F	2.0	24	61	3.0	₹ 1,410
C0GJ210-F	2.1	24	61	3.0	₹ 1,410
C0GJ220-F	2.2	24	61	3.0	₹ 1,410
C0GJ230-F	2.3	24	61	3.0	₹ 1,410
C0GJ240-F	2.4	24	61	3.0	₹ 1,410
C0GJ250-F	2.5	24	61	3.0	₹ 1,410
C0GJ260-F	2.6	33	61	3.0	₹ 1,410
C0GJ270-F	2.7	33	61	3.0	₹ 1,410
C0GJ280-F	2.8	33	61	3.0	₹ 1,410
C0GJ290-F	2.9	33	61	3.0	₹ 1,410
C0GJ300-F	3.0	33	61	3.0	₹ 1,365
C0GJ310-F	3.1	39	70	3.1	₹ 1,665
C0GJ320-F	3.2	39	70	3.2	₹ 1,665
C0GJ330-F	3.3	39	70	3.3	₹ 1,665
C0GJ340-F	3.4	39	70	3.4	₹ 1,665
C0GJ350-F	3.5	39	70	3.5	₹ 1,665
C0GJ360-F	3.6	43	75	3.6	₹ 1,665
C0GJ370-F	3.7	43	75	3.7	₹ 1,665
C0GJ380-F	3.8	43	75	3.8	₹ 1,665
C0GJ390-F	3.9	43	75	3.9	₹ 1,665
C0GJ400-F	4.0	43	75	4.0	₹ 1,665
C0GJ410-F	4.1	47	80	4.1	₹ 2,124
C0GJ420-F	4.2	47	80	4.2	₹ 2,124
C0GJ430-F	4.3	47	80	4.3	₹ 2,124
C0GJ440-F	4.4	47	80	4.4	₹ 2,124
C0GJ450-F	4.5	47	80	4.5	₹ 2,124
C0GJ460-F	4.6	52	86	4.6	₹ 2,382
C0GJ470-F	4.7	52	86	4.7	₹ 2,382
C0GJ480-F	4.8	52	86	4.8	₹ 2,382
C0GJ490-F	4.9	52	86	4.9	₹ 2,382
C0GJ500-F	5.0	52	86	5.0	₹ 2,382
C0GJ510-F	5.1	52	86	5.1	₹ 2,886
C0GJ520-F	5.2	52	86	5.2	₹ 2,886
C0GJ530-F	5.3	52	86	5.3	₹ 2,886
C0GJ540-F	5.4	57	93	5.4	₹ 2,886
C0GJ550-F	5.5	57	93	5.5	₹ 2,886
C0GJ560-F	5.6	57	93	5.6	₹ 2,886
C0GJ570-F	5.7	57	93	5.7	₹ 2,886
C0GJ580-F	5.8	57	93	5.8	₹ 2,886
C0GJ590-F	5.9	57	93	5.9	₹ 2,886

Back to Selection

Series	C0GJ		Carbide 0X GP- JOBBER Drills TiALN COATED		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GJ600-F	6.0	57	93	6.0	₹ 2,886
C0GJ610-F	6.1	63	101	6.1	₹ 3,876
C0GJ620-F	6.2	63	101	6.2	₹ 3,876
C0GJ630-F	6.3	63	101	6.3	₹ 3,876
C0GJ640-F	6.4	63	101	6.4	₹ 3,876
C0GJ650-F	6.5	63	101	6.5	₹ 3,876
C0GJ660-F	6.6	69	109	6.6	₹ 3,876
C0GJ670-F	6.7	69	109	6.7	₹ 3,876
C0GJ680-F	6.8	69	109	6.8	₹ 3,876
C0GJ690-F	6.9	69	109	6.9	₹ 4,164
C0GJ700-F	7.0	69	109	7.0	₹ 4,164
C0GJ710-F	7.1	69	109	7.1	₹ 4,938
C0GJ720-F	7.2	69	109	7.2	₹ 4,938
C0GJ730-F	7.3	69	109	7.3	₹ 4,938
C0GJ740-F	7.4	69	109	7.4	₹ 4,938
C0GJ750-F	7.5	69	109	7.5	₹ 4,938
C0GJ760-F	7.6	75	117	7.6	₹ 5,295
C0GJ770-F	7.7	75	117	7.7	₹ 5,295
C0GJ780-F	7.8	75	117	7.8	₹ 5,295
C0GJ790-F	7.9	75	117	7.9	₹ 5,295
C0GJ800-F	8.0	75	117	8.0	₹ 5,295
C0GJ810-F	8.1	75	117	8.1	₹ 6,996
C0GJ820-F	8.2	75	117	8.2	₹ 7,005
C0GJ830-F	8.3	75	117	8.3	₹ 7,002
C0GJ840-F	8.4	75	117	8.4	₹ 7,002
C0GJ850-F	8.5	75	117	8.5	₹ 7,002
C0GJ860-F	8.6	81	125	8.6	₹ 7,200
C0GJ870-F	8.7	81	125	8.7	₹ 7,200
C0GJ880-F	8.8	81	125	8.8	₹ 7,200
C0GJ890-F	8.9	81	125	8.9	₹ 7,200
C0GJ900-F	9.0	81	125	9.0	₹ 7,200
C0GJ910-F	9.1	81	125	9.1	₹ 7,692
C0GJ920-F	9.2	81	125	9.2	₹ 7,692
C0GJ930-F	9.3	81	125	9.3	₹ 7,692
C0GJ940-F	9.4	81	125	9.4	₹ 7,692
C0GJ950-F	9.5	81	125	9.5	₹ 7,692
C0GJ960-F	9.6	87	133	9.6	₹ 9,003
C0GJ970-F	9.7	87	133	9.7	₹ 9,003
C0GJ980-F	9.8	87	133	9.8	₹ 9,003
C0GJ990-F	9.9	87	133	9.9	₹ 9,003

Back to Selection

Series	C0GJ		Carbide 0X GP- JOBBER Drills TiALN COATED		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GJ1000-F	10.0	87	133	10.0	₹ 9,003
C0GJ1010-F	10.1	87	133	10.1	₹ 11,682
C0GJ1020-F	10.2	87	133	10.2	₹ 11,682
C0GJ1030-F	10.3	87	133	10.3	₹ 11,682
C0GJ1040-F	10.4	87	133	10.4	₹ 11,682
C0GJ1050-F	10.5	87	133	10.5	₹ 11,682
C0GJ1060-F	10.6	94	142	10.6	₹ 11,682
C0GJ1070-F	10.7	94	142	10.7	₹ 11,682
C0GJ1080-F	10.8	94	142	10.8	₹ 11,682
C0GJ1090-F	10.9	94	142	10.9	₹ 11,682
C0GJ1100-F	11.0	94	142	11.0	₹ 11,682
C0GJ1110-F	11.1	94	142	11.1	₹ 13,089
C0GJ1120-F	11.2	94	142	11.2	₹ 13,089
C0GJ1130-F	11.3	94	142	11.3	₹ 13,089
C0GJ1140-F	11.4	94	142	11.4	₹ 13,089
C0GJ1150-F	11.5	94	142	11.5	₹ 13,089
C0GJ1160-F	11.6	101	151	11.6	₹ 13,089
C0GJ1170-F	11.7	101	151	11.7	₹ 13,089
C0GJ1180-F	11.8	101	151	11.8	₹ 13,089
C0GJ1190-F	11.9	101	151	11.9	₹ 13,089
C0GJ1200-F	12.0	101	151	12.0	₹ 13,089
C0GJ1210-F	12.1	101	151	12.1	₹ 16,779
C0GJ1220-F	12.2	101	151	12.2	₹ 16,779
C0GJ1230-F	12.3	101	151	12.3	₹ 16,779
C0GJ1240-F	12.4	101	151	12.4	₹ 16,779
C0GJ1250-F	12.5	101	151	12.5	₹ 16,779
C0GJ1260-F	12.6	101	151	12.6	₹ 16,779
C0GJ1270-F	12.7	101	151	12.7	₹ 16,779
C0GJ1280-F	12.8	101	151	12.8	₹ 16,779
C0GJ1290-F	12.9	101	151	12.9	₹ 16,779
C0GJ1300-F	13.0	101	151	13.0	₹ 16,779
C0GJ1310-F	13.1	101	151	13.1	₹ 18,636
C0GJ1320-F	13.2	101	151	13.2	₹ 18,636
C0GJ1330-F	13.3	101	151	13.3	₹ 18,636
C0GJ1340-F	13.4	101	151	13.4	₹ 18,636
C0GJ1350-F	13.5	101	151	13.5	₹ 18,636
C0GJ1360-F	13.6	101	151	13.6	₹ 18,636
C0GJ1370-F	13.7	101	151	13.7	₹ 18,636
C0GJ1380-F	13.8	101	151	13.8	₹ 18,636
C0GJ1390-F	13.9	101	151	13.9	₹ 18,636

Back to Selection

Series	C0GJ		Carbide 0X GP- JOBBER Drills TiALN COATED		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C0GJ1400-F	14.0	101	151	14.0	₹ 18,636
C0GJ1410-F	14.1	101	151	14.1	₹ 22,395
C0GJ1420-F	14.2	101	151	14.2	₹ 22,395
C0GJ1430-F	14.3	101	151	14.3	₹ 22,395
C0GJ1440-F	14.4	101	151	14.4	₹ 22,395
C0GJ1450-F	14.5	101	151	14.5	₹ 22,395
C0GJ1460-F	14.6	101	151	14.6	₹ 22,395
C0GJ1470-F	14.7	101	151	14.7	₹ 22,395
C0GJ1480-F	14.8	101	151	14.8	₹ 22,395
C0GJ1490-F	14.9	101	151	14.9	₹ 22,395
C0GJ1500-F	15.0	101	151	15.0	₹ 22,395
C0GJ1600-F	16.0	101	151	16.0	₹ 23,142

Back to Selection

Series	C3HS		Carbide High Performance Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00W49	1.0	7	38	3.0	₹ 2,220
CR3AHDR00W56	1.1	7	38	3.0	₹ 2,220
CR3AHDR00W64	1.2	8	38	3.0	₹ 2,220
CR3AHDR00W72	1.3	8	38	3.0	₹ 2,220
CR3AHDR00W80	1.4	8	38	3.0	₹ 2,220
CR3AHDR00U66	1.5	8	50	3.0	₹ 2,247
CR3AHDR00U74	1.6	8	50	3.0	₹ 2,247
CR3AHDR00U82	1.7	8	50	3.0	₹ 2,058
CR3AHDR00U90	1.8	10	50	3.0	₹ 2,058
CR3AHDR00UA2	1.9	11	50	3.0	₹ 2,058
CR3AHDR00C23	2.0	14	50	4.0	₹ 1,908
CR3AHDR00C31	2.1	14	50	4.0	₹ 1,908
CR3AHDR00C49	2.2	14	50	4.0	₹ 1,908
CR3AHDR00C56	2.3	14	50	4.0	₹ 1,908
CR3AHDR00C64	2.4	14	50	4.0	₹ 1,908
CR3AHDR00C72	2.5	14	50	4.0	₹ 1,908
CR3AHDR00C80	2.6	14	50	4.0	₹ 1,908
CR3AHDR00C98	2.7	14	50	4.0	₹ 1,908
CR3AHDR00CA0	2.8	14	50	4.0	₹ 1,908
CR3AHDR00CB8	2.9	14	50	4.0	₹ 1,908
CR3AHDR00CC6	3.0	20	62	6.0	₹ 2,835
CR3AHDR00CD3	3.1	20	62	6.0	₹ 2,835
CR3AHDR00CE1	3.2	20	62	6.0	₹ 2,835
CR3AHDR00CF9	3.3	20	62	6.0	₹ 2,835
CR3AHDR00CG7	3.4	20	62	6.0	₹ 2,835
CR3AHDR00CH5	3.5	20	62	6.0	₹ 2,835
CR3AHDR00CJ0	3.6	20	62	6.0	₹ 2,835
CR3AHDR00CK8	3.7	20	62	6.0	₹ 2,835
CR3AHDR00CL6	3.8	24	62	6.0	₹ 2,835
CR3AHDR00CM4	3.9	24	62	6.0	₹ 2,835
CR3AHDR00CN1	4.0	24	62	6.0	₹ 2,835
CR3AHDR00CP7	4.1	24	62	6.0	₹ 2,835
CR3AHDR00CQ5	4.2	24	62	6.0	₹ 2,835
CR3AHDR00CR3	4.3	24	62	6.0	₹ 2,835
CR3AHDR00CS0	4.4	24	62	6.0	₹ 2,835
CR3AHDR00CT8	4.5	24	62	6.0	₹ 2,835
CR3AHDR00CU6	4.6	24	62	6.0	₹ 2,835
CR3AHDR00CV4	4.7	24	62	6.0	₹ 2,835
CR3AHDR00CW2	4.8	28	62	6.0	₹ 2,835
CR3AHDR00CX9	4.9	28	62	6.0	₹ 2,835
CR3AHDR00CY7	5.0	28	62	6.0	₹ 2,835
CR3AHDR00CZ5	5.1	28	62	6.0	₹ 2,835
CR3AHDR00D06	5.2	28	62	6.0	₹ 2,835
CR3AHDR00D14	5.3	28	62	6.0	₹ 2,835
CR3AHDR00D22	5.4	28	62	6.0	₹ 2,835
CR3AHDR00D30	5.5	28	62	6.0	₹ 2,835
CR3AHDR00D48	5.6	28	62	6.0	₹ 2,835

Back to Selection

Series	C3HS		Carbide High Performance Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00D55	5.7	28	62	6.0	₹ 2,835
CR3AHDR00D63	5.8	28	62	6.0	₹ 2,835
CR3AHDR00D71	5.9	28	62	6.0	₹ 2,835
CR3AHDR00D89	6.0	28	62	6.0	₹ 2,835
CR3AHDR00D97	6.1	34	75	8.0	₹ 5,373
CR3AHDR00DA9	6.2	34	75	8.0	₹ 5,373
CR3AHDR00DB7	6.3	34	75	8.0	₹ 5,373
CR3AHDR00DC5	6.4	34	75	8.0	₹ 5,373
CR3AHDR00DD2	6.5	34	75	8.0	₹ 5,373
CR3AHDR00DE0	6.6	34	75	8.0	₹ 5,373
CR3AHDR00DF8	6.7	34	75	8.0	₹ 5,373
CR3AHDR00DG6	6.8	34	75	8.0	₹ 5,373
CR3AHDR00DH4	6.9	34	75	8.0	₹ 5,373
CR3AHDR00DJ9	7.0	34	75	8.0	₹ 5,373
CR3AHDR00DK7	7.1	40	80	8.0	₹ 5,574
CR3AHDR00DL5	7.2	40	80	8.0	₹ 5,574
CR3AHDR00DM3	7.3	40	80	8.0	₹ 5,574
CR3AHDR00DN0	7.4	40	80	8.0	₹ 5,574
CR3AHDR00DP6	7.5	40	80	8.0	₹ 5,574
CR3AHDR00DQ4	7.6	40	80	8.0	₹ 5,574
CR3AHDR00DR2	7.7	40	80	8.0	₹ 5,574
CR3AHDR00DS9	7.8	40	80	8.0	₹ 5,574
CR3AHDR00DT7	7.9	40	80	8.0	₹ 5,574
CR3AHDR00DU5	8.0	40	80	8.0	₹ 5,574
CR3AHDR00P53	8.1	40	80	10.0	₹ 7,452
CR3AHDR00DV3	8.1	51	100	10.0	₹ 9,153
CR3AHDR00NV3	8.2	40	80	10.0	₹ 7,452
CR3AHDR00DW1	8.2	51	100	10.0	₹ 9,153
CR3AHDR00NP6	8.3	40	75	10.0	₹ 7,143
CR3AHDR00DX8	8.3	51	100	10.0	₹ 9,153
CR3AHDR00NH4	8.4	40	75	10.0	₹ 7,143
CR3AHDR00DY6	8.4	51	100	10.0	₹ 9,153
CR3AHDR00NJ9	8.5	40	75	10.0	₹ 7,143
CR3AHDR00DZ4	8.5	51	100	10.0	₹ 9,153
CR3AHDR00NK7	8.6	40	75	10.0	₹ 7,143
CR3AHDR00E05	8.6	51	100	10.0	₹ 9,153
CR3AHDR00NR2	8.7	40	75	10.0	₹ 7,143
CR3AHDR00E13	8.7	51	100	10.0	₹ 9,153
CR3AHDR00NZ4	8.8	40	80	10.0	₹ 7,452
CR3AHDR00E21	8.8	51	100	10.0	₹ 9,153
CR3AHDR00TU9	8.9	40	80	10.0	₹ 7,452
CR3AHDR00E39	8.9	51	100	10.0	₹ 9,153
CR3AHDR00NW1	9.0	40	80	10.0	₹ 7,452
CR3AHDR00E47	9.0	51	100	10.0	₹ 9,153
CR3AHDR00P79	9.1	40	80	10.0	₹ 7,452
CR3AHDR00E54	9.1	51	100	10.0	₹ 9,153
CR3AHDR00TQ8	9.2	40	80	10.0	₹ 7,452

Back to Selection

Series	C3HS		Carbide High Performance Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00E62	9.2	51	100	10.0	₹ 9,153
CR3AHDR00P87	9.3	40	80	10.0	₹ 7,452
CR3AHDR00E70	9.3	51	100	10.0	₹ 9,153
CR3AHDR00TV7	9.4	40	80	10.0	₹ 7,452
CR3AHDR00E88	9.4	51	100	10.0	₹ 9,153
CR3AHDR00P95	9.5	40	80	10.0	₹ 7,452
CR3AHDR00E96	9.5	51	100	10.0	₹ 9,153
CR3AHDR00TW5	9.6	40	80	10.0	₹ 7,452
CR3AHDR00EA8	9.6	51	100	10.0	₹ 9,153
CR3AHDR00TX2	9.7	40	80	10.0	₹ 7,452
CR3AHDR00EB6	9.7	51	100	10.0	₹ 9,153
CR3AHDR00PA7	9.8	40	80	10.0	₹ 7,452
CR3AHDR00EC4	9.8	51	100	10.0	₹ 9,153
CR3AHDR00TY0	9.9	40	80	10.0	₹ 7,452
CR3AHDR00ED1	9.9	51	100	10.0	₹ 9,153
CR3AHDR00NX8	10.0	40	80	10.0	₹ 7,452
CR3AHDR00EE9	10.0	51	100	10.0	₹ 9,153
CR3AHDR00EF7	10.1	55	100	12.0	₹ 12,066
CR3AHDR00EG5	10.2	55	100	12.0	₹ 12,066
CR3AHDR00NN0	10.3	40	75	12.0	₹ 9,474
CR3AHDR00EH3	10.3	55	100	12.0	₹ 12,066
CR3AHDR00NL5	10.4	40	75	12.0	₹ 9,474
CR3AHDR00EJ8	10.4	55	100	12.0	₹ 12,066
CR3AHDR00NM3	10.5	40	75	12.0	₹ 9,474
CR3AHDR00EK6	10.5	55	100	12.0	₹ 12,066
CR3AHDR00NS9	10.6	40	75	12.0	₹ 9,474
CR3AHDR00EL4	10.6	55	100	12.0	₹ 12,066
CR3AHDR00EM2	10.7	55	100	12.0	₹ 12,066
CR3AHDR00Z87	10.8	40	75	12.0	₹ 9,474
CR3AHDR00EN9	10.8	55	100	12.0	₹ 12,066
CR3AHDR00EP5	10.9	55	100	12.0	₹ 12,066
CR3AHDR00EQ3	11.0	55	100	12.0	₹ 12,066
CR3AHDR00ER1	11.1	55	100	12.0	₹ 12,066
CR3AHDR00ES8	11.2	55	100	12.0	₹ 12,066
CR3AHDR00ET6	11.3	55	100	12.0	₹ 12,066
CR3AHDR00EU4	11.4	55	100	12.0	₹ 12,066
CR3AHDR00EV2	11.5	55	100	12.0	₹ 12,066
CR3AHDR00EW0	11.6	55	100	12.0	₹ 12,066
CR3AHDR00EX7	11.7	55	100	12.0	₹ 12,066
CR3AHDR00EY5	11.8	55	100	12.0	₹ 12,066
CR3AHDR00EZ3	11.9	55	100	12.0	₹ 12,066
CR3AHDR00F04	12.0	55	100	12.0	₹ 12,066
CR3AHDR00Z79	12.1	55	105	14.0	₹ 17,220
CR3AHDR00PB5	12.2	55	105	14.0	₹ 17,220
CR3AHDR00U58	12.3	55	105	14.0	₹ 17,220
CR3AHDR00VV5	12.4	55	105	14.0	₹ 17,220
CR3AHDR00F12	12.5	55	105	14.0	₹ 17,220

Back to Selection

Series	C3HS		Carbide High Performance Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00VW3	12.6	55	105	14.0	₹ 17,220
CR3AHDR00P20	12.7	55	105	14.0	₹ 17,220
CR3AHDR00VG8	12.8	40	80	14.0	₹ 14,082
CR3AHDR00U33	12.8	55	105	14.0	₹ 17,220
CR3AHDR00VX0	12.9	55	105	14.0	₹ 17,220
CR3AHDR00F20	13.0	55	105	14.0	₹ 17,220
CR3AHDR00P38	13.1	55	105	14.0	₹ 17,220
CR3AHDR00P46	13.2	55	105	14.0	₹ 17,220
CR3AHDR00VD4	13.3	55	105	14.0	₹ 17,220
CR3AHDR00VH6	13.4	55	105	14.0	₹ 17,220
CR3AHDR00F38	13.5	55	105	14.0	₹ 17,220
CR3AHDR00W07	13.6	55	105	14.0	₹ 17,220
CR3AHDR00TS3	13.8	55	105	14.0	₹ 17,220
CR3AHDR00F46	14.0	55	105	14.0	₹ 17,220
CR3AHDR00X48	14.1	58	105	16.0	₹ 21,099
CR3AHDR00U41	14.2	58	105	16.0	₹ 21,099
CR3AHDR00F53	14.5	58	105	16.0	₹ 21,099
CR3AHDR00NY6	14.6	40	80	16.0	₹ 16,509
CR3AHDR00ZH2	14.6	58	105	16.0	₹ 21,099
CR3AHDR00Z61	14.9	58	105	16.0	₹ 21,099
CR3AHDR00F61	15.0	58	105	16.0	₹ 21,099
CR3AHDR00WL6	15.2	58	105	16.0	₹ 21,099
CR3AHDR00F79	15.5	58	105	16.0	₹ 21,099
CR3AHDR00Z46	15.7	58	105	16.0	₹ 21,099
CR3AHDR00NT7	15.8	58	105	16.0	₹ 21,099
CR3AHDR00F87	16.0	58	105	16.0	₹ 21,099
CR3AHDR00Z04	16.2	58	105	18.0	₹ 27,381
CR3AHDR00Z38	16.4	58	105	18.0	₹ 27,381
CR3AHDR00F95	16.5	58	105	18.0	₹ 27,381
CR3AHDR00WM4	16.7	58	105	18.0	₹ 27,381
CR3AHDR00FA7	17.0	58	105	18.0	₹ 27,381
CR3AHDR00FB5	17.5	58	105	18.0	₹ 27,381
CR3AHDR00Z53	17.7	58	105	18.0	₹ 27,381
CR3AHDR00FC3	18.0	58	105	18.0	₹ 27,381
CR3AHDR00FD0	18.5	58	105	20.0	₹ 37,761
CR3AHDR00FE8	19.0	58	105	20.0	₹ 37,761
CR3AHDR00FF6	19.5	58	105	20.0	₹ 37,761
CR3AHDR00YZ3	19.7	58	105	20.0	₹ 37,761
CR3AHDR00FG4	20.0	58	105	20.0	₹ 37,761

Back to Selection

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00W98	1.0	12	38	3.0	₹ 2,514
CR3AHDR00WA0	1.1	12	38	3.0	₹ 2,514
CR3AHDR00WB8	1.2	12	38	3.0	₹ 2,514
CR3AHDR00WC6	1.3	15	50	3.0	₹ 2,631
CR3AHDR00WD3	1.4	15	50	3.0	₹ 2,631
CR3AHDR00UB0	1.5	15	54	3.0	₹ 2,505
CR3AHDR00UC8	1.6	15	54	3.0	₹ 2,505
CR3AHDR00UD5	1.7	15	54	3.0	₹ 2,385
CR3AHDR00UE3	1.8	18	54	3.0	₹ 2,385
CR3AHDR00UF1	1.9	18	54	3.0	₹ 2,385
CR3AHDR00FH2	2.0	21	57	4.0	₹ 2,433
CR3AHDR00FJ7	2.1	21	57	4.0	₹ 2,433
CR3AHDR00FK5	2.2	21	57	4.0	₹ 2,433
CR3AHDR00FL3	2.3	21	57	4.0	₹ 2,433
CR3AHDR00FM1	2.4	21	57	4.0	₹ 2,433
CR3AHDR00FN8	2.5	21	57	4.0	₹ 2,433
CR3AHDR00FP4	2.6	21	57	4.0	₹ 2,433
CR3AHDR00FQ2	2.7	21	57	4.0	₹ 2,433
CR3AHDR00FR0	2.8	21	57	4.0	₹ 2,433
CR3AHDR00FS7	2.9	21	57	4.0	₹ 2,433
CR3AHDR00FT5	3.0	28	62	6.0	₹ 3,255
CR3AHDR00FU3	3.1	28	62	6.0	₹ 3,255
CR3AHDR00FV1	3.2	28	62	6.0	₹ 3,255
CR3AHDR00FW9	3.3	28	62	6.0	₹ 3,255
CR3AHDR00FX6	3.4	28	62	6.0	₹ 3,255
CR3AHDR00FY4	3.5	28	62	6.0	₹ 3,255
CR3AHDR00FZ2	3.6	28	62	6.0	₹ 3,255
CR3AHDR00G03	3.7	28	62	6.0	₹ 3,255
CR3AHDR00G11	3.8	36	75	6.0	₹ 3,816
CR3AHDR00G29	3.9	36	75	6.0	₹ 3,816
CR3AHDR00G37	4.0	36	75	6.0	₹ 3,816
CR3AHDR00G45	4.1	36	75	6.0	₹ 3,816
CR3AHDR00G52	4.2	36	75	6.0	₹ 3,816
CR3AHDR00G60	4.3	36	75	6.0	₹ 3,816
CR3AHDR00G78	4.4	36	75	6.0	₹ 3,816
CR3AHDR00G86	4.5	36	75	6.0	₹ 3,816
CR3AHDR00G94	4.6	36	75	6.0	₹ 3,816
CR3AHDR00GA6	4.7	36	75	6.0	₹ 3,816
CR3AHDR00GB4	4.8	42	80	6.0	₹ 3,996

Back to Selection

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00GC2	4.9	42	80	6.0	₹ 3,996
CR3AHDR00GD9	5.0	42	80	6.0	₹ 3,996
CR3AHDR00GE7	5.1	42	80	6.0	₹ 3,996
CR3AHDR00GF5	5.2	42	80	6.0	₹ 3,996
CR3AHDR00GG3	5.3	42	80	6.0	₹ 3,996
CR3AHDR00GH1	5.4	42	80	6.0	₹ 3,996
CR3AHDR00GJ6	5.5	42	80	6.0	₹ 3,996
CR3AHDR00GK4	5.6	42	80	6.0	₹ 3,996
CR3AHDR00GL2	5.7	42	80	6.0	₹ 3,996
CR3AHDR00GM0	5.8	42	80	6.0	₹ 3,996
CR3AHDR00GN7	5.9	42	80	6.0	₹ 3,996
CR3AHDR00GP3	6.0	42	80	6.0	₹ 3,996
CR3AHDR00GQ1	6.1	55	100	8.0	₹ 6,582
CR3AHDR00GR9	6.2	55	100	8.0	₹ 6,582
CR3AHDR00GS6	6.3	55	100	8.0	₹ 6,582
CR3AHDR00GT4	6.4	55	100	8.0	₹ 6,582
CR3AHDR00GU2	6.5	55	100	8.0	₹ 6,582
CR3AHDR00GV0	6.6	55	100	8.0	₹ 6,582
CR3AHDR00GW8	6.7	55	100	8.0	₹ 6,582
CR3AHDR00GX5	6.8	55	100	8.0	₹ 6,582
CR3AHDR00GY3	6.9	55	100	8.0	₹ 6,582
CR3AHDR00GZ1	7.0	55	100	8.0	₹ 6,582
CR3AHDR00H02	7.1	60	105	8.0	₹ 6,714
CR3AHDR00H10	7.2	60	105	8.0	₹ 6,714
CR3AHDR00H28	7.3	60	105	8.0	₹ 6,714
CR3AHDR00H36	7.4	60	105	8.0	₹ 6,714
CR3AHDR00H44	7.5	60	105	8.0	₹ 6,714
CR3AHDR00H51	7.6	60	105	8.0	₹ 6,714
CR3AHDR00H69	7.7	60	105	8.0	₹ 6,714
CR3AHDR00H77	7.8	60	105	8.0	₹ 6,714
CR3AHDR00H85	7.9	60	105	8.0	₹ 6,714
CR3AHDR00H93	8.0	60	105	8.0	₹ 6,714
CR3AHDR00HA5	8.1	75	125	10.0	₹ 10,944
CR3AHDR00HB3	8.2	75	125	10.0	₹ 10,944
CR3AHDR00HC1	8.3	75	125	10.0	₹ 10,944
CR3AHDR00HD8	8.4	75	125	10.0	₹ 10,944
CR3AHDR00HE6	8.5	75	125	10.0	₹ 10,944
CR3AHDR00HF4	8.6	75	125	10.0	₹ 10,944
CR3AHDR00HG2	8.7	75	125	10.0	₹ 10,944

Back to Selection

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00HH0	8.8	75	125	10.0	₹ 10,944
CR3AHDR00HJ5	8.9	75	125	10.0	₹ 10,944
CR3AHDR00HK3	9.0	75	125	10.0	₹ 10,944
CR3AHDR00HL1	9.1	75	125	10.0	₹ 10,944
CR3AHDR00HM9	9.2	75	125	10.0	₹ 10,944
CR3AHDR00HN6	9.3	75	125	10.0	₹ 10,944
CR3AHDR00HP2	9.4	75	125	10.0	₹ 10,944
CR3AHDR00HQ0	9.5	75	125	10.0	₹ 10,944
CR3AHDR00HR8	9.6	75	125	10.0	₹ 10,944
CR3AHDR00HS5	9.7	75	125	10.0	₹ 10,944
CR3AHDR00HT3	9.8	75	125	10.0	₹ 10,944
CR3AHDR00HU1	9.9	75	125	10.0	₹ 10,944
CR3AHDR00HV9	10.0	75	125	10.0	₹ 10,944
CR3AHDR00HW7	10.1	85	140	12.0	₹ 16,341
CR3AHDR00HX4	10.2	85	140	12.0	₹ 16,341
CR3AHDR00HY2	10.3	85	140	12.0	₹ 16,341
CR3AHDR00HZ0	10.4	85	140	12.0	₹ 16,341
CR3AHDR00J00	10.5	85	140	12.0	₹ 16,341
CR3AHDR00J18	10.6	85	140	12.0	₹ 16,341
CR3AHDR00J26	10.7	85	140	12.0	₹ 16,341
CR3AHDR00J34	10.8	85	140	12.0	₹ 16,341
CR3AHDR00J42	10.9	85	140	12.0	₹ 16,341
CR3AHDR00J59	11.0	85	140	12.0	₹ 16,341
CR3AHDR00J67	11.1	85	140	12.0	₹ 16,341
CR3AHDR00J75	11.2	85	140	12.0	₹ 16,341
CR3AHDR00J83	11.3	85	140	12.0	₹ 16,341
CR3AHDR00J91	11.4	85	140	12.0	₹ 16,341
CR3AHDR00JA3	11.5	85	140	12.0	₹ 16,341
CR3AHDR00JB1	11.6	85	140	12.0	₹ 16,341
CR3AHDR00JC9	11.7	85	140	12.0	₹ 16,341
CR3AHDR00JD6	11.8	85	140	12.0	₹ 16,341
CR3AHDR00JE4	11.9	85	140	12.0	₹ 16,341
CR3AHDR00JF2	12.0	85	140	12.0	₹ 16,341
CR3AHDR00ZB5	12.2	85	140	14.0	₹ 21,921
CR3AHDR00JG0	12.5	85	140	14.0	₹ 21,921
CR3AHDR00TR6	12.7	85	140	14.0	₹ 21,921
CR3AHDR00ZF6	12.8	85	140	14.0	₹ 21,921
CR3AHDR00JH8	13.0	85	140	14.0	₹ 21,921
CR3AHDR00JJ3	13.5	85	140	14.0	₹ 21,921

Back to Selection

Series	C3HL		Carbide High Performance Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00WR3	13.6	85	140	14.0	₹ 21,921
CR3AHDR00JK1	14.0	85	140	14.0	₹ 21,921
CR3AHDR00JL9	14.5	90	145	16.0	₹ 27,888
CR3AHDR00JM7	15.0	90	145	16.0	₹ 27,888
CR3AHDR00ZC3	15.2	90	145	16.0	₹ 27,888
CR3AHDR00JN4	15.5	90	145	16.0	₹ 27,888
CR3AHDR00WX9	15.7	90	145	16.0	₹ 27,888
CR3AHDR00WY7	15.8	90	145	16.0	₹ 27,888
CR3AHDR00JP0	16.0	90	145	16.0	₹ 27,888
CR3AHDR00Z12	16.2	95	150	18.0	₹ 36,249
CR3AHDR00JQ8	16.5	95	150	18.0	₹ 36,249
CR3AHDR00JR6	17.0	95	150	18.0	₹ 36,249
CR3AHDR00JS3	17.5	95	150	18.0	₹ 36,249
CR3AHDR00WV4	17.7	95	150	18.0	₹ 36,249
CR3AHDR00JT1	18.0	95	150	18.0	₹ 36,249
CR3AHDR00JU9	18.5	98	150	20.0	₹ 48,651
CR3AHDR00WU6	18.6	98	150	20.0	₹ 48,651
CR3AHDR00WW2	18.7	98	150	20.0	₹ 48,651
CR3AHDR00JV7	19.0	98	150	20.0	₹ 48,651
CR3AHDR00JW5	19.5	98	150	20.0	₹ 48,651
CR3AHDR00WK8	19.7	98	150	20.0	₹ 48,651
CR3AHDR00JX2	20.0	98	150	20.0	₹ 48,651

Back to Selection

Series	C3MS		Carbide MICRO DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C3MS020038-N	0.2	2	38	3.0	₹ 2,382
C3MS030038-N	0.3	3	38	3.0	₹ 2,382
C3MS040038-N	0.4	4	38	3.0	₹ 2,079
C3MS050038-N	0.5	5	38	3.0	₹ 2,079
C3MS060038-N	0.6	6	38	3.0	₹ 2,079
C3MS070038-N	0.7	6	38	3.0	₹ 2,079
C3MS080038-N	0.8	6	38	3.0	₹ 2,079
C3MS090038-N	0.9	6	38	3.0	₹ 2,079

Back to Selection

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3PHDR00UJ7	3.0	20	62	6.0	₹ 4,611
CR3PHDR00UK5	3.1	20	62	6.0	₹ 4,611
CR3PHDR00UL3	3.2	20	62	6.0	₹ 4,611
CR3PHDR00UM1	3.3	20	62	6.0	₹ 4,611
CR3PHDR00UN8	3.4	20	62	6.0	₹ 4,611
CR3PHDR00UP4	3.5	20	62	6.0	₹ 4,611
CR3PHDR00UQ2	3.6	20	62	6.0	₹ 4,611
CR3PHDR00UR0	3.7	20	62	6.0	₹ 4,611
CR3PHDR00US7	3.8	24	62	6.0	₹ 4,611
CR3PHDR00UT5	3.9	24	62	6.0	₹ 4,611
CR3PHDR00UU3	4.0	24	62	6.0	₹ 4,479
CR3PHDR00PQ7	4.1	24	62	6.0	₹ 4,479
CR3PHDR00PR5	4.2	24	62	6.0	₹ 4,479
CR3PHDR00PS2	4.3	24	62	6.0	₹ 4,479
CR3PHDR00PT0	4.4	24	62	6.0	₹ 4,479
CR3PHDR00PU8	4.5	24	62	6.0	₹ 4,479
CR3PHDR00PV6	4.6	24	62	6.0	₹ 4,479
CR3PHDR00PW4	4.7	24	62	6.0	₹ 4,479
CR3PHDR00PX1	4.8	28	62	6.0	₹ 4,479
CR3PHDR00PY9	4.9	28	62	6.0	₹ 4,479
CR3PHDR00PZ7	5.0	28	62	6.0	₹ 4,479
CR3PHDR00Q08	5.1	28	62	6.0	₹ 4,479
CR3PHDR00Q16	5.2	28	62	6.0	₹ 4,479
CR3PHDR00Q24	5.3	28	62	6.0	₹ 4,479
CR3PHDR00Q32	5.4	28	62	6.0	₹ 4,479
CR3PHDR00Q40	5.5	28	62	6.0	₹ 4,479
CR3PHDR00Q57	5.6	28	62	6.0	₹ 4,479
CR3PHDR00Q65	5.7	28	62	6.0	₹ 4,479
CR3PHDR00Q73	5.8	28	62	6.0	₹ 4,479
CR3PHDR00Q81	5.9	28	62	6.0	₹ 4,479
CR3PHDR00Q99	6.0	28	62	6.0	₹ 4,479
CR3PHDR00QA1	6.1	34	75	8.0	₹ 7,683
CR3PHDR00QB9	6.2	34	75	8.0	₹ 7,683
CR3PHDR00QC7	6.3	34	75	8.0	₹ 7,683
CR3PHDR00QD4	6.4	34	75	8.0	₹ 7,683
CR3PHDR00QE2	6.5	34	75	8.0	₹ 7,683
CR3PHDR00QF0	6.6	34	75	8.0	₹ 7,683
CR3PHDR00QG8	6.7	34	75	8.0	₹ 7,683
CR3PHDR00QH6	6.8	34	75	8.0	₹ 7,683

Back to Selection

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3PHDR00QJ1	6.9	34	75	8.0	₹ 7,683
CR3PHDR00QK9	7.0	34	75	8.0	₹ 7,683
CR3PHDR00QL7	7.1	40	80	8.0	₹ 8,007
CR3PHDR00QM5	7.2	40	80	8.0	₹ 8,007
CR3PHDR00QN2	7.3	40	80	8.0	₹ 8,007
CR3PHDR00QP8	7.4	40	80	8.0	₹ 8,007
CR3PHDR00QQ6	7.5	40	80	8.0	₹ 8,007
CR3PHDR00QR4	7.6	40	80	8.0	₹ 8,007
CR3PHDR00QS1	7.7	40	80	8.0	₹ 8,007
CR3PHDR00QT9	7.8	40	80	8.0	₹ 8,007
CR3PHDR00QU7	7.9	40	80	8.0	₹ 8,007
CR3PHDR00QV5	8.0	40	80	8.0	₹ 8,007
CR3PHDR00QW3	8.1	40	80	10.0	₹ 10,818
CR3PHDR00RG7	8.1	51	100	10.0	₹ 12,990
CR3PHDR00QX0	8.2	40	80	10.0	₹ 10,818
CR3PHDR00RH5	8.2	51	100	10.0	₹ 12,990
CR3PHDR00QY8	8.3	40	80	10.0	₹ 10,818
CR3PHDR00RJ0	8.3	51	100	10.0	₹ 12,990
CR3PHDR00QZ6	8.4	40	80	10.0	₹ 10,818
CR3PHDR00RK8	8.4	51	100	10.0	₹ 12,990
CR3PHDR00R07	8.5	40	80	10.0	₹ 10,818
CR3PHDR00RL6	8.5	51	100	10.0	₹ 12,990
CR3PHDR00R15	8.6	40	80	10.0	₹ 10,818
CR3PHDR00RM4	8.6	51	100	10.0	₹ 12,990
CR3PHDR00R23	8.7	40	80	10.0	₹ 10,818
CR3PHDR00RN1	8.7	51	100	10.0	₹ 12,990
CR3PHDR00R31	8.8	40	80	10.0	₹ 10,818
CR3PHDR00RP7	8.8	51	100	10.0	₹ 12,990
CR3PHDR00R49	8.9	40	80	10.0	₹ 10,818
CR3PHDR00RQ5	8.9	51	100	10.0	₹ 12,990
CR3PHDR00R56	9.0	40	80	10.0	₹ 10,818
CR3PHDR00RR3	9.0	51	100	10.0	₹ 12,990
CR3PHDR00R64	9.1	40	80	10.0	₹ 10,818
CR3PHDR00RS0	9.1	51	100	10.0	₹ 12,990
CR3PHDR00R72	9.2	40	80	10.0	₹ 10,818
CR3PHDR00RT8	9.2	51	100	10.0	₹ 12,990
CR3PHDR00R80	9.3	40	80	10.0	₹ 10,818
CR3PHDR00RU6	9.3	51	100	10.0	₹ 12,990
CR3PHDR00R98	9.4	40	80	10.0	₹ 10,818

Back to Selection

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3PHDR00RV4	9.4	51	100	10.0	₹ 12,990
CR3PHDR00RA0	9.5	40	80	10.0	₹ 10,818
CR3PHDR00RW2	9.5	51	100	10.0	₹ 12,990
CR3PHDR00RB8	9.6	40	80	10.0	₹ 10,818
CR3PHDR00RX9	9.6	51	100	10.0	₹ 12,990
CR3PHDR00RC6	9.7	40	80	10.0	₹ 10,818
CR3PHDR00RY7	9.7	51	100	10.0	₹ 12,990
CR3PHDR00RD3	9.8	40	80	10.0	₹ 10,818
CR3PHDR00RZ5	9.8	51	100	10.0	₹ 12,990
CR3PHDR00RE1	9.9	40	80	10.0	₹ 10,818
CR3PHDR00S06	9.9	51	100	10.0	₹ 12,990
CR3PHDR00RF9	10.0	40	80	10.0	₹ 10,818
CR3PHDR00S14	10.0	51	100	10.0	₹ 12,990
CR3PHDR00S22	10.1	55	100	12.0	₹ 17,298
CR3PHDR00S30	10.2	55	100	12.0	₹ 17,298
CR3PHDR00S48	10.3	55	100	12.0	₹ 17,298
CR3PHDR00S55	10.4	55	100	12.0	₹ 17,298
CR3PHDR010B0	10.5	40	80	12.0	₹ 13,365
CR3PHDR00S63	10.5	55	100	12.0	₹ 17,298
CR3PHDR00S71	10.6	55	100	12.0	₹ 17,298
CR3PHDR00S89	10.7	55	100	12.0	₹ 17,298
CR3PHDR00S97	10.8	55	100	12.0	₹ 17,298
CR3PHDR00SA9	10.9	55	100	12.0	₹ 17,298
CR3PHDR00SB7	11.0	55	100	12.0	₹ 17,298
CR3PHDR00SC5	11.1	55	100	12.0	₹ 17,298
CR3PHDR00SD2	11.2	55	100	12.0	₹ 17,298
CR3PHDR00SE0	11.3	55	100	12.0	₹ 17,298
CR3PHDR00SF8	11.4	55	100	12.0	₹ 17,298
CR3PHDR00SG6	11.5	55	100	12.0	₹ 17,298
CR3PHDR00SH4	11.6	55	100	12.0	₹ 17,298
CR3PHDR00SJ9	11.7	55	100	12.0	₹ 17,298
CR3PHDR00SK7	11.8	55	100	12.0	₹ 17,298
CR3PHDR00SL5	11.9	55	100	12.0	₹ 17,298
CR3PHDR00SM3	12.0	55	100	12.0	₹ 17,298
CR3PHDR00SN0	12.5	55	105	14.0	₹ 22,818
CR3PHDR00WS5	12.8	55	105	14.0	₹ 22,818
CR3PHDR00SP6	13.0	55	105	14.0	₹ 22,818
CR3PHDR00ZE3	13.2	55	105	14.0	₹ 22,818
CR3PHDR00SQ4	13.5	55	105	14.0	₹ 22,818

Back to Selection

Series	CTHS		Carbide High Performance Coolant Fed Drills (SHORT)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3PHDR00WH0	13.6	55	105	14.0	₹ 22,818
CR3PHDR00Z90	13.7	55	105	14.0	₹ 22,818
CR3PHDR00SR2	14.0	55	105	14.0	₹ 22,818
CR3PHDR00VR9	14.2	58	105	16.0	₹ 29,748
CR3PHDR00ZD5	14.3	58	105	16.0	₹ 29,748
CR3PHDR00SS9	14.5	58	105	16.0	₹ 29,748
CR3PHDR00ST7	15.0	58	105	16.0	₹ 29,748
CR3PHDR00SU5	15.5	58	105	16.0	₹ 29,748
CR3PHDR010N3	15.6	58	105	16.0	₹ 29,748
CR3PHDR00SV3	16.0	58	105	16.0	₹ 29,748
CR3PHDR00SW1	16.5	58	105	18.0	₹ 36,702
CR3PHDR00VQ1	16.7	58	105	18.0	₹ 36,702
CR3PHDR00SX8	17.0	58	105	18.0	₹ 36,702
CR3PHDR00SY6	17.5	58	105	18.0	₹ 36,702
CR3PHDR00VP3	17.9	58	105	18.0	₹ 36,702
CR3PHDR00SZ4	18.0	58	105	18.0	₹ 36,702
CR3PHDR00Z25	18.3	58	105	20.0	₹ 48,369
CR3PHDR00T05	18.5	58	105	20.0	₹ 48,369
CR3PHDR00T13	19.0	58	105	20.0	₹ 48,369
CR3PHDR00T21	19.5	58	105	20.0	₹ 48,369
CR3PHDR00T39	20.0	58	105	20.0	₹ 48,369

Back to Selection

Series	CTHL		Carbide High Performance Coolant Fed Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00UV6	3.0	36	75	6.0	₹ 5,694
CR3AHDR00UW4	3.1	36	75	6.0	₹ 5,694
CR3AHDR00UX1	3.2	36	75	6.0	₹ 5,694
CR3AHDR00UY9	3.3	36	75	6.0	₹ 5,694
CR3AHDR00UZ7	3.4	36	75	6.0	₹ 5,694
CR3AHDR00V08	3.5	36	75	6.0	₹ 5,694
CR3AHDR00V16	3.6	36	75	6.0	₹ 5,694
CR3AHDR00V24	3.7	36	75	6.0	₹ 5,694
CR3AHDR00V40	3.8	36	75	6.0	₹ 5,694
CR3AHDR00V32	3.9	36	75	6.0	₹ 5,694
CR3AHDR00V57	4.0	36	75	6.0	₹ 5,712
CR3AHDR00X55	4.1	36	75	6.0	₹ 5,712
CR3AHDR00WE1	4.2	36	75	6.0	₹ 5,712
CR3AHDR00VB9	4.3	36	75	6.0	₹ 5,712
CR3AHDR00X63	4.4	36	75	6.0	₹ 5,712
CR3AHDR00X71	4.5	36	75	6.0	₹ 5,712
CR3AHDR00WG7	4.6	36	75	6.0	₹ 5,712
CR3AHDR00X89	4.7	36	75	6.0	₹ 5,712
CR3AHDR00VA1	4.8	42	80	6.0	₹ 5,940
CR3AHDR00X97	4.9	42	80	6.0	₹ 5,940
CR3AHDR00VL7	5.0	42	80	6.0	₹ 5,940
CR3AHDR00VT9	5.1	42	80	6.0	₹ 5,940
CR3AHDR00XA9	5.2	42	80	6.0	₹ 5,940
CR3AHDR00VC7	5.3	42	80	6.0	₹ 5,940
CR3AHDR00WF9	5.4	42	80	6.0	₹ 5,940
CR3AHDR00WZ5	5.5	42	80	6.0	₹ 5,940
CR3AHDR00XB7	5.6	42	80	6.0	₹ 5,940
CR3AHDR00XC5	5.7	42	80	6.0	₹ 5,940
CR3AHDR00WJ0	5.8	42	80	6.0	₹ 5,940
CR3AHDR00XD2	5.9	42	80	6.0	₹ 5,940
CR3AHDR00VS1	6.0	42	80	6.0	₹ 5,940
CR3AHDR00XE0	6.1	55	100	8.0	₹ 9,399
CR3AHDR00XF8	6.2	55	100	8.0	₹ 9,399
CR3AHDR00XG6	6.3	55	100	8.0	₹ 9,399
CR3AHDR00XH4	6.4	55	100	8.0	₹ 9,399
CR3AHDR00X06	6.5	55	100	8.0	₹ 9,399
CR3AHDR00XJ9	6.6	55	100	8.0	₹ 9,399
CR3AHDR00XK7	6.7	55	100	8.0	₹ 9,399
CR3AHDR00V73	6.8	55	100	8.0	₹ 9,399
CR3AHDR00XL5	6.9	55	100	8.0	₹ 9,399

Back to Selection

Series	CTHL		Carbide High Performance Coolant Fed Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00V81	7.0	55	100	8.0	₹ 9,399
CR3AHDR00XM3	7.1	60	105	8.0	₹ 9,798
CR3AHDR00XN0	7.2	60	105	8.0	₹ 9,798
CR3AHDR00UH7	7.3	60	105	8.0	₹ 9,798
CR3AHDR00XP6	7.4	60	105	8.0	₹ 9,798
CR3AHDR00X14	7.5	60	105	8.0	₹ 9,798
CR3AHDR00XQ4	7.6	60	105	8.0	₹ 9,798
CR3AHDR00XR2	7.7	60	105	8.0	₹ 9,798
CR3AHDR00XS9	7.8	60	105	8.0	₹ 9,798
CR3AHDR00XT7	7.9	60	105	8.0	₹ 9,798
CR3AHDR00W31	8.0	60	105	8.0	₹ 9,798
CR3AHDR00XU5	8.1	75	125	10.0	₹ 15,525
CR3AHDR00XV3	8.2	75	125	10.0	₹ 15,525
CR3AHDR00VE2	8.3	75	125	10.0	₹ 15,525
CR3AHDR00XW1	8.4	75	125	10.0	₹ 15,525
CR3AHDR00VJ1	8.5	75	125	10.0	₹ 15,525
CR3AHDR00XX8	8.6	75	125	10.0	₹ 15,525
CR3AHDR00W15	8.7	75	125	10.0	₹ 15,525
CR3AHDR00X30	8.8	75	125	10.0	₹ 15,525
CR3AHDR00XY6	8.9	75	125	10.0	₹ 15,525
CR3AHDR00UG9	9.0	75	125	10.0	₹ 15,525
CR3AHDR00XZ4	9.1	75	125	10.0	₹ 15,525
CR3AHDR00Y05	9.2	75	125	10.0	₹ 15,525
CR3AHDR00VF0	9.3	75	125	10.0	₹ 15,525
CR3AHDR00Y13	9.4	75	125	10.0	₹ 15,525
CR3AHDR00Y21	9.5	75	125	10.0	₹ 15,525
CR3AHDR00Y39	9.6	75	125	10.0	₹ 15,525
CR3AHDR00Y47	9.7	75	125	10.0	₹ 15,525
CR3AHDR00Y54	9.8	75	125	10.0	₹ 15,525
CR3AHDR00Y62	9.9	75	125	10.0	₹ 15,525
CR3AHDR00X22	10.0	75	125	10.0	₹ 15,525
CR3AHDR00Y70	10.1	85	140	12.0	₹ 24,312
CR3AHDR00Y88	10.2	85	140	12.0	₹ 24,312
CR3AHDR00VK9	10.3	85	140	12.0	₹ 24,312
CR3AHDR00Y96	10.4	85	140	12.0	₹ 24,312
CR3AHDR00W23	10.5	85	140	12.0	₹ 24,312
CR3AHDR00YA8	10.6	85	140	12.0	₹ 24,312
CR3AHDR00YB6	10.7	85	140	12.0	₹ 24,312
CR3AHDR00YC4	10.8	85	140	12.0	₹ 24,312
CR3AHDR00YD1	10.9	85	140	12.0	₹ 24,312

Back to Selection

Series	CTHL		Carbide High Performance Coolant Fed Drills (LONG)		
Item Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CR3AHDR00VU7	11.0	85	140	12.0	₹ 24,312
CR3AHDR00YE9	11.1	85	140	12.0	₹ 24,312
CR3AHDR00WN1	11.2	85	140	12.0	₹ 24,312
CR3AHDR00YF7	11.3	85	140	12.0	₹ 24,312
CR3AHDR00YG5	11.4	85	140	12.0	₹ 24,312
CR3AHDR00YH3	11.5	85	140	12.0	₹ 24,312
CR3AHDR00YJ8	11.6	85	140	12.0	₹ 24,312
CR3AHDR00YK6	11.7	85	140	12.0	₹ 24,312
CR3AHDR00YL4	11.8	85	140	12.0	₹ 24,312
CR3AHDR00YM2	11.9	85	140	12.0	₹ 24,312
CR3AHDR00VY8	12.0	85	140	12.0	₹ 24,312
CR3AHDR00YN9	12.5	85	140	14.0	₹ 32,238
CR3AHDR00VZ6	13.0	85	140	14.0	₹ 32,238
CR3AHDR00YP5	13.5	85	140	14.0	₹ 32,238
CR3AHDR00WT8	13.6	85	140	14.0	₹ 32,238
CR3AHDR00ZA7	13.7	85	140	14.0	₹ 32,238
CR3AHDR00VN2	14.0	85	140	14.0	₹ 32,238
CR3AHDR00WP7	14.5	90	145	16.0	₹ 41,205
CR3AHDR00YQ3	15.0	90	145	16.0	₹ 41,205
CR3AHDR00YR1	15.5	90	145	16.0	₹ 41,205
CR3AHDR00V65	16.0	90	145	16.0	₹ 41,205
CR3AHDR00VM5	16.5	95	150	18.0	₹ 52,605
CR3AHDR00YS8	17.0	95	150	18.0	₹ 52,605
CR3AHDR00YT6	17.5	95	150	18.0	₹ 52,605
CR3AHDR00YU4	18.0	95	150	18.0	₹ 52,605
CR3AHDR00YV2	18.5	100	150	20.0	₹ 65,979
CR3AHDR00YW0	19.0	100	150	20.0	₹ 65,979
CR3AHDR00YX7	19.5	100	150	20.0	₹ 65,979
CR3AHDR00YY5	20.0	100	150	20.0	₹ 65,979

Back to Selection

Series	CTHM		Carbide Coolant Hole - MQL Drills		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
CTHM0420-N	4.2	57	105	6.0	₹ 7,800
CTHM0450-N	4.5	57	105	6.0	₹ 7,800
CTHM0500-N	5.0	65	108	6.0	₹ 7,800
CTHM0550-N	5.5	72	127	6.0	₹ 10,302
CTHM0600-N	6.0	78	133	6.0	₹ 10,302
CTHM0650-N	6.5	85	141	8.0	₹ 14,256
CTHM0700-N	7.0	91	147	8.0	₹ 14,256
CTHM0750-N	7.5	98	155	8.0	₹ 14,613
CTHM0800-N	8.0	104	160	8.0	₹ 15,225
CTHM0850-N	8.5	111	160	10.0	₹ 20,790
CTHM0900-N	9.0	117	175	10.0	₹ 22,092
CTHM0950-N	9.5	124	182	10.0	₹ 26,550
CTHM1000-N	10.0	130	188	10.0	₹ 26,550
CTHM1050-N	10.5	137	201	12.0	₹ 38,607
CTHM1100-N	11.0	143	207	12.0	₹ 38,607
CTHM1150-N	11.5	150	215	12.0	₹ 38,259
CTHM1200-N	12.0	156	221	12.0	₹ 38,259

Back to Selection

Series	C3AS		Carbide High Performance Drills ALU-IRIS Coated for Aluminium		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C3AS020050040-M	2.0	14	50	4.0	₹ 2,100
C3AS021050040-M	2.1	14	50	4.0	₹ 2,100
C3AS022050040-M	2.2	14	50	4.0	₹ 2,100
C3AS023050040-M	2.3	14	50	4.0	₹ 2,100
C3AS024050040-M	2.4	14	50	4.0	₹ 2,100
C3AS025050040-M	2.5	14	50	4.0	₹ 2,100
C3AS026050040-M	2.6	14	50	4.0	₹ 2,100
C3AS027050040-M	2.7	14	50	4.0	₹ 2,100
C3AS028050040-M	2.8	14	50	4.0	₹ 2,100
C3AS029050040-M	2.9	14	50	4.0	₹ 2,100
C3AS030062060-M	3.0	20	62	6.0	₹ 3,120
C3AS031062060-M	3.1	20	62	6.0	₹ 3,120
C3AS032062060-M	3.2	20	62	6.0	₹ 3,120
C3AS033062060-M	3.3	20	62	6.0	₹ 3,120
C3AS034062060-M	3.4	20	62	6.0	₹ 3,120
C3AS035062060-M	3.5	20	62	6.0	₹ 3,120
C3AS036062060-M	3.6	20	62	6.0	₹ 3,120
C3AS037062060-M	3.7	20	62	6.0	₹ 3,120
C3AS038062060-M	3.8	24	62	6.0	₹ 3,120
C3AS039062060-M	3.9	24	62	6.0	₹ 3,120
C3AS040062060-M	4.0	24	62	6.0	₹ 3,120
C3AS041062060-M	4.1	24	62	6.0	₹ 3,120
C3AS042062060-M	4.2	24	62	6.0	₹ 3,120
C3AS043062060-M	4.3	24	62	6.0	₹ 3,120
C3AS044062060-M	4.4	24	62	6.0	₹ 3,120
C3AS045062060-M	4.5	24	62	6.0	₹ 3,120
C3AS046062060-M	4.6	24	62	6.0	₹ 3,120
C3AS047062060-M	4.7	24	62	6.0	₹ 3,120
C3AS048062060-M	4.8	28	62	6.0	₹ 3,120
C3AS049062060-M	4.9	28	62	6.0	₹ 3,120
C3AS050062060-M	5.0	28	62	6.0	₹ 3,120
C3AS051062060-M	5.1	28	62	6.0	₹ 3,120
C3AS052062060-M	5.2	28	62	6.0	₹ 3,120
C3AS053062060-M	5.3	28	62	6.0	₹ 3,120
C3AS054062060-M	5.4	28	62	6.0	₹ 3,120
C3AS055062060-M	5.5	28	62	6.0	₹ 3,120
C3AS056062060-M	5.6	28	62	6.0	₹ 3,120
C3AS057062060-M	5.7	28	62	6.0	₹ 3,120
C3AS058062060-M	5.8	28	62	6.0	₹ 3,120
C3AS059062060-M	5.9	28	62	6.0	₹ 3,120
C3AS060062060-M	6.0	28	62	6.0	₹ 3,120
C3AS061075080-M	6.1	34	75	8.0	₹ 5,913
C3AS062075080-M	6.2	34	75	8.0	₹ 5,913
C3AS063075080-M	6.3	34	75	8.0	₹ 5,913

Back to Selection

Series	C3AS		Carbide High Performance Drills ALU-IRIS Coated for Aluminium		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C3AS064075080-M	6.4	34	75	8.0	₹ 5,913
C3AS065075080-M	6.5	34	75	8.0	₹ 5,913
C3AS066075080-M	6.6	34	75	8.0	₹ 5,913
C3AS067075080-M	6.7	34	75	8.0	₹ 5,913
C3AS068075080-M	6.8	34	75	8.0	₹ 5,913
C3AS069075080-M	6.9	34	75	8.0	₹ 5,913
C3AS070075080-M	7.0	34	75	8.0	₹ 5,913
C3AS071080080-M	7.1	40	80	8.0	₹ 6,132
C3AS072080080-M	7.2	40	80	8.0	₹ 6,132
C3AS073080080-M	7.3	40	80	8.0	₹ 6,132
C3AS074080080-M	7.4	40	80	8.0	₹ 6,132
C3AS075080080-M	7.5	40	80	8.0	₹ 6,132
C3AS076080080-M	7.6	40	80	8.0	₹ 6,132
C3AS077080080-M	7.7	40	80	8.0	₹ 6,132
C3AS078080080-M	7.8	40	80	8.0	₹ 6,132
C3AS079080080-M	7.9	40	80	8.0	₹ 6,132
C3AS080080080-M	8.0	40	80	8.0	₹ 6,132
C3AS081080100-M	8.1	40	80	10.0	₹ 8,199
C3AS081100100-M	8.1	51	100	10.0	₹ 10,071
C3AS082080100-M	8.2	40	80	10.0	₹ 8,199
C3AS082100100-M	8.2	51	100	10.0	₹ 10,071
C3AS083075100-M	8.3	40	75	10.0	₹ 7,860
C3AS083100100-M	8.3	51	100	10.0	₹ 10,071
C3AS084075100-M	8.4	40	75	10.0	₹ 7,860
C3AS084100100-M	8.4	51	100	10.0	₹ 10,071
C3AS085075100-M	8.5	40	75	10.0	₹ 7,860
C3AS085100100-M	8.5	51	100	10.0	₹ 10,071
C3AS086075100-M	8.6	40	75	10.0	₹ 7,860
C3AS086100100-M	8.6	51	100	10.0	₹ 10,071
C3AS087075100-M	8.7	40	75	10.0	₹ 7,860
C3AS087100100-M	8.7	51	100	10.0	₹ 10,071
C3AS088080100-M	8.8	40	80	10.0	₹ 8,199
C3AS088100100-M	8.8	51	100	10.0	₹ 10,071
C3AS089080100-M	8.9	40	80	10.0	₹ 8,199
C3AS089100100-M	8.9	51	100	10.0	₹ 10,071
C3AS090080100-M	9.0	40	80	10.0	₹ 8,199
C3AS090100100-M	9.0	51	100	10.0	₹ 10,071
C3AS091080100-M	9.1	40	80	10.0	₹ 8,199
C3AS091100100-M	9.1	51	100	10.0	₹ 10,071
C3AS092080100-M	9.2	40	80	10.0	₹ 8,199
C3AS092100100-M	9.2	51	100	10.0	₹ 10,071
C3AS093080100-M	9.3	40	80	10.0	₹ 8,199
C3AS093100100-M	9.3	51	100	10.0	₹ 10,071
C3AS094080100-M	9.4	40	80	10.0	₹ 8,199

Back to Selection

Series	C3AS		Carbide High Performance Drills ALU-IRIS Coated for Aluminium		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C3AS094100100-M	9.4	51	100	10.0	₹ 10,071
C3AS095080100-M	9.5	40	80	10.0	₹ 8,199
C3AS095100100-M	9.5	51	100	10.0	₹ 10,071
C3AS096080100-M	9.6	40	80	10.0	₹ 8,199
C3AS096100100-M	9.6	51	100	10.0	₹ 10,071
C3AS097080100-M	9.7	40	80	10.0	₹ 8,199
C3AS097100100-M	9.7	51	100	10.0	₹ 10,071
C3AS098080100-M	9.8	40	80	10.0	₹ 8,199
C3AS098100100-M	9.8	51	100	10.0	₹ 10,071
C3AS099080100-M	9.9	40	80	10.0	₹ 8,199
C3AS099100100-M	9.9	51	100	10.0	₹ 10,071
C3AS100080100-M	10.0	40	80	10.0	₹ 8,199
C3AS100100100-M	10.0	51	100	10.0	₹ 10,071
C3AS101100120-M	10.1	55	100	12.0	₹ 13,275
C3AS102100120-M	10.2	55	100	12.0	₹ 13,275
C3AS103075120-M	10.3	40	75	12.0	₹ 10,422
C3AS103100120-M	10.3	55	100	12.0	₹ 13,275
C3AS104075120-M	10.4	40	75	12.0	₹ 10,422
C3AS104100120-M	10.4	55	100	12.0	₹ 13,275
C3AS105075120-M	10.5	40	75	12.0	₹ 10,422
C3AS105100120-M	10.5	55	100	12.0	₹ 13,275
C3AS106075120-M	10.6	40	75	12.0	₹ 10,422
C3AS106100120-M	10.6	55	100	12.0	₹ 13,275
C3AS107100120-M	10.7	55	100	12.0	₹ 13,275
C3AS108075120-M	10.8	40	75	12.0	₹ 10,422
C3AS108100120-M	10.8	55	100	12.0	₹ 13,275
C3AS109100120-M	10.9	55	100	12.0	₹ 13,275
C3AS110100120-M	11.0	55	100	12.0	₹ 13,275
C3AS111100120-M	11.1	55	100	12.0	₹ 13,275
C3AS112100120-M	11.2	55	100	12.0	₹ 13,275
C3AS113100120-M	11.3	55	100	12.0	₹ 13,275
C3AS114100120-M	11.4	55	100	12.0	₹ 13,275
C3AS115100120-M	11.5	55	100	12.0	₹ 13,275
C3AS116100120-M	11.6	55	100	12.0	₹ 13,275
C3AS117100120-M	11.7	55	100	12.0	₹ 13,275
C3AS118100120-M	11.8	55	100	12.0	₹ 13,275
C3AS119100120-M	11.9	55	100	12.0	₹ 13,275
C3AS120100120-M	12.0	55	100	12.0	₹ 13,275
C3AS121105140-M	12.1	55	105	14.0	₹ 18,942
C3AS122105140-M	12.2	55	105	14.0	₹ 18,942
C3AS123105140-M	12.3	55	105	14.0	₹ 18,942
C3AS124105140-M	12.4	55	105	14.0	₹ 18,942
C3AS125105140-M	12.5	55	105	14.0	₹ 18,942
C3AS126105140-M	12.6	55	105	14.0	₹ 18,942

Back to Selection

Series	C3AS		Carbide High Performance Drills ALU-IRIS Coated for Aluminium		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C3AS127105140-M	12.7	55	105	14.0	₹ 18,942
C3AS128080140-M	12.8	40	80	14.0	₹ 15,492
C3AS128105140-M	12.8	55	105	14.0	₹ 18,942
C3AS129105140-M	12.9	55	105	14.0	₹ 18,942
C3AS130105140-M	13.0	55	105	14.0	₹ 18,942
C3AS131105140-M	13.1	55	105	14.0	₹ 18,942
C3AS132105140-M	13.2	55	105	14.0	₹ 18,942
C3AS133105140-M	13.3	55	105	14.0	₹ 18,942
C3AS134105140-M	13.4	55	105	14.0	₹ 18,942
C3AS135105140-M	13.5	55	105	14.0	₹ 18,942
C3AS136105140-M	13.6	55	105	14.0	₹ 18,942
C3AS138105140-M	13.8	55	105	14.0	₹ 18,942
C3AS140105140-M	14.0	55	105	14.0	₹ 18,942
C3AS141105160-M	14.1	58	105	16.0	₹ 23,211
C3AS142105160-M	14.2	58	105	16.0	₹ 23,211
C3AS145105160-M	14.5	58	105	16.0	₹ 23,211
C3AS146080160-M	14.6	40	80	16.0	₹ 18,162
C3AS149105160-M	14.9	58	105	16.0	₹ 23,211
C3AS150105160-M	15.0	58	105	16.0	₹ 23,211
C3AS152105160-M	15.2	58	105	16.0	₹ 23,211
C3AS155105160-M	15.5	58	105	16.0	₹ 23,211
C3AS157105160-M	15.7	58	105	16.0	₹ 23,211
C3AS158105160-M	15.8	58	105	16.0	₹ 23,211
C3AS160105160-M	16.0	58	105	16.0	₹ 23,211
C3AS162105180-M	16.2	58	105	18.0	₹ 30,120
C3AS164105180-M	16.4	58	105	18.0	₹ 30,120
C3AS165105180-M	16.5	58	105	18.0	₹ 30,120
C3AS167105180-M	16.7	58	105	18.0	₹ 30,120
C3AS170105180-M	17.0	58	105	18.0	₹ 30,120
C3AS175105180-M	17.5	58	105	18.0	₹ 30,120
C3AS177105180-M	17.7	58	105	18.0	₹ 30,120
C3AS180105180-M	18.0	58	105	18.0	₹ 30,120
C3AS185105200-M	18.5	58	105	20.0	₹ 41,538
C3AS190105200-M	19.0	58	105	20.0	₹ 41,538
C3AS195105200-M	19.5	58	105	20.0	₹ 41,538
C3AS197105200-M	19.7	58	105	20.0	₹ 41,538
C3AS200105200-M	20.0	58	105	20.0	₹ 41,538
C3AS220105220-M	22.0	58	105	22.0	₹ 49,557
C3AS250105250-M	25.0	58	105	25.0	₹ 61,710

Back to Selection

Series	C4HT		Carbide Super High Performance TIGER DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C4HT020050-P	2.0	14	50	4.0	₹ 2,787
C4HT021050-P	2.1	14	50	4.0	₹ 2,787
C4HT022050-P	2.2	14	50	4.0	₹ 2,787
C4HT023050-P	2.3	14	50	4.0	₹ 2,787
C4HT024050-P	2.4	14	50	4.0	₹ 2,787
C4HT025050-P	2.5	14	50	4.0	₹ 2,787
C4HT026050-P	2.6	14	50	4.0	₹ 2,787
C4HT027050-P	2.7	14	50	4.0	₹ 2,787
C4HT028050-P	2.8	14	50	4.0	₹ 2,787
C4HT029050-P	2.9	14	50	4.0	₹ 2,787
C4HT030062-P	3.0	20	62	6.0	₹ 4,512
C4HT031062-P	3.1	20	62	6.0	₹ 4,512
C4HT032062-P	3.2	20	62	6.0	₹ 4,512
C4HT033062-P	3.3	20	62	6.0	₹ 4,512
C4HT034062-P	3.4	20	62	6.0	₹ 4,512
C4HT035062-P	3.5	20	62	6.0	₹ 4,512
C4HT036062-P	3.6	20	62	6.0	₹ 4,512
C4HT037062-P	3.7	20	62	6.0	₹ 4,512
C4HT038062-P	3.8	24	62	6.0	₹ 4,512
C4HT039062-P	3.9	24	62	6.0	₹ 4,512
C4HT040062-P	4.0	24	62	6.0	₹ 4,512
C4HT041062-P	4.1	24	62	6.0	₹ 4,512
C4HT042062-P	4.2	24	62	6.0	₹ 4,512
C4HT043062-P	4.3	24	62	6.0	₹ 4,512
C4HT044062-P	4.4	24	62	6.0	₹ 4,512
C4HT045062-P	4.5	24	62	6.0	₹ 4,512
C4HT046062-P	4.6	24	62	6.0	₹ 4,512
C4HT047062-P	4.7	24	62	6.0	₹ 4,512
C4HT048062-P	4.8	28	62	6.0	₹ 4,512
C4HT049062-P	4.9	28	62	6.0	₹ 4,512
C4HT050062-P	5.0	28	62	6.0	₹ 4,512
C4HT051062-P	5.1	28	62	6.0	₹ 4,512
C4HT052062-P	5.2	28	62	6.0	₹ 4,512
C4HT053062-P	5.3	28	62	6.0	₹ 4,512
C4HT054062-P	5.4	28	62	6.0	₹ 4,512
C4HT055062-P	5.5	28	62	6.0	₹ 4,512
C4HT056062-P	5.6	28	62	6.0	₹ 4,512
C4HT057062-P	5.7	28	62	6.0	₹ 4,512
C4HT058062-P	5.8	28	62	6.0	₹ 4,512
C4HT059062-P	5.9	28	62	6.0	₹ 4,512

Back to Selection

Series	C4HT		Carbide Super High Performance TIGER DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C4HT060062-P	6.0	28	62	6.0	₹ 4,512
C4HT061075-P	6.1	34	75	8.0	₹ 7,413
C4HT062075-P	6.2	34	75	8.0	₹ 7,413
C4HT063075-P	6.3	34	75	8.0	₹ 7,413
C4HT064075-P	6.4	34	75	8.0	₹ 7,413
C4HT065075-P	6.5	34	75	8.0	₹ 7,413
C4HT066075-P	6.6	34	75	8.0	₹ 7,413
C4HT067075-P	6.7	34	75	8.0	₹ 7,413
C4HT068075-P	6.8	34	75	8.0	₹ 7,413
C4HT069075-P	6.9	34	75	8.0	₹ 7,413
C4HT070075-P	7.0	34	75	8.0	₹ 7,413
C4HT071080-P	7.1	40	80	8.0	₹ 8,037
C4HT072080-P	7.2	40	80	8.0	₹ 8,037
C4HT073080-P	7.3	40	80	8.0	₹ 8,037
C4HT074080-P	7.4	40	80	8.0	₹ 8,037
C4HT075080-P	7.5	40	80	8.0	₹ 8,037
C4HT076080-P	7.6	40	80	8.0	₹ 8,037
C4HT077080-P	7.7	40	80	8.0	₹ 8,037
C4HT078080-P	7.8	40	80	8.0	₹ 8,037
C4HT079080-P	7.9	40	80	8.0	₹ 8,037
C4HT080080-P	8.0	40	80	8.0	₹ 8,037
C4HT081080-P	8.1	40	80	10.0	₹ 10,575
C4HT082080-P	8.2	40	80	10.0	₹ 10,575
C4HT083080-P	8.3	40	80	10.0	₹ 10,575
C4HT084080-P	8.4	40	80	10.0	₹ 10,575
C4HT085080-P	8.5	40	80	10.0	₹ 10,575
C4HT086080-P	8.6	40	80	10.0	₹ 10,575
C4HT087080-P	8.7	40	80	10.0	₹ 10,575
C4HT088080-P	8.8	40	80	10.0	₹ 10,575
C4HT089080-P	8.9	40	80	10.0	₹ 10,575
C4HT090080-P	9.0	40	80	10.0	₹ 10,575
C4HT091080-P	9.1	40	80	10.0	₹ 10,575
C4HT092080-P	9.2	40	80	10.0	₹ 10,575
C4HT093080-P	9.3	40	80	10.0	₹ 10,575
C4HT094080-P	9.4	40	80	10.0	₹ 10,575
C4HT095080-P	9.5	40	80	10.0	₹ 10,575
C4HT096080-P	9.6	40	80	10.0	₹ 10,575
C4HT097080-P	9.7	40	80	10.0	₹ 10,575
C4HT098080-P	9.8	40	80	10.0	₹ 10,575
C4HT099080-P	9.9	40	80	10.0	₹ 10,575

Back to Selection

Series	C4HT		Carbide Super High Performance TIGER DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C4HT100080-P	10.0	40	80	10.0	₹ 10,575
C4HT081100-P	8.1	60	100	10.0	₹ 13,125
C4HT082100-P	8.2	60	100	10.0	₹ 13,125
C4HT083100-P	8.3	60	100	10.0	₹ 13,125
C4HT084100-P	8.4	60	100	10.0	₹ 13,125
C4HT085100-P	8.5	60	100	10.0	₹ 13,125
C4HT086100-P	8.6	60	100	10.0	₹ 13,125
C4HT087100-P	8.7	60	100	10.0	₹ 13,125
C4HT088100-P	8.8	60	100	10.0	₹ 13,125
C4HT089100-P	8.9	60	100	10.0	₹ 13,125
C4HT090100-P	9.0	60	100	10.0	₹ 13,125
C4HT091100-P	9.1	60	100	10.0	₹ 13,125
C4HT092100-P	9.2	60	100	10.0	₹ 13,125
C4HT093100-P	9.3	60	100	10.0	₹ 13,125
C4HT094100-P	9.4	60	100	10.0	₹ 13,125
C4HT095100-P	9.5	60	100	10.0	₹ 13,125
C4HT096100-P	9.6	60	100	10.0	₹ 13,125
C4HT097100-P	9.7	60	100	10.0	₹ 13,125
C4HT098100-P	9.8	60	100	10.0	₹ 13,125
C4HT099100-P	9.9	60	100	10.0	₹ 13,125
C4HT100100-P	10.0	60	100	10.0	₹ 13,125
C4HT101100-P	10.1	60	100	12.0	₹ 17,775
C4HT102100-P	10.2	60	100	12.0	₹ 17,775
C4HT103100-P	10.3	60	100	12.0	₹ 17,775
C4HT104100-P	10.4	60	100	12.0	₹ 17,775
C4HT105100-P	10.5	60	100	12.0	₹ 17,775
C4HT106100-P	10.6	60	100	12.0	₹ 17,775
C4HT107100-P	10.7	60	100	12.0	₹ 17,775
C4HT108100-P	10.8	60	100	12.0	₹ 17,775
C4HT109100-P	10.9	60	100	12.0	₹ 17,775
C4HT110100-P	11.0	60	100	12.0	₹ 17,775
C4HT111100-P	11.1	60	100	12.0	₹ 17,775
C4HT112100-P	11.2	60	100	12.0	₹ 17,775
C4HT113100-P	11.3	60	100	12.0	₹ 17,775
C4HT114100-P	11.4	60	100	12.0	₹ 17,775
C4HT115100-P	11.5	60	100	12.0	₹ 17,775
C4HT116100-P	11.6	60	100	12.0	₹ 17,775
C4HT117100-P	11.7	60	100	12.0	₹ 17,775
C4HT118100-P	11.8	60	100	12.0	₹ 17,775
C4HT119100-P	11.9	60	100	12.0	₹ 17,775

Back to Selection

Series	C4HT		Carbide Super High Performance TIGER DRILLS		
Ordering Code	Flute Diameter (D1)	Flute Length (L1)	Overall Length (L2)	Shank Diameter (D2)	PL-56
C4HT120100-P	12.0	60	100	12.0	₹ 17,775
C4HT125105-P	12.5	55	105	14.0	₹ 26,319
C4HT130105-P	13.0	55	105	14.0	₹ 26,319
C4HT135105-P	13.5	55	105	14.0	₹ 26,319
C4HT140105-P	14.0	55	105	14.0	₹ 26,319
C4HT145105-P	14.5	58	105	16.0	₹ 32,139
C4HT150105-P	15.0	58	105	16.0	₹ 32,139
C4HT155105-P	15.5	58	105	16.0	₹ 32,139
C4HT160105-P	16.0	58	105	16.0	₹ 32,139
C4HT165105-P	16.5	58	105	18.0	₹ 45,858
C4HT170105-P	17.0	58	105	18.0	₹ 45,858
C4HT175105-P	17.5	58	105	18.0	₹ 45,858
C4HT180105-P	18.0	58	105	18.0	₹ 45,858
C4HT185105-P	18.5	58	105	20.0	₹ 54,030
C4HT190105-P	19.0	58	105	20.0	₹ 54,030
C4HT195105-P	19.5	58	105	20.0	₹ 54,030
C4HT200105-P	20.0	58	105	20.0	₹ 54,030

Back to Selection

Series	C3N1		Carbide 3X SPOT DRILLS 90˚		
Ordering Code	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-56
C3N10400-U	4	8	50	4	₹ 1,716
C3N10500-U	5	12	50	5	₹ 2,142
C3N10600-U	6	13	50	6	₹ 2,592
C3N10800-U	8	20	60	8	₹ 4,152
C3N11000-U	10	24	72	10	₹ 6,888
C3N11200-U	12	25	75	12	₹ 9,246
C3N11600-U	16	32	75	16	₹ 16,050
C3N10400-N	4	8	50	4	₹ 1,926
C3N10500-N	5	12	50	5	₹ 2,409
C3N10600-N	6	13	50	6	₹ 2,919
C3N10800-N	8	20	60	8	₹ 4,671
C3N11000-N	10	24	75	10	₹ 7,713
C3N11200-N	12	25	75	12	₹ 9,942
C3N11600-N	16	32	75	16	₹ 17,154

Back to Selection

Series	C3N2		Carbide 3X SPOT DRILLS 120˚		
Ordering Code	Flute Diameter (D)	Flute Length (L2)	Overall Length (L1)	Shank Diameter (D)	PL-56
C3N20400-U	4	8	50	4	₹ 1,716
C3N20500-U	5	12	50	5	₹ 2,142
C3N20600-U	6	13	50	6	₹ 2,592
C3N20800-U	8	20	60	8	₹ 4,152
C3N21000-U	10	24	72	10	₹ 6,888
C3N21200-U	12	25	75	12	₹ 9,246
C3N21600-U	16	32	75	16	₹ 16,050
C3N20400-N	4	8	50	4	₹ 1,926
C3N20500-N	5	12	50	5	₹ 2,409
C3N20600-N	6	13	50	6	₹ 2,919
C3N20800-N	8	20	60	8	₹ 4,671
C3N21000-N	10	24	75	10	₹ 7,713
C3N21200-N	12	25	75	12	₹ 9,942
C3N21600-N	16	32	75	16	₹ 17,154